

PRODUCT	MESH OPENING	OPEN AREA	MESH COUNT		THREAD DIAMETER
			/cm	/inch	
SaatiMil PES GG	micron	%			micron
PES 12 GG	1950	64	4,25	11	500
PES 14 GG	1650	64	5	13	460
PES 18 GG	1180	58	6,5	17	385
PES 22 GG	970	58	8	20	300
PES 24 GG	850	55	9	23	280
PES 26 GG	810	55	9,5	24	280
PES 27 GG	740	53	10	25	260
PES 28 GG	700	52	10,5	27	260
PES 32 GG	600	51	12	30	240
PES 34 GG	580	47	12	30	260
PES 36 GG	530	50	13,4	34	220
PES 38 GG	500	48	14	36	220
PES 40 GG	475	50	15	38	200
PES 44 GG	425	46	16	41	200
PES 45 GG	400	52	18	46	160
PES 47 GG	370	50	19	48	160
PES 52 GG	330	46	21	54	160
PES 58 GG	290	50	24	61	120
PES 60 GG	275	43	24	61	145
PES 64 GG	265	53	27	69	100
PES 66 GG	250	44	27	68	120
PES 72 GG	220	41	29	74	120
PES 74 GG	220	35	27	68	145

PRODUCT	MESH OPENING	OPEN AREA	MESH COUNT		THREAD DIAMETER
			/cm	/inch	
SaatiMil PA GG	micron	%			micron
PA 10 GG	1920	64	4,25	11	500
PA 12 GG	1800	61	4,5	11	500
PA 14 GG	1560	61	5	13	450
PA 15 GG	1450	62	5,5	14	400
PA 16 GG	1320	56	6	15	400
PA 17 GG	1250	56	6,5x5,75	17x15	400
PA 18 GG	1170	55	6,5	17	400
PA 20 GG	1030	57	7,5	19	325
PA 22 GG	950	58	8	20	300
PA 23 GG	900	56	8,3	21	300
PA 24 GG	830	55	9	23	280
PA 26 GG	790	54	9,5	24	280
PA 27 GG	730	55	10,5	27	250
PA 28 GG	700	54	10,75	27	250
PA 30 GG	660	52	11	28	250
PA 31 GG	630	51	11,5	29	250
PA 32 GG	600	50	12	30	250
PA 34 GG	560	51	13	33	225
PA 36 GG	530	49	13,5	34	225
PA 38 GG	500	47	14	36	225
PA 40 GG	475	49	15	38	195
PA 42 GG	440	46	16	41	195
PA 44 GG	420	46	16,5	42	195
PA 45 GG	400	46	17	43	195
PA 47 GG	375	43	18	46	180
PA 48 GG	365	43	18	46	195
PA 50 GG	355	51	20	51	150
PA 52 GG	335	49	21	53	150
PA 54 GG	310	47	22	56	150
PA 58 GG	300	46	23	58	140
PA 60 GG	280	43	24	61	140
PA 62 GG	270	41	24	61	150
PA 64 GG	265	47	26	66	120
PA 66 GG	255	46	27	69	120
PA 68 GG	245	43	27,5	70	120
PA 70 GG	240	44	28	71	120
PA 72 GG	225	42	29	74	120
PA 74 GG	212	40	30	76	120

World Headquarters

ITALY SAATI S.p.A. - Phone: (+ 39) 031 9711 - Fax: (+ 39) 031 933392 - E-mail: info.IT@saatitech.com

Branches

USA SAATI AMERICAS - Phone: (+ 1) 914 7670100 - Fax: (+ 1) 914 7670109 - E-mail: info.US@saatitech.com

CHINA SHANGHAI SAATI FABRICS CO. LTD. - Phone: (+ 86) 21 58999113 - Fax: (+ 86) 21 50317438
E-mail: info.CN@saatitech.com

GERMANY SAATI GMBH - Phone: (+ 49) 731 1767747 - Fax: (+ 49) 731 1767769 - E-mail: info.DE@saatitech.com

SPAIN SAATI IBERICA S.A. - Phone: (+ 34) 96 4550688 - Fax: (+ 34) 96 4551049 - E-mail: info.ES@saatitech.com

FRANCE SAATI FRANCE S.A. - Phone: (+ 33) 4 94598154 - Fax: (+ 33) 4 94598154 - E-mail: info.FR@saatitech.com

INDIA SAATI INDIA PVT. LTD. - Phone: (+91) 22 24031118 - Fax: (+91) 22 24031117 - E-mail: info@saatiindia.com

RUSSIA SAATI RUSSIA - Phone: (+7) 8124934474 - E-mail: info.ru@saati.com



Web Site:
www.saati.com

World Headquarters

ITALY SAATI S.p.A. - Phone: (+ 39) 031 9711 - Fax: (+ 39) 031 933392 - E-mail: info.IT@saatitech.com

Branches

USA SAATI AMERICAS - Phone: (+ 1) 914 7670100 - Fax: (+ 1) 914 7670109 - E-mail: info.US@saatitech.com

CHINA SHANGHAI SAATI FABRICS CO. LTD. - Phone: (+ 86) 21 58999113 - Fax: (+ 86) 21 50317438
E-mail: info.CN@saatitech.com

GERMANY SAATI GMBH - Phone: (+ 49) 731 1767747 - Fax: (+ 49) 731 1767769 - E-mail: info.DE@saatitech.com

SPAIN SAATI IBERICA S.A. - Phone: (+ 34) 96 4550688 - Fax: (+ 34) 96 4551049 - E-mail: info.ES@saatitech.com

FRANCE SAATI FRANCE S.A. - Phone: (+ 33) 4 94598154 - Fax: (+ 33) 4 94598154 - E-mail: info.FR@saatitech.com

INDIA SAATI INDIA PVT. LTD. - Phone: (+91) 22 24031118 - Fax: (+91) 22 24031117 - E-mail: info@saatiindia.com

RUSSIA SAATI RUSSIA - Phone: (+7) 8124934474 - E-mail: info.ru@saati.com



Web Site:
www.saati.com

PRODUCT	MESH OPENING	OPEN AREA	MESH COUNT		THREAD DIAMETER
			/cm	/inch	
SaatiMil PA XXX	micron	%			micron
PA 3 XXX	300	46	23	58	140
PA 4 XXX	280	43	24	61	140
PA 5 XXX	255	46	27	69	120
PA 6 XXX	212	40	30	76	120
PA 7 XXX	200	39	31	79	120
PA 8 XXX	180	43	36	91	100
PA 8.5 XXX	160	37	38	97	100
PA 9 XXX	155	39	41	104	90
PA 9.5 XXX	140	36	43	109	90
PA 10 XXX	135	39	46	117	80
PA 10.5 XXX	125	38	49	124	80
PA 11 XXX	115	35	51	130	80
PA 12 XXX	115	37	55	140	70
PA 12.5 XXX	105	32	55	140	80
PA 13 XXX	100	32	57	145	70
PA 14 XXX	90	30	62	157	70
PA 14.5 XXX	90	35	66	168	61
PA 17 XXX	80	32	71	180	61

PRODUCT	MESH OPENING	OPEN AREA	MESH COUNT		THREAD DIAMETER
			/cm	/inch	
SaatiMil HT	micron	%			micron
3 HT	300	51	23,5	60	120
4 HT	280	51	25	64	120
5 HT	250	51	28,5	72	100
7 HT	195	43	34	86	100
8 HT	180	43	36	91	100
8,5 HT	160	43	43	109	80
9 HT	150	51	48	109	61
9,5 HT	140	41	45	114	80
10 HT	135	42	49	124	70
10,5 HT	125	41	51	130	70
11 HT	118	41	53	135	70
12 HT	112	42	57,5	146	61
13 HT	100	38	62	157	61

PRODUCT	MESH OPENING	OPEN AREA	MESH COUNT		THREAD DIAMETER
			/cm	/inch	
SaatiMil PA XX	micron	%			micron
PA 6 XX	212	49	31/34	79/86	(90+2x60)/90
PA 7 XX	200	48	33/36	84/91	(80+2x61)/80
PA 8 XX	180	46	36/40	91/102	(80+2x61)/70
PA 8,5 XX	160	44	39/43	99/110	(70+2x61)/70
PA 9 XX	150	44	41/48	104/121	(70+2x61)/61
PA 9,5 XX	140	43	43/50	110/127	(61+2x60)/60
PA 10 XX	132	44	47/52	120/132	(61+2x50)/61
PA 10,5 XX	125	40	49/54	124/137	(61+2x50)/61
PA 11 XX	118	42	50/59	128/151	(61+2x50)/50
PA 12 XX	112	40	52/62	132/157	(61+2x50)/50
PA 12,5 XX	106	40	56/64	142/163	(61+2x44)/50
PA 13 XX	100	38	57/67	145/169	(61+2x50)/50
PA 14 XX	95	38	61/69	156/175	(50+2x44)/50
PA 15 XX	85	34	65/74	165/188	(50+2x43)/50