



QUICK-STEP[®]
FLOOR DESIGNERS

The start of
something beautiful

LIVYN

COLLECTION 2016 - 2017

The start of something beautiful



BACL 40018



EST 001



EST 009





BACL 40031



EST 010

Welcome

- 04 The perfect floor designed for your interior
- 06 Create your own living space

Collection overview

- 10 How to choose your vinyl floor
- 12 Types of structure, treatment, finishing and bevel
- 14 Discover the full Livyn collection

Installation

- 16 Install your floor without a hassle
- 17 Simply choose click or glue

Cleaning

- 18 Keep your floor in top condition



BACL 40027

The perfect floor designed for your interior

Design & technology of today

Designing a Quick-Step floor is a process in which technology and creativity go hand in hand. The designers create a very wide variety of floors, each with their own natural character. We focus on the smallest details, so that you can choose from an unparalleled range of designs.

Quick-Step® makes it easy for you

At Quick-Step we don't just offer a product, we offer a total solution. From floors to underlays and maintenance products, our range of products guarantees a stunning result every time. As the inventor of the Uniclic® Multifit for Livyn click system, Quick-Step also ensures a hassle free installation. The system enables you to click the planks together in no time using three different methods, including drop-down.



A heart for nature

At Quick-Step, we are conscious that the world in which you want to live doesn't consist of just stylish interiors. It is equally a world that radiates respect for our natural environment. That is precisely why we continually do our best to keep the environmental impact of our products and processes to a minimum.





A lifetime of pleasure

Quiet, comfortable and waterproof



Quiet, comfortable and 100% waterproof: with

Quick-Step Livyn you get all the advantages of vinyl. These warming, comfortable floors are a pleasure to walk on, even barefoot. Thanks to their excellent water-resistance, Livyn floors are also the perfect choice for wet areas such as bathrooms or kitchens.

Revolutionary scratch and stain resistance



Enjoy your Quick-Step Livyn

Balance floor for many years

thanks to the revolutionary sealed top layer with Stain and Scratch Guard technology. This layer ensures superior protection from scratches, stains, dirt and scuff marks.

Perfectly natural look



The Quick-Step Livyn collection includes a wide range of natural looking wood designs with realistic bevels and structures that match the specific character of the design. Add to this the extra matt finish and the floors are often indistinguishable from real wood flooring.

Create your own living space

A beautiful interior starts with a good foundation. The floor could be considered as the fifth wall and therefore it should not be overlooked. Whatever your style, whatever your room, Quick-Step has the right floor: from light, clean floors to warm brown classics and even reclaimed floors with knots and cracks.



BACL 40018



EST 008



BACL 40031



BACL 40053



Did you know that Quick-Step Balance floors can **withstand high changing temperature conditions?** It is the most stable vinyl product, allowing it to be installed floating in any room, even a conservatory. What's more, you don't need transition profiles between rooms, resulting in a clean, finished look.



EST 002



EST 007



ELT 035



Did you know that with Livyn floors, you'll never have to worry about water spillages again? Thanks to their high quality vinyl core, Livyn floors are waterproof, making them ideal for bathrooms, kitchens, laundry and utility rooms. In fact, any room where a high level of moisture is involved. Yet another Livyn advantage that gives you complete peace of mind.

**STAIN
GUARD**
FOR LIVYN

**SCRATCH
GUARD**
FOR LIVYN

For the Balance range a special Quick-Step shield with Stain Guard and Scratch Guard technology was designed to withstand anything an active life throws at it. Washable and very durable, it's perfect for kitchens, bedrooms, or anywhere scratches and stains are an issue. The unique closed top layer means that dirt has no chance.



BACL 40026






EST 009



BACL 40027

How to choose?

| | dimensions / pack | thickness | bevels |
|--|---|-----------|---|
| BALANCE CLICK & BALANCE GLUE+* Highly wear-resistant and durable The Balance collection is the new kid on the block combining the natural look and feel of wood with the special durability benefit designed for this collection. A sealed top layer with 'Scratch Guard' and 'Stain Guard' technology protects Balance floors against dirt, stains and scratches and makes them easy to clean. Fast and easy installation Installing a Quick-Step Balance Click floor is simple thanks to the patented Uniclic® Multifit for Livyn click system. This system is highly user-friendly, quicker to install and a lot more stable than other systems. | 125.1 x 18.7 cm 9 x  = 2.105 m ² | ≐ 4.5 mm |  |
| | 125.6 x 19.4 cm 15 x  = 3.655 m ² | ≐ 2.5 mm | |

ESSENTIAL

Optimal length-width ratio
 Featuring a unique plank size with an optimal length-width ratio, this glue down option is a more permanent option which is more solid, strong underfoot and dependable.

Solid laying method
 The Essential collection is installed glued down. Luckily Quick-Step provides the full solution to you by offering and recommending the European fibre reinforced Quick-Step glue.

| | | |
|--|--------|---|
| 137.2x 18.4 cm 15 x  = 3.789m ² | ≐ 2 mm |  |
|--|--------|---|

COMFORT**

Super-sized extra matt planks
 The Comfort collection offers extra large vinyl planks with an exceptional matt-gloss level and realistic surface structures. These super-sized 1500mm planks are unique in the market.

Solid laying method
 The Comfort collection is installed glued down. More information about the Quick-Step Glue can be found on page 17.

| | | |
|--|--------|---|
| 150x 18.5 cm 5 x  = 1.39 m ² | ≐ 5 mm |  |
|--|--------|---|

* Exclusively available in New Zealand

** Exclusively available in Australia



CLASS 32

(EN16511) For residential or light commercial use
 Normal daily use in ordinary living spaces.



CLASS 33

For commercial use.
 Extra wear-resistant floors for areas with higher usage.

installation

performance level

warranty



PU
COATED



PU
COATED




The details make the difference

Each vinyl floor has its own story and a unique look and feel. The Quick-Step designers carefully select the structure, treatment, finishing and bevel, perfectly in line with the character of each floor design.



Structure



Elegant wood structure

A subtle surface texture with a fine grain structure that gives a wood effect with a very natural look and feel.



Intense wood structure

This distinct structure has varying depths and gloss levels accentuating the knots and cracks. The design and surface structure is more pronounced than the natural wood structure.

Finishing



Matt finish

A matt gloss giving the floor a very natural look.

Bevel



Modern bevel

The bevel defines the plank edges resulting in a clean, modern look.

Treatment



Saw cut

This effect gives the impression of rough sawn wood thanks to the visible and tangible saw cuts.

BALANCE CLICK BALANCE GLUE⁺*

BACL
125,1 x 18,7 cm ≙ 4,5 mm

BAGP
125,6 x 19,4 cm ≙ 2,5 mm

*exclusively available in NZ




 
ARTISAN PLANKS GREY
BACL40040 | BAGP40040



 
DRIFT OAK BEIGE
BACL40018 | BAGP40018



 
CANYON OAK LIGHT BROWN WITH SAW CUTS
BACL40031 | BAGP40031



 
CANYON OAK GREY WITH SAW CUTS
BACL40030 | BAGP40030




NEW SEPT 2016

 
BLACKBUTT**
BACL40134



 
COTTAGE OAK NATURAL
BACL40025 | BAGP40025



NEW SEPT 2016

 
SPOTTED GUM**
BACL40135



 
SILK OAK GREY BROWN
BACL40053 | BAGP40053



 
COTTAGE OAK BROWN GREY
BACL40026 | BAGP40026



 
COTTAGE OAK DARK BROWN
BACL40027 | BAGP40027

ESSENTIAL

EST
1372 x 18,4 cm ≙ 2 mm

COMFORT**

ELT
150 x 18.5 cm ≙ 5 mm
**exclusively available in AUS



 
PATINA OAK LIGHT WHITE
EST007 | ELT007



 
PATINA OAK NATURAL
EST009 | ELT009



 
PATINA OAK LIGHT GREY
EST008 | ELT008



 
CLASSIC OAK NATURAL
EST002 | ELT002



 
CLASSIC OAK LIGHT BEIGE
EST001 | ELT001



 
BLACKBUTT
EST035 | ELT035



 
RECLAIMED OAK LIGHT GREY
EST010 | ELT010



 
SPOTTED GUM
EST036 | 18ELT036



BA CL 40018
QUICK-STEP LIVYN FLOOR WITH PLANK VARIATION



OTHER VINYL FLOOR WITHOUT PLANK VARIATION

This design technique adds lifelike colour variations with shades and tones, enhancing the natural look of the floor.

STEP 1 INSTALLATION

Install your floor without a hassle!

1 Easy installation thanks to the drop-down click system

Our Uniclic® Multifit click system used on the Balance Click collection is developed especially for Livyn floors, making them fast and easy to install. The improved drop-down technology provides extra strength thanks to the vertical and horizontal locking.



2 Install Livyn on underfloor heating and cooling

Thanks to the excellent thermal conductivity, Livyn floors are suitable for installation over low temperature underfloor heating and cooling.

For more information: visit www.quick-step.com



3 Renovation friendly

Livyn floors are flexible so they can easily be laid on top of existing, level floor coverings. This will save you a lot of removal effort and let you renovate your space without any hassle. Note that grout lines in old ceramic tiles should be levelled for best results.



Installation tools

Install your vinyl floor in an easy and professional way with the handy Quick-Step Livyn installation tool and hydrokit.



The Quick-Step Hydrokit is a transparent silicone for an invisible and waterproof finishing.

Quick-Step®
HYDROKIT
310ml QSKITTRANSP



Quick-Step®
LIVYN INSTALLATION TOOL

Quick-Step Balance Click floors can be installed in two different ways: floating or glued down. Essential, Comfort and Balance Glue+ must be installed glued down.



For a perfect installation, check out the installation videos on bit.ly/ytquickstep

Simply choose click or glue



CLICK on Balance Click

Installing your Balance Click floor is easy thanks to the patented Uniclic® Multifit for Livyn click system. For multi-storey residential applications, the Quick Step Vinyl Acoustic Underlay will also assist in reducing the IMPACT SOUND to the apartment or space below. It will provide fantastic acoustic insulation as well as making your floor more comfortable underfoot. This underlay is also suitable for installations with floor heating and cooling, but should not be installed in any installation where your Livyn floor is exposed to direct sunlight. Use Vinyl Acoustic Underlay for all common installations. *

- A Quick-Step underlay levels and helps to prevent small irregularities.
- It provides excellent acoustic insulation and reduces walking and impact noise.
- Suitable for floor heating and/or cooling.

*The installation of an underlay is only possible with the Balance Click collection.



Quick-Step® VINYL ACOUSTIC UNDERLAY

QSV-LAY50

Contents:

1 roll = 50 m²

Thickness: 1 mm



GLUE for Balance Glue +, Essential & Comfort

All Quick-Step Vinyl ranges need to be glued down, with the exception of Balance Click which can be installed floating or glued down. In conjunction with the glue specialist Soudal, Quick-Step has developed a high quality glue especially for Livyn.

- Spreads easily and guarantees fast adhesion.
- Suitable for floor heating and/or cooling.



Quick-Step® LIVYN GLUE

15kg: QSVGLUE15 = for +/- 50 m²

6kg: QSVGLUE6 = for +/- 20 m²



For the best results, whether clicking or gluing, always start with a level subfloor. Make sure it's completely dry and free of dust and grease.

For more advice about preparing your subfloor, visit www.quick-step.com or your local Quick-Step retailer.

STEP 2 CLEANING

Keep your floor in top condition



Quick-Step® **CLEAN**

QSCLEANING750

Quick-Step Clean takes care of the daily maintenance of your floor. It protects the special top layer that helps to preserve the original beauty and natural matt look of your floor.

Quick-Step® **CLEAN KIT**

QSCLEANINGKIT

All Quick-Step floors are low maintenance. Keep them clean with the practical and easy to use Quick-Step cleaning kit. You can use the mop dry or slightly moist. Contents: mop holder, washable micro-fibre mop, Quick-Step cleaning product 750ml.



- ☑ 100% recyclable
- ☑ We use carefully screened raw materials
- ☑ We invest in energy-efficient production



At Quick-Step we're committed to reducing our ecological footprint and to helping our customers reduce theirs. Quick-Step guarantees 100% phthalate-free vinyl flooring. This means that no phthalates are added during the production or recycling process. Only our own flooring and remnants – which contain no harmful plasticizers – are re-used. Thanks to the perfectly sealed surface of the LVT floors, only an absolute minimum of volatile organic compounds are released: one hundred times less than stated in European regulations.

We want to assure you that our commitment to better living, to safety and sustainability not only matches international standards, it also matches your standards.



LIVYN |

COLLECTION 2016 - 2017



Try our floor advisor

Curious to know what Livyn would look like in your own interior? Try our online Floor Advisor: choose a floor, upload a picture on www.quick-step.com and see which floor fits best.

Premium

FLOORS AUSTRALIA

| | |
|----------------|----------------------|
| Melbourne | Tel.: (03) 9798 0808 |
| Sydney | Tel.: (02) 9982 3777 |
| Brisbane | Tel.: (07) 3273 3111 |
| Adelaide | Tel.: (08) 8262 8666 |
| Tasmania | Tel.: (03) 9798 0808 |
| Northern Terr. | Tel.: (08) 8262 8666 |
| Perth | Tel.: (08) 9240 1966 |

Commercial Division Tel.: (03) 9798 0808



FLOORSCAPE

Auckland

Tel.: 09 476 0428

Your Quick•Step® point of sale



www.quick-step.com

FOLLOW US ON

www.facebook.com/QuickStepFloors www.youtube.com/quickstepfloor & www.youtube.com/PremiumFloorsAU
plus.google.com/+quickstep www.pinterest.com/quickstepfloor [@QuickStepFloor](https://twitter.com/QuickStepFloor)

Quick-Step® is a quality product produced by UNILIN bvba – division Flooring, Ooigemstraat 3, B-8710 Wielsbeke, Belgium, Europe. COVERPHOTO BACL 40025.
Product images may differ from actual product. The availability of products, or the products themselves, may change at any time without notice.
Content © 2016-2017 by UNILIN bvba – division Flooring.
All rights reserved. The contents of this brochure may not be reproduced in whole or in part without prior written permission from the publisher.