

SWITCHES
AND
SOCKETS



RENOVA

GENERAL CATALOGUE

Life Is On

Schneider
Electric

LIFE ISON

Your home is more than four walls; it is a living, breathing space. The sanctuary where your journey unfolds and evolves. A place for every mood and any occasion. Your home is full of life, love, laughter, family, friends and fun. We help adapt your home to the rhythm of your life. We provide ingeniously designed solutions to enhance your life. We create technology that brings your home to life.

Contents

Design overview	4
Renova Original	6
Renova Glass	8
Renova Effect	10
Renova Functions	12
Flexibility	14
Practical recommendations	15
Renova system.....	16
Range	19



RENOVA ORIGINAL

TIMELESS BEAUTY

Sophisticated aesthete who desire contemporary design that never gets out of style will addict to the nostalgic, aesthetic shapes. Underlined by a large number of modern functions, Renova Original blends perfectly with all requirements on classical architecture.



RENOVA GLASS

URBAN VANGUARD

Sourcing elegant high-quality materials like glass, this vanguard design variant perfectly complement your modern interior. The time-less white and black combined with the elegantly sleek material match the novel architectural style of functionalism, lending a retro touch to your urban home.

P1000001038

P1000001038



RENOVA EFFECT

MAGNIFICENT ELEGANCE

Home-proud dwellers who love nature will get a charge out of this mineral- and wood-toned colour palette. A modern photographic technique makes Renova Effect available with a metallic, wooden or marble finishing, thus enhancing the elegance of an aged classic interior.



FULL FLEXIBILITY

CLEVER AND SMART

Simplify your life with smart and practical functions generating added value to the out-standing design of Renova. Various electrical inserts, crafty wallpaper protectors or the unique frame system for combination mounting you easily create the set of wiring devices you need.

RENOVA
ORIGINAL



Every-
thing was not better in
the good old days. But a lot of things
were often more beautiful. So if you are thinking
of renovating, modernizing or complementing electric
installations in an established environment, do not miss
Renova. With its timeless, classic appearance this design
range offers a number of remarkable features: black and white

T I M E L E S S B E A U T Y

finishing, from ancient like rotary switches to modern dimmers
and data outlets, all rounded in sophisticated shape – Renova
blends with your classical ambience, perfectly suiting
your desire.



**RENOVA
GLASS**



URBAN VANGUARD IN GLASS

Elegant and affordable, these switches are made of high-quality material, enhancing your decoration and adding a dash of purity. Since glass made a big entrance in the 1920s' architecture, this elegantly sleek material perfectly matches the novel architectural style of functionalism. Renova Glass captures this look, but thanks to its simple and pure design entirely flows into urban, public environments as well as highly sophisticated interiors. Design variants are available with a black or white base, housing one, two or three devices.



RENOVA
EFFECT



MAGNIFICENT EFFECTS

Challenging or enhancing exclusivity in a luxurious room? Creating contrasts between old environments and modern furnishing? Complement your black or white Renova switches and accessories with the magnificent Renova Effect range.

Those cover frames have been draped under a surface of photographic foil.



Choose between walnut or marble in white or black. Or do you desire bold and shimmering metallic surface in stainless steel, titanium, bronze or copper? With its deep, intense colouring, Renova Effect will bring a cutting-edge touch to your elegant decoration.



**RENOVA
FUNCTIONS**




From classical -
sical electronic func-
tions (lighting dimmers, timers and
movement detectors) to highly evolved
multimedia outlets (Standard Radio/TV to Multimedia
and Satellite) Renova is what you are looking for if you aspire
to have the pleasure of nice elderly look equipped with
unique accessories, all meeting todays demands on electric safety

ICONIC IN DESIGN AND FUNCTION

and comfort. Smart properties like wallpaper protectors or the easy
click-in technique for comfortable mounting of 2- and 5-gang com-
binations (even more if you want to) will further simplify your

Renova installation.



ENJOY MORE FLEXIBILITY

Renova contributes to environmental protection through various control features. As a matter of course, it also stands for a responsible use of resources. Therefore Renova is delivered with separate E-numbers, namely one for the insert and another one for the frame. So there won't be any left-over of components after installation, thus leading to reduced waste and costs.



There is a variety of mixing and matching designs by choosing from two basic colours for switches and socket outlets plus different frames in several colours and material.



PRACTICAL RECOMMENDATIONS

WALLPAPER PROTECTORS



Probably you've noticed stains and marks on the wallpaper around your outlets. Let tricks from former times solve your problem. The Renova wallpaper protectors will reduce the wear and tear! In addition to the protective function they will also re-create that authentic feeling of an older house and cover marks from previous installations. The wallpaper pro-ectors are available in a white, black or transparent version, and for single or combination mounting. Electric devices don't need to be removed when applying the wallpaper protector, so the protection can easily be installed.



COMBINATION FRAMES

Renova has a unique system of frames for combination mounting. You do not need to have a lot of different frames to do your combination installations. Starting with a pair of end frames and adding middle frames you can create all the combinations of wiring devices you need. With the click-in technique mounting is easily done and the c/c-distance is 71 mm to fit box combinations.



SURFACE MOUNTING

Renova can be mounted in flush-mounted or surface mounted boxes. A junction box is also available, with or without terminal block. For surface mounting use a round or oval box in white or black. The boxes suit the whole range except glass frames. All boxes have entries for neutral conductors and knock-outs for conduits. When making connections in the junction box you will notice the generous space and the smart terminal block.

**RENOVA
SYSTEM**




SWITCHES + SOCKET OUTLETS

Explore new and better solutions with the updated Renova switch inserts. The system is based on some established installation traditions combined with a number of innovations like an easier entrance hole for wires or even bigger release buttons.



Low depth



Conic entry holes



Enlarged release levers



Easy mounting of return spring



Measuring holes in the front



Lamp can easily be added

Furthermore Renova offers a new single socket outlet with an improvement on entrance holes and bigger release buttons, thus leading to a more easy and fast installation.



Conic entry holes



Enlarged release levers

**RENOVA
RANGE**



Rocker switches

Type	Colour	Qty/pack	Ref. No
Rocker switches			
Switches 16 A for flush mounting in box c/c 60 or surface in surface-mounted box 22 mm. Screwless connection. Snap-in mounting of rockers and mounting frame. The switches have two neutral extra terminals except 2 x 2-way, (6+6). Supplied with claws. To be completed with Renova frame.			
2-pole screwless	White	5	WDE011006
	Black	5	WDE011206
Two-circuit screwless	White	5	WDE011016
	Black	5	WDE011216
Two-way screwless	White	5	WDE011021
	Black	5	WDE011221
2 x two-way screwless	White	5	WDE011026
	Black	5	WDE011226
Intermediate screwless	White	5	WDE011031
	Black	5	WDE011231

Rotary switches

Type	Colour	Qty/pack	Ref. No
Rotary switches			
Rotary switch 10 A for flush mounting in box c/c 60 or surface in surface-mounted box 35 mm. Screw connection. Screw fixing of the knob. To be completed with Renova frame.			
Two-circuit	White	5	WDE011066
	Black	5	WDE011266
Two-way	White	5	WDE011068
	Black	5	WDE011268

Rocker push-buttons

Type	Colour	Qty/pack	Ref. No
Rocker push-buttons			
Push-buttons 16 A for flush mounting in box c/c 60 or surface in surface-mounted box 22 mm. Screwless connection. Snap-in mounting of rockers and mounting frame. Supplied with claws. To be completed with Renova frame.			
Two-way screwless	White	5	WDE011002
	Black	5	WDE011202
Push-button jalusi screwless	White	5	WDE011054
	Black	5	WDE011254
Rocker push-buttons with LED			
Push-buttons with red LED indication 16 A for flush mounting in box c/c 60 or surface in surface-mounted box 22 mm. Screwless connection. Snap-in mounting of rockers and mounting frame. The push-buttons have two neutral extra terminals. Supplied with claws. To be completed with Renova frame.			
Two-way with signal lamp screwless	White	5	WDE011004
	Black	5	WDE011204

Control Switches

Type	Colour	Qty/pack	Ref. No
Control Switches			
Switches 16 A with red LED indication for flush mounting in box c/c 60 or surface in surface-mounted box 22 mm. Screwless connection. Snap-in mounting of rockers and mounting frame. The push-buttons have two neutral extra terminals. Supplied with claws. To be completed with Renova frame.			
2-pole screwless	White	5	WDE011062
	Black	5	WDE011262

Push-buttons

P143150, P148803



Type	Colour	Qty/pack	Ref. No
------	--------	----------	---------

Parallell push-buttons

Parallel Push-button, 1A with red or stainless steel button. For flush mounting in box c/c 60 mm or surface mounting in box 35 mm. Screwless connection. Including E10 lamp except for the versions with stainless steel button and with separate lamp-circuit. Screw fastening of the center plate. Supplied with claws. To be completed with Renova frame.

1-pole, stainless steel button screwless	White	5	WDE011043
	Black	5	WDE011243

P143151, P140885



1-pole red button and lamp, screwless	White	5	WDE011048
	Black	5	WDE011248

P143151, P140885



1-pole red button and separate lamp-circuit, screwless	White	5	WDE011053
	Black	5	WDE011253

Low voltage push buttons

Low voltage Push-button with red LED. 1, 2 or 4 buttons with impulse function. Separate lamp circuits. Screw connection. 400 mA, 12 - 24V AC or 12 - 30V DC. For flush mounting in a box c/c 60 mm or surface in surface-mounted box 35 mm. To be completed with Renova frame.

P140876, P140888



1-pole	White	1	WDE011070
	Black	1	WDE011270

P140877, P140889



2-pole	White	1	WDE011071
	Black	1	WDE011271

Low voltage push buttons cont.

P140878, P140890



4-pole	White	1	WDE011072
	Black	1	WDE011272

Light signals

P143151, P140885




Light signals

Light signal, 1 A with red lens. For flush IP20 mounting in box c/c 60 mm or surface mounting in box 35 mm. Screwless connection. Including E10 lamp. Screw fastening of the center plate. Supplied with claws. To be completed with Renova frame.

Light signal with red lense	White	5	WDE011080
	Black	5	WDE011280

Blind center plates

P92280, P140891



Blind center plates

Blind center plate including fixing frame. To be completed with Renova frame.

Blind cover	White	5	WDE011090
	Black	5	WDE011290

Socket outlets

P148801, P140892



Single socket outlets

1-way socket outlet, 16 A, for combination mounting. With shutters. Screwless or screw connections. For flush mounting in a box c/c 60 mm or surface in surface-mounted box 35 mm. To be completed with Renova frame.

One-way unearthened screw, with claws	White	5	WDE011101
	Black	5	WDE011301

P143152, P140893





One-way earthed, screwless, with claws	White	5	WDE011103
	Black	5	WDE011303

P143152, P140893




One-way earthed, screw without claws	White	5	WDE011105
	Black	5	WDE011305



Socket outlets

Type	Colour	Qty/pack	Ref. No	
Double socket outlets				
2-way socket outlets, 16 A, screw connections. With shutters. For flush mounting in a box c/c 60 mm or surface mounting in surface mounted box 25 mm. The socket outlets have two neutral extra terminals except outlets with 2 circuits. To be completed with Renova frame.				
	Two-way unearthed, screw, with claws	White Black	5 5	WDE011121 WDE011321
	Two-way earthed, screw, with claws	White Black	5 5	WDE011122 WDE011322
	Two-way earthed, screw, without claws	White Black	5 5	WDE011127 WDE011327
	Two-way earthed 2-circuits, screw, with claws	White Black	5 5	WDE011126 WDE011326

Luminaire outlets

Type	Colour	Qty/pack	Ref. No	
Luminaire outlets				
Luminaire outlet for wall mounting, 6 A, screwless connection. For flush mounting in a box c/c 60 mm, a junction box c/c 67 mm or in a surface box 22 mm. To be completed with Renova frame.				
	230 VAC- 2-pole unearthed	White Black	5 5	WDE011140 WDE011340
	230 VAC- 2-pole earthed	White Black	5 5	WDE011141 WDE011341

Boxes

Type	Colour	Qty/pack	Ref. No	
Surface boxes				
Surface boxes for single devices and for double socket outlets. Fixing holes for mounting over flush box c/c 60 mm. Knock-outs in bottom. To be completed with Renova frame.				
	Low 1-gang 22 mm	White Black	5 5	WDE011150 WDE011350
	High 1-gang 35 mm	White Black	5 5	WDE011151 WDE011351
	Ovalform for double socket outlets 25 mm	White Black	5 5	WDE011152 WDE011352

Boxes

ELP05247, ELP05249 ELP05247, ELP05249



Type	Colour	Qty/pack	Ref. No
Junction boxes			
Junction box for surface mounting, Ø83 mm. Without terminals or with 5-pole terminal.			
Without terminals	White	5	WDE011160
	Black	5	WDE011360
With 5-pole terminal	White	5	WDE011161
	Black	5	WDE011361

Cover frames

1-gang

One way frames for single Renova devices. For flush mounting or surface mounting at surface boxes. The metallic, wood and stone look-alike frames are made in painted plastic.



White	5	WDE011400
Black	5	WDE011420
Stainless steel	1	WDE011440
Bronze	1	WDE011444
Copper	1	WDE011448
Titanium	1	WDE011452
Walnut	1	WDE011456
White marble	1	WDE011460
Black marble	1	WDE011464

Cover frames combination

Outer combination frames for two-gang combination of Renova devices. For flush mounting. The metallic, wood and stone look-alike frames are made in painted plastic.



White	2	WDE011402
Black	2	WDE011422
Stainless steel	2	WDE011441
Bronze	2	WDE011445
Copper	2	WDE011449
Titanium	2	WDE011453
Walnut	2	WDE011457
White marble	2	WDE011461
Black marble	2	WDE011465

Cover frames

Middle cover frames combination

Middle combination frames for multi combination of Renova devices. Is used in between two cover frames. For flush mounting. The metallic, wood and stone look-alike frames are made in painted plastic.



White	1	WDE011403
Black	1	WDE011423
Stainless steel	1	WDE011442
Bronze	1	WDE011446
Copper	1	WDE011450
Titanium	1	WDE011454
Walnut	1	WDE011458
White marble	1	WDE011462
Black marble	1	WDE011466

For double socket outlet

Frames for double socket outlets. For flush mounting or surface mounting at surface boxes. The metallic, wood and stone look-alike frames are made in painted plastic.



White	5	WDE011404
Black	5	WDE011424
Stainless steel	1	WDE011443
Bronze	1	WDE011447
Copper	1	WDE011451
Titanium	1	WDE011455
Walnut	1	WDE011459
White marble	1	WDE011463
Black marble	1	WDE011467

Cover frames in glass

Frames 1 to 3-gang and for double socket outlets. For flush mounting. In glass.



1-gang	White	1	WDE011406
	Black	1	WDE011426

P112821, P112820

Cover frames and inserts

Cover frames

Type	Colour	Qty/pack	Ref. No
Cover frames in glass			
2-gang	White	1	WDE011407
	Black	1	WDE011427
3-gang	White	1	WDE011408
	Black	1	WDE011428
For double socket outlet	White	1	WDE011409
	Black	1	WDE011429

Wall paper protection

Wall paper protection for covering around a single Renova insert. Ø116 mm.			
Wall paper protection	White	1	WDE011500
	Black	1	WDE011503
	Transparent	1	WDE011506
Wall paper protection for covering around a 2-gang combination of Renova insert. Ø116 mm			
Wall paper protection combi mounting outer	White	2	WDE011501
	Black	2	WDE011504
	Transparent	2	WDE011507
Wall paper protection for covering around a multi-gang combination of Renova insert. Ø116 mm			
Wall paper protection combi mounting middle	White	1	WDE011502
	Black	1	WDE011505
	Transparent	1	WDE011508

Switch accessories

Separate rockers with printed symbols suitable for S90 switches and push-buttons.			
Rocker with printed symbol "KEY" suitable for S90 switch	White	1	WDE011520
	Black	1	WDE011527
Rocker with printed symbol "BELL" suitable for S90 switch	White	1	WDE011521
	Black	1	WDE011528
Rocker with printed symbol "LAMP" suitable for S90 switch	White	1	WDE011522
	Black	1	WDE011529

Switch accessories

Type	Colour	Qty/pack	Ref. No
Separate rockers with printed symbols suitable for S100 switches and push-buttons.			
Rocker with printed symbol "KEY" suitable for S100 switch	White	1	WDE011530
	Black	1	WDE011533
Rocker with printed symbol "BELL" suitable for S100 switch	White	1	WDE011531
	Black	1	WDE011534
Rocker with printed symbol "LAMP" suitable for S100 switch	White	1	WDE011532
	Black	1	WDE011535
Separate knobs with printed symbols for parallel push-buttons.			
Red knob with symbol "KEY"	Red	1	WDE011523
Red knob with symbol "BELL"	Red	1	WDE011524
Red knob with symbol "LAMP"	Red	1	WDE011525
Stainless steel knob with symbol "BELL"	Stainless steel	1	WDE011526

Dimmers

Dimmer transistor 315/630W/VA			
Transistor dimmer 20-315 W 20-630 W. Rotary dimmer for dimming of incandescent, 230V halogen lamps (R) and most types of electronic transformers (C). Screw terminals. Switched on and off via pushing at the knob. 2-way function in combination with switches. IP20. For flush mounting in a box c/c 60 mm or surface in surface-mounted box 35 mm. To be completed with Renova frame.			
Dimmer transistor 315 W	White	1	WDE011600
	Black		WDE011607
Dimmer transistor 630 W	White	1	WDE011601
	Black		WDE011608

Dimmers

Universal dimmer 420 W/VA			
Universal dimmer 20-420W/VA. Rotary dimmer for dimming of incandescent, 230 VAC halogen lamps (R) and most types of electronic (C)/conventional/iron core transformers (L). Different transformer types cannot be mixed. Screw terminals. Switched on and off via pushing at the knob. 2-way function in combination with switches. IP20. For flush mounting in a box c/c 60 mm or surface in surface-mounted box 35 mm. To be completed with Renova frame.			
Dimmer universal 420 W/VA	White	1	WDE011605
	Black		WDE011612
Potentiometer HF-units 1-10V			
Potentiometer 1-10 V. Rotary potentiometer for controlling HF ballast. 1-pole, nominal load 400VA at 1,7 A. Screw terminals. Switched on and off via pushing at the knob. IP20. For flush mounting in a box c/c 60 mm or surface in surface-mounted box 35 mm. To be completed with Renova frame.			
Dimmer HF-unit 1-10 V	White	1	WDE011603
	Black		WDE011610

Speed controller

Type	Colour	Qty/pack	Ref. No
Speed controller			
Speed controller 20-400VA. 1-pole speed controller for control of 1- asynchronous motors. Screw terminals. The speed controller starts at 100 %. This is to get the maximum torque of the engine during starting. IP20. For flush mounting in a box c/c 60 mm or surface in surface-mounted box 35 mm. To be completed with Renova frame.			
Speed controller 400 VA	White	1	WDE011604
	Black	1	WDE011611

P140920, P140923



Timers

Type	Colour	Qty/pack	Ref. No
Timers 2-pole			
Electronic timer 2-pole 10 A. Adjustable between 15, 30 min and 1, 2, 4, and 8 hours delaying time. Requires neutral wire. Screw connection. For flush mounting in a box c/c 60 mm or surface in surface-mounted box 35 mm. To be completed with Renova frame.			
Timer 2-pole	White	1	WDE011614
	Black	1	WDE011618

P140925, P140928



Movement detectors

Type	Colour	Qty/pack	Ref. No
Movement detectors PIR			
Movement detector (PIR) 180 °, maximum load 500-2300 W/VA depending on the type of load. For resistive (R), capacitive (C) or inductive (L) loads such as electronic Transformers (C) or conventional-/iron core transformer (L). The different type of loads can be mixed. Requires neutral conductor. Screw connection. Detection angle 180 ° Adjustable time 1 s-20 min and light value 5-1000 lux. Mounting height 1 - 1.5 m above the floor. For flush mounting in a box c/c 60 mm or surface in surface-mounted box 35 mm. To be completed with Renova frame.			
PIR 2300 VA	White	1	WDE011617
	Black	1	WDE011621

P143313, P140927



Thermostats

Type	Colour	Qty/pack	Ref. No
Thermostats			
Electronic thermostat 2-pole 16 A with screw terminals. LED indicating green = running, red = active. Temperature range +5 ° C to +50°C. Difference between on-off 1°C. For flush mounting in a box c/c 60 mm or surface in surface-mounted box 35 mm. To be completed with Renova frame.			
Room Thermostat 16 A	White	1	WDE011622
	Black	1	WDE011624
Floor Thermostat 16 A	White	1	WDE011623
	Black	1	WDE011625

P140926, P140930



P140929, P140931



Center plates

Type	Colour	Qty/pack	Ref. No
Center plates RJ45 Actassi modular outlets			
Center plate for one or two Actassi modular outlets. For flush mounting in a box c/c 60 mm or surface mounting in surface-mounted box 35 mm. Delivered including modular mounting frames. To be completed with Renova frame			
Actassi center plate 1 x Actassi RJ4 5outlets	White	1	WDE011700
	Black	1	WDE011702
Actassi center plate 2 x Actassi RJ4 5outlets	White	1	WDE011701
	Black	1	WDE011703

P140932, P140934



P140933, P140935



Antenna outlets

Type	Colour	Qty/pack	Ref. No
R/TV outlets			
Antenna outlets standard radio/TV: to distribute radio and TV signals through tree networks. For flush mounting in a box c/c 60 mm or surface in surface-mounted box 35 mm. To be completed with Renova frame			
Terminal antenna outlet R/TV- S1TI	White	1	WDE011720
	Black	1	WDE011740
Intermediate antenna outlet R/TV- S6	White	1	WDE011721
	Black	1	WDE011741
Intermediate antenna outlet R/TV- S8	White	1	WDE011722
	Black	1	WDE011742

P143314, P140937



P143314, P140937



P143314, P140937



Antenna outlets

P 143314, P 140937



Type	Colour	Qty/pack	Ref. No
Intermediate antenna outlet R/TV- S10	White	1	WDE011723
	Black	1	WDE011743

P 143314, P 140937



Intermediate antenna outlet R/TV- S13	White	1	WDE011724
	Black	1	WDE011744

R/TV Data outlets

Antenna outlets R/TV Data for multi media: to distribute signals through tree networks. Multi media outlets is designed for networks with reserved space for TV, radio and data connections. For flush mounting in a box c/c 60 mm or surface in surface-mounted box 35 mm. To be completed with Renova frame.

P 140936, P 140938



Intermediate antenna outlet R/TV/D- M8	White	1	WDE011725
	Black	1	WDE011745

P 140936, P 140938



Intermediate antenna outlet R/TV/D- M10	White	1	WDE011726
	Black	1	WDE011746

P 140936, P 140938



Intermediate antenna outlet R/TV/D- M13	White	1	WDE011727
	Black	1	WDE011747

R/TV/SAT outlets

Antenna outlets R/TV/SAT with satellite outlet: to distribute radio, TV and SAT signals through tree networks. The outlet is used where you have chosen to connect the common antenna with the signal from a satellite dish. For flush mounting in a box c/c 60 mm or surface in surface-mounted box 35 mm. To be completed with Renova frame.

P 143315, P 140938



End antenna outlet R/TV/SAT- X0	White	1	WDE011728
	Black	1	WDE011748

P 143315, P 140938



Intermediate antenna outlet R/TV/SAT- X10	White	1	WDE011729
	Black	1	WDE011749

P 143315, P 140938



Intermediate antenna outlet R/TV/SAT- X13	White	1	WDE011730
	Black	1	WDE011750

Telephone outlets

Telephone outlets

Telephone outlets Swedish standard. For flush mounting in a box c/c 60 mm or surface in surface-mounted box 22 mm. To be completed with Renova frame


P 140939, P 140940



Telephone outlet 4-pole Sweden	White	1	WDE011770
	Black	1	WDE011771

WDE011002	19	WDE011350	21	WDE011523	24
WDE011004	19	WDE011351	21	WDE011524	24
WDE011006	19	WDE011352	21	WDE011525	24
WDE011016	19	WDE011360	22	WDE011526	24
WDE011021	19	WDE011361	22	WDE011527	23
WDE011026	19	WDE011400	22	WDE011528	23
WDE011031	19	WDE011402	22	WDE011529	23
WDE011043	20	WDE011403	22	WDE011530	24
WDE011048	20	WDE011404	22	WDE011531	24
WDE011053	20	WDE011406	22	WDE011532	24
WDE011054	19	WDE011407	23	WDE011533	24
WDE011062	19	WDE011408	23	WDE011534	24
WDE011066	19	WDE011409	23	WDE011535	24
WDE011068	19	WDE011420	22	WDE011600	24
WDE011070	20	WDE011422	22	WDE011601	24
WDE011071	20	WDE011423	22	WDE011603	24
WDE011072	20	WDE011424	22	WDE011604	25
WDE011080	20	WDE011426	22	WDE011605	24
WDE011090	20	WDE011427	23	WDE011607	24
WDE011101	20	WDE011428	23	WDE011608	24
WDE011103	20	WDE011429	23	WDE011610	24
WDE011105	20	WDE011440	22	WDE011611	25
WDE011121	21	WDE011441	22	WDE011612	24
WDE011122	21	WDE011442	22	WDE011614	25
WDE011126	21	WDE011443	22	WDE011617	25
WDE011127	21	WDE011444	22	WDE011618	25
WDE011140	21	WDE011445	22	WDE011621	25
WDE011141	21	WDE011446	22	WDE011622	25
WDE011150	21	WDE011447	22	WDE011623	25
WDE011151	21	WDE011448	22	WDE011624	25
WDE011152	21	WDE011449	22	WDE011625	25
WDE011160	22	WDE011450	22	WDE011700	25
WDE011161	22	WDE011451	22	WDE011701	25
WDE011202	19	WDE011452	22	WDE011702	25
WDE011204	19	WDE011453	22	WDE011703	25
WDE011206	19	WDE011454	22	WDE011720	25
WDE011216	19	WDE011455	22	WDE011721	25
WDE011221	19	WDE011456	22	WDE011722	25
WDE011226	19	WDE011457	22	WDE011723	26
WDE011231	19	WDE011458	22	WDE011724	26
WDE011243	20	WDE011459	22	WDE011725	26
WDE011248	20	WDE011460	22	WDE011726	26
WDE011253	20	WDE011461	22	WDE011727	26
WDE011254	19	WDE011462	22	WDE011728	26
WDE011262	19	WDE011463	22	WDE011729	26
WDE011266	19	WDE011464	22	WDE011730	26
WDE011268	19	WDE011465	22	WDE011740	25
WDE011270	20	WDE011466	22	WDE011741	25
WDE011271	20	WDE011467	22	WDE011742	25
WDE011272	20	WDE011500	23	WDE011743	26
WDE011280	20	WDE011501	23	WDE011744	26
WDE011290	20	WDE011502	23	WDE011745	26
WDE011301	20	WDE011503	23	WDE011746	26
WDE011303	20	WDE011504	23	WDE011747	26
WDE011305	20	WDE011505	23	WDE011748	26
WDE011321	21	WDE011506	23	WDE011749	26
WDE011322	21	WDE011507	23	WDE011750	26
WDE011326	21	WDE011508	23	WDE011770	26
WDE011327	21	WDE011520	23	WDE011771	26
WDE011340	21	WDE011521	23		
WDE011341	21	WDE011522	23		

Life Is On



Schneider Electric Latvija SIA

A.Deglava 66, LV-1035, Latvija

Tālr.: + 371 67147228

e-pasts: support@lv.schneider-electric.com

www.schneider-electric.lv

Schneider Electric Lietuva UAB

Viršuliškių skg. 34, LT-05312 Vilnius

Telefonas: +370 5 247 77 77

Tel.: +370 5 247 77 73

el.paštas: support@lt.schneider-electric.com

www.schneider-electric.lt

Schneider Electric Eesti AS

Pärnu mnt. 139E/2, 11317 Tallinn, 5. korrus

Telefon: + 372 6580777

support@ee.schneider-electric.com

www.schneider-electric.ee

As standards, specifications and designs change from time to time, please ask for confirmation of the information given in this publication.



This document has been printed on ecological paper

Design: Schneider Electric,
Photos: Thinkstock, gettyimages, Corbis
Printed: