

ACOUSTIC 7

PREMIUM
ACOUSTIC
FLOOR
COVERING




PERFORMANCE, FEATURES & BENEFITS

Excellent acoustic properties (≥ 19 dB),
Excellent foot comfort, Dimensionally stable,
Increased lifespan, Antistatic, Anti-bacterial,
10 year warranty

RECOMMENDED USAGE

Healthcare | Education | Library
Corporate | Retail | Anywhere acoustical property
is needed

CONSTRUCTION



CLP Wear layer
Design
Compact layer
Glass fibre reinforcement
Foam backing

DESCRIPTION

Construction		heterogeneous
Total thickness	EN ISO 24346	3,2 mm
Wear layer thickness	EN ISO 24340	0,7 mm
Width of roll	EN ISO 24341	2 m
Length of roll	EN ISO 24341	25 lm
Total weight	EN ISO 23997	2,6 kg/m ²


CLASSIFICATION

European classification	EN 685	class: 34/42
-------------------------	--------	--------------


PERFORMANCE

Abrasion group	EN 660-1	T
Residual indentation	EN ISO 24343	max. 0,2 mm
Dimensional stability	EN ISO 23999	max. 0,2 %
Fire resistance	EN 13501-1	class: Bfl-s1
	BS 476	class: Class1
	Gost 30402-94	class: G1
Impact sound reduction	EN ISO 717-2	$\Delta L_w=19$ dB
Slip resistance	DIN 51130	R9
	AS/NZS 4586	R10
Electrical resistance	EN 1815	< 2 kV
	EN 1081	$\leq 10^9 \Omega$
Chemical resistance	EN ISO 26987	✓
Bacterial resistance	EN ISO846:1999	✓
Light fastness	EN 20105 B02	grade 6
Castor chair resistance	EN ISO 4918	✓
Surface treatment		CLP
Anti bacterial and fungicid treatment		graboSAN
Seaming method		hot or cold welding
Warranty		10 year

ACOUSTIC 7
MINERAL



383-00-687-275




383-00-689-275




383-00-684-275



383-00-675-275




383-00-667-275




383-00-661-275



383-00-665-275



383-00-679-275




383-00-678-275



383-00-664-275



383-00-674-275



383-00-672-275




383-00-653-275



383-00-651-275



383-00-669-275




383-00-677-275



383-00-657-275



383-00-671-275




383-00-659-275




ACOUSTIC 7
MOSAIC




ACOUSTIC 43
UNI




388-656-275




388-669-275




388-671-275




388-664-275




388-665-275




388-674-275




388-662-275



388-668-275



388-658-275




388-670-275



388-657-275



388-677-275




1008-275



2028-275



2956-275



2940-275



2089-275



9170-275



3380-275



4220-275



6110-275



7410-275



3070-275



3319-275



6180-275



6150-275




1343-275



1194-275



1290-275



1895-275



1991-275