

Electric height adjustable desks | ConSet



ConSet

Electric height adjustable frames

501-19



501-19

Stand-alone or grouping tables

- 501-19 Center is sturdy and compact with a symmetrical design that allows access from all sides. Add the optional 75 mm heavy duty locking casters and rechargeable battery and you have complete mobility without any wires.
- 501-19 Basic is excellent for grouping tables together. With 80 kg as maximum load it can be used with a variety of tabletops. Add castors and a rechargeable battery for additional flexibility.
- 501-19 Design lends unique style to this series with an attractive crescent shaped base, and well suited to be arranged in groups.

Electric height adjustable frames *501-19*



Electric height adjustable frames

501-23



Electric height adjustable frames **501-23**



501-23

Strong and stylish

501-23 is strong and stylish with integrated cable management. Its expandable length makes it well suited for many top sizes. The symmetrical design makes the frame excellent for conference tables and large work surfaces. Optional 3-column versions accommodate extra long tables and L-shapes configurations. Maximum load is 175 kg.

Electric height adjustable frames

501-25

501-25

Stable and functional

501-25 is a stable and functional table that meets the basic needs.

Max load on frame is 80 kg but with strong rigidity built into the construction, making it also ideal for L shape tops up to 120 cm deep.

The narrow width of 133 cm makes this table perfect for smaller to medium size work stations.



Electric height adjustable frames *501-25*



Electric height adjustable frames

501-33



501-33

Versatile and stylish

An elegant and stylish desk designed with a single telescopic open frame. The square columns gives this desk a modern look, which makes it suitable for all kinds of office environments. The 501-33 is available in 3 different colors. Quick and easy to assemble - It's that easy!

Electric height adjustable frames

501-33



Electric height adjustable frames **501-37**



501-37

Striking open design

Striking open design defines 501-37. The three stage frame is tested and approved according to Ansi/Bifma x5.5-2014. The frame is available in three different colors; silver, black and white. Choose from fixed widths or an expandable bracket for more flexibility.

Easily assembled in a few quick steps.

Electric height adjustable frames

501-37



Electric height adjustable frames

501-43



Electric height adjustable frames **501-43**



501-43

Modern design and stylish

The 501-43 is a 2 or 3 column desk with a sophisticated look, an open double telescope frame structure and a clean cut. You can recognize the 501-43 by its square column and slender foot design. It is available in 3 different colors. Add the third column and you get a desk, which offers plenty of space for all kinds of job functions. The robust frame makes the 501-43 a strong and durable desk for any office environment.

Electric height adjustable frames

501-49



Electric height adjustable frames **501-49**



501-49

A minimalistic and elegant look

An elegant desk with 2 columns designed in a minimalistic look, which will complement any office environment. The round columns are designed with a double telescopic mechanism which allows more overlap between the tubes, resulting in improved travel and stability. The 501-49 is easy to assemble and offers an impressive timeless design.

Electric height adjustable frames

501-88



501-88

Functionality and modern design

The bench 501-88 is very suitable for large office environments and the design makes it easy to separate the desks from each other with a partition screen. Minimize cable clutter and mount a cable tray, which also makes cleaning a lot easier. 501-88 is a functional, robust and durable desk for all purposes.

Electric height adjustable frames **501-88**




Electric height adjustable frames

Frames

501-19 - Technical specifications

Page 2-3



Product photo * featured image	Dimensional drawing * featured image	Item no.	Color	Frame height min/max (cm) incl. tabletop	Max. speed (mm/sec.)	Maximum load (kg)	Price (€)
		501-19 7SW 501-19 7BW *	Silver Black	68-120	28	80	411 411
		501-19 7S060 501-19 7B060 *	Silver Black	68-120	28	80	519 519
		501-19 7S095 501-19 7B095 *	Silver Black	68-120	28	80	519 519
		501-19 7S120 501-19 7B120 *	Silver Black	68-120	28	80	519 519

Electric height adjustable frames

Frames

501-23 - Technical specifications

Page 4-5



Product photo * featured image	Dimensional drawing * featured image	Item no.	Color	Frame height min/max (cm) incl. tabletop	Max. speed (mm/sec.)	Maximum load (kg)	Price (€)
		501-23 7SW2 501-23 7SW3 501-23 7BW2 501-23 7BW3 *	Silver Silver Black Black	68-120	22	175	802 1162 802 1162
		501-23 7S200 *	Silver	68-120	22	175	913
		501-23 7S400K *	Silver	68-120	22	175	1401
		501-23 7S190-190A *	Silver	68-120	22	175	1338

Electric height adjustable frames

Frames



501-25 - Technical specifications

Page 6-7

Product photo * featured image	Dimensional drawing * featured image	Item no.	Color	Frame height min/max (cm) incl. tabletop	Max. speed (mm/sec.)	Maximum load (kg)	Price (€)
		501-25 7S084	Silver	68-118	25	70	421
		501-25 7S133	Silver				436
		501-25 7S152	Silver				439
		501-25 7S172 *	Silver				443
		501-25 7S152-152A *	Silver	68-118	25	60	655

501-33 - Technical specifications

Page 8-9


Product photo * featured image	Dimensional drawing * featured image	Item no.	Color	Frame height min/max (cm) incl. tabletop	Max. speed (mm/sec.)	Maximum load (kg)	Price (€)
		501-33 7W092	White	68-118	25	80	380
		501-33 7W112	White				382
		501-33 7W129	White				396
		501-33 7W152	White				398
		501-33 7W172	White				402
		501-33 7S092	Silver				380
		501-33 7S112	Silver				382
		501-33 7S129	Silver				396
		501-33 7S152	Silver				398
		501-33 7S172	Silver				402
		501-33 7B092	Black				380
		501-33 7B112	Black				382
		501-33 7B129	Black				396
		501-33 7B152	Black				398
501-33 7B172 *	Black				402		
		501-33 7W112-152	White	68-118	25	80	428
		501-33 7S112-152	Silver				428
		501-33 7B112-152 *	Black				428

Electric height adjustable frames

Frames

501-37 - Technical specifications

Page 10-11




Product photo * featured image	Dimensional drawing * featured image	Item no.	Color	Frame height min/max (cm) incl. tabletop	Max. speed (mm/sec.)	Maximum load (kg)	Price (€)	
		501-37 7W092	White	57-122	32	100	400	
		501-37 7W112	White					402
		501-37 7W129	White					416
		501-37 7W152	White					418
		501-37 7W172	White					422
		501-37 7S092	Silver					400
		501-37 7S112	Silver					402
		501-37 7S129	Silver					416
		501-37 7S152	Silver					418
		501-37 7S172	Silver					422
		501-37 7B092	Black					400
		501-37 7B112	Black					402
		501-37 7B129	Black					416
		501-37 7B152	Black					418
		501-37 7B172 *	Black					422
		501-37 7W112-152	White	57-122	32	100	448	
		501-37 7S112-152	Silver					448
		501-37 7B112-152 *	Black					448
		501-37 7W112-091C	White	57-122	32	100	665	
		501-37 7W142-115A	White					643
		501-37 7W142-142A	White					645
		501-37 7W152-091C	White					665
		501-37 7W172-115A	White					643
		501-37 7W172-142A	White					645
		501-37 7W172-172A	White					660
		501-37 7S112-091C	Silver					665
		501-37 7S142-115A	Silver					643
		501-37 7S142-142A	Silver					645
		501-37 7S152-091C	Silver					665
		501-37 7S172-115A	Silver					643
		501-37 7S172-142A	Silver					645
		501-37 7S172-172A	Silver					660
		501-37 7B112-091C	Black					665
		501-37 7B142-115A	Black					643
		501-37 7B142-142A	Black					645
		501-37 7B152-091C	Black					665
		501-37 7B172-115A	Black					643
		501-37 7B172-142A	Black					645
501-37 7B172-172A *	Black					660		

Electric height adjustable frames

Frames

501-43 - Technical specifications

Page 12-13

Product photo * featured image	Dimensional drawing * featured image	Item no.	Color	Frame height min/max (cm) incl. tabletop	Max. speed (mm/sec.)	Maximum load (kg)	Price (€)	
		501-43 7W092	White	65-125	32	100	421	
		501-43 7W112	White					423
		501-43 7W129	White					437
		501-43 7W152	White					439
		501-43 7W172	White					443
		501-43 7S092	Silver					421
		501-43 7S112	Silver					423
		501-43 7S129	Silver					437
		501-43 7S152	Silver					439
		501-43 7S172	Silver					443
		501-43 7B092	Black					421
		501-43 7B112	Black					423
		501-43 7B129	Black					437
		501-43 7B152	Black					439
		501-43 7B172 *	Black					443
		501-43 7W112-152	White	65-125	32	100	469	
		501-43 7S112-152	Silver					469
		501-43 7B112-152 *	Black					469
		501-43 7W172-172A	White	65-125	32	90	695	
		501-43 7S172-172A	Silver					695
		501-43 7B172-172A *	Black					695

Electric height adjustable frames

Frames


501-49 - Technical specifications

Page 14-15

Product photo * featured image	Dimensional drawing * featured image	Item no.	Color	Frame height min/max (cm) incl. tabletop	Max. speed (mm/sec.)	Maximum load (kg)	Price (€)	
		501-49 7W092	White	65-125	32	100	464	
		501-49 7W112	White					466
		501-49 7W129	White					480
		501-49 7W152	White					482
		501-49 7W172	White					486
		501-49 7S092	Silver					464
		501-49 7S112	Silver					466
		501-49 7S129	Silver					480
		501-49 7S152	Silver					482
		501-49 7S172	Silver					486
		501-49 7B092	Black					464
		501-49 7B112	Black					466
		501-49 7B129	Black					480
		501-49 7B152	Black					482
		501-49 7B172 *	Black					486
		501-49 7W112-152	White	65-125	32	100	512	
		501-49 7S112-152	Silver					512
		501-49 7B112-152 *	Black					512






501-88 - Technical specifications

Page 16-17

Product photo * featured image	Dimensional drawing * featured image	Item no.	Color	Frame height min/max (cm) incl. tabletop	Max. speed (mm/sec.)	Maximum load (kg)	Price (€)	
		501-88 7W092	White	65-125	32	100	826	
		501-88 7W112	White					830
		501-88 7W129	White					858
		501-88 7W152	White					862
		501-88 7W172	White					870
		501-88 7S092	Silver					826
		501-88 7S112	Silver					830
		501-88 7S129	Silver					858
		501-88 7S152	Silver					862
		501-88 7S172	Silver					870
		501-88 7B092	Black					826
		501-88 7B112	Black					830
		501-88 7B129	Black					858
		501-88 7B152	Black					862
		501-88 7B172 *	Black					870
		501-88 7W112-152	White	65-125	32	100	922	
		501-88 7S112-152	Silver					922
		501-88 7B112-152 *	Black					922

Electric height adjustable frames

Accessories

Product photo	Dimensional drawing		Item no.
		Castor set, 501-19	501-19 HXXX
		501-19 Tilt device - whole top tilt	501-19 V-HEL
		501-37 add-on leg, black	501-37 EB020
		501-37 add-on leg, silver	501-37 ES020
		501-37 add-on leg, white	501-37 EW020
		Universal cable-tray, Black	501-XX CB096-166
		Universal cable-tray, Silver	501-XX CS096-166
		Universal cable-tray, White	501-XX CW096-166

Electric height adjustable frames

General information

ONE MOTOR THAT DOES IT ALL

Prolonged sitting has become part of everyday life for many office employees. When you're sitting still in front of a computer for hours every day, the risk of injuries increases and it influences your level of energy. A height adjustable desk from ConSet gives you the ability to go from the sitting to the standing position whenever you wish at the push of a button. The technique in and around the motor is the heart of the desk. It ensures calm and gentle movements when you wish to move the table top either up or down and it ensures that the table top is always evenly adjusted.

With ConSet you get a one-motor-desk that does it all.

- Reliable
- High quality
- Great lifting capacity
- High construction strength
- Good prices

STRENGTH & STABILITY

Stability means everything when you're choosing an office desk. Every height adjustable desk from ConSet is made from quality materials and meet both the EU and Danish working environment authority's demands on a flexible and ergonomic workplace. This ensures you a stable and long lasting desk – and greater employee well-being. Unlike many tables that have two motors, a ConSet table withstands an uneven load. This means that you can place your office equipment anywhere on the table top. The total load on the desk frame must always be within the maximum working load that is specified for each ConSet product.

ENVIRONMENT

At ConSet we think it is important to minimize environmental impacts. We want to take responsibility for ensuring that our products are made respecting the environment. We do this in several ways:

- Our wood products are FSC labelled, which is a guarantee that you can buy our tabletops and other wood products in good conscience. FSC criteria prohibits conversion of forests or any other natural habitat.
- All electronic equipment meet RoHS framework for the reduction of hazardous substances in electronics, whereby the environmental impact is minimized.
- Through Elretur (Denmark), we ensure that electronic waste is managed environmentally under the WEEE directive.

CE MARKING & PRODUCT APPROVALS

All ConSet electric height adjustable desk frames are CE marked in collaboration with the Technological Institute in Denmark. CE marking is a requirement for height adjustable desk frames and it allows you to be sure that the producer has been through all aspects of security risks. Furthermore, our power supplies are GS-tested (German standard).

EN 527-1/2/3: Dimensions / Mechanical safety requirements / Methods of Test for the Determination of Stability and Strength of the structure
DS/EN 12720-21-22: Furniture - Assessment of surface resistance to cold liquids, wet and dry heat.

CONSET - A DANISH COMPANY

ConSet was founded in 2000 in Denmark, and our basic philosophy was that ergonomics should not be expensive. We began with the idea to develop and manufacture high quality electric height adjustable desks and to make them affordable so more people could experience the benefits of sit-stand desks. The company has succeeded well and now has distribution and subsidiaries throughout the world.



Frames

Black (RAL 9004)



Silver (RAL 9006)



White (RAL 9016)





3510000_0 | © ConSet A/S | We reserve the right to make changes at any time without prior notice. | We accept no responsibility for errors or omissions.

ConSet A/S
Industrivej 23
6900 Skjern
Denmark

Phone: +45 9680 0080
conset@conset.com
www.conset.eu

ConSet