



AMF TOPIQ®

Sonic element





TOPIQ® Sonic element

TOPIQ® Sonic element is a frameless ceiling raft based on bio-soluble rock wool with an all-over fleece-coating and a high quality finish. The visible acoustic fleece of the surface and form edges are provided with a special colour-coating and enhance the form's physical impact. Furthermore, the monolithic ceiling raft has excellent sound absorption properties. An effortless floating aesthetic is complemented by an almost weightless, unconventional appearance, simple form and highest acoustic functionality.



Technical Performance


Sound absorption	EN ISO 354
Humidity resistance	up to 95% relative humidity
Form/ Size	Circular up to Ø 1200 mm Square up to max. 1200 x 1200 mm Hexagon up to max. 1200 mm sides Rectangular up to max. 1800 x 1200 mm Oval up to max. 1800 x 1200 mm
Thickness / Weight	approx. 40 mm (approx. 5,6 kg/m ²)
Installation components	Cable hanger with hooks, Cable and ceiling fixings (Cable length 1.0 m) Tension spring fixing to raft

Surfaces and construction design


- White fleece-coated on all sides
- Colour similar to RAL 9010
- Frameless, joint-free
- Wide range of forms (add hexagon & rectangle)
- Floating effect due to set-back fixing points
- Flexible, adjustable suspension




Sound absorption values (tested as a single absorber)




TOPIQ® Sonic element, rectangular
1800 x 1200 mm,
Assembly height 150 mm



TOPIQ® Sonic element, square
1200 x 1200 mm,
Assembly height 150 mm




TOPIQ® Sonic element, rectangular
1800 x 1200 mm,
Assembly height 300 mm



TOPIQ® Sonic element, square
1200 x 1200 mm,
Assembly height 300 mm



Circular raft forms




- 1 AMF TOPIQ® Sonic element
- 2 Tension spring
- 3 Cable hanger with hooks, cable and ceiling fixings

Scope of delivery

Every ceiling raft is delivered inclusive of suspension system:

- 4 x tension springs (fixing to the raft)
- 4 x cable hanger with hooks – adjustable
- 4 x cables (standard cable length 1.0m, alternative cable lengths available on request)
- 4 x ceiling fixings

Rectangular and square raft forms




Installation




The tension springs are to be screwed in all the way at the marked fixing points (marked by yourself)* on the reverse side of the raft. The raft is suspended by four cables, which are fixed to the tension springs using the included hooks.

* Each delivery contains a template to transfer the fixing points.

Oval raft forms



Details





Service, Support, Logistics – Centre of expertise in Europe and on-site sales networks worldwide



Knauf AMF Dubai
Phase 5 East, A Block,
Office # 847, Dubai Airport
Free Zone Authority
P.O. Box: 293713, Dubai

Tel.: +971 (4) 609 / 1805
Fax: +971 (4) 609 / 1806

amfgcc@knaufamf.com
www.knaufamf.com

Knauf AMF GmbH & Co. KG
Elsenthal 15, 94481 Grafenau
Deutschland

Tel.: +49 8552 422-0
Fax: +49 8552 422-32

info@knaufamf.de
www.knaufamf.com

The ceiling specialist Knauf AMF, with its global sales network, not only offers a comprehensive, full range of products but also exceptional advice for architects, specialist contractors, developers and distributors throughout the world.
With us, you are always a ceiling solution ahead!

No responsibility or liability is accepted for the accuracy of the information provided.
Subject to change without prior notice.

05/2015

Knauf AMF Deckensysteme GmbH
9702 Ferndorf 29
Austria
Tel.: +43 4245 2001-0
office@heradesign.com
www.heradesign.com

Knauf AMF GmbH & Co. KG
Metallstraße 1, 41751 Viersen
Germany
Tel.: +49 2162 957-0
info-de@knaufamf.eu

Knauf AMF Plafonds et Systèmes
9, rue des Livraindières, 28100 Dreux
France
Tel.: +33 237 3850-50
info@knaufamf.fr

Knauf AMF Ceilings Ltd.
1 Swan Road, South West Industrial Estate,
Peterlee, Co. Durham, SR8 2HS
Great Britain
Tel.: +44 191 5188600
info@knaufamf.co.uk

