




KB-R10 Pipe L=1000 mm




Ø	120	130	150	160	180	200	225	250
s [mm]	2.0							
euro	20	21	22	23	25	26	30	32

KB-R05 Pipe L=500 mm




Ø	120	130	150	160	180	200	225	250
s [mm]	2.0							
euro	15	16	17	18	19	20	21	23

KB-R05 Pipe L=250 mm




Ø	120	130	150	160	180	200	225	250
s [mm]	2.0							
euro	10	11	12	13	14	15	16	17

KB-KW90 Cleanout elbow 90°



Ø	120	130	150	160	180	200	225	250
s [mm]	2.0							
euro	17	18	19	20	21	22	26	34


KB-KW45 Cleanout elbow 45°



Ø	120	130	150	160	180	200	225	250
s [mm]	2.0							
euro	14	15	16	17	19	20	22	30




KB-KWN9 Adjustable cleanout elbow 0° - 90°




Ø	120	130	150	160	180	200	225	250
s [mm]	2.0							
euro	21	22	23	24	25	27	30	40

KB-KN45 Adjustable elbow 0° - 45°




Ø	120	130	150	160	180	200	225	250
s [mm]	2.0							
euro	16	17	18	19	20	21	25	35

KB-K90 Elbow 90°




Ø	120	130	150	160	180	200	225	250
s [mm]	2.0							
euro	16	17	18	19	20	21	25	32

KB-K45 Elbow 45°



Ø	120	130	150	160	180	200	225	250
s [mm]	2.0							
euro	13	14	15	16	17	18	21	28

KB-RZ Chimney rosette



Ø	120	130	150	160	180	200	225	250
s [mm]	2.0							
euro	3	3	3	4	4	4	5	6

KB-S Damper



Ø	120	130	150	160	180	200	225	250
s [mm]	2.0							
euro	23	24	25	26	27	28	29	32

