

Polita Sabit Beton Santralleri, hazır beton üretimi ve şantiyelerdeki çok uzun süreli beton dökümü için uygundur. Her türlü betonu üretebilme kabiliyetine sahip, istikrarlı ve sorunsuz çalışan, yedek parça-servis güveni, üstün kalitesi ile profesyonel üreticilerin öncelikli tercihidir.

Santralin kurulacağı arazi; müşteri ihtiyaçları, doğa ve yerleşke koşullarına göre projelendirilir.

Polita Concrete Batching Plants is preferred for ready mix concrete production and long term concrete production in all types of construction sites. With its capability to produce each type of concrete, stable and problem-free plants, dependable spare parts and technical service and high quality products, Polita is the first choice of Professional concrete producers.

The project of construction site is prepared upon customer's needs, country's nature and localization conditions.



Sabit Beton Santralleri

Stationary Concrete Batching

ÖZELLİKLER/SPECIFICATIONS	BİRİM	P60	P105	P130
SANTRAL KAPASİTESİ/PLANT CAPACITY	m ³ /h	60,0	105,0	130,0
MİKSER ÖZELLİKLERİ/MIXER SPECIFICATIONS				
Mikser Kapasitesi	m ³	1,0	2,0	3,0
Kuru Hacim/Dry capacity	lt	1500,0	3000,0	4500,0
Sıkıştırılmış Beton/Compacted Concrete	lt	1000,0	2000,0	3000,0
Motor Gücü/Motor Power	kW	37-45	2x37	2x55
KANTARLAR/BATCHERS				
Agrega Tartım Kapasitesi/Ag. Weighing Capacity	kg	4000,0	6000,0	9000,0
Çimento Tartım Kapasitesi/ Cement Weighing Cap.	kg	500,0	1000,0	1500,0
Su Tartım Kapasitesi/Water Weighing Capacity	lt	300,0	500,0	800,0
Katkı Tartım Kapasitesi/Additives Weighing Capacity	kg	12,0	20,0	50,0
AGREGA TARTIM KONVEYÖRÜ/ AG. WEIGHING CONVEYOR				
Genişlik/Width	mm	800,0	1000,0	1000,0
Uzunluk/Length	mm	14600,0	14600,0	14600,0
Motor Gücü/Motor Power	kW	11,0	15,0	15,0
MİKSER BESLEME/MIXER FEEDING				
Genişlik/Width	mm	800,0	1000,0	1000,0
Uzunluk/Length	mm	25000,0	30000,0	30000,0
Motor Gücü/Motor Power	kW	18,5	22,0	30,0
AGREGA BUNKERİ/AGGREGATE BUNKER				
Göz Adedi/Aggregate Compartment	adet/no	4,0	4-6	4-6
Göz Kapasitesi/Compartment Capacity	m ³	30-20	30-40-60	30-40-60
Toplam/Total	m ³	120-80	120-160-360	120-160-360
ÇİMENTO HELEZONU/CEMENT SCREW CONVEYOR				
Çap/Diameter	mm	219,0	273,0	273,0
Uzunluk/Length	mm	8000,0	8000,0	8000,0
Motor Gücü/Motor Power	kW	7,5	11,0	11,0
ÇİMENTO SİLOSU / CEMENT SILO				
Kapasite/Capacity	ton	75-100	100-200	100-200
Adet/Number	adet/no	1-2	2-4	2-4
KOMPRESÖR/COMPRESSOR				
Kapasite/Capacity	lt/dak	1360,0	1500,0	1500,0
Çalışma Basıncı/Working Pressure	bar	6-8	6-8	6-8
Motor Gücü/Motor Power	kW	5,5	7,5	7,5

Sabit Beton Santralleri

Stationary Concrete Batching

ÖZELLİKLER/SPECIFICATIONS	BİRİM	P160	P200	P240
SANTRAL KAPASİTESİ/PLANT CAPACITY	m ³ /h	160,0	200,0	240,0
MİKSER ÖZELLİKLERİ/MIXER SPECIFICATIONS				
Mikser Kapasitesi	m ³	4,0	5,0	6,0
Kuru Hacim/Dry capacity	lt	6000,0	7500,0	9000,0
Sıkıştırılmış Beton/Compacted Concrete	lt	4000,0	5000,0	6000,0
Motor Gücü/Motor Power	kW	2x75	2x90	4x55
KANTARLAR/BATCHERS				
Agrega Tartım Kapasitesi/Ag. Weighing Capacity	kg	12000,0	15000,0	18000,0
Çimento Tartım Kapasitesi/ Cement Weighing Cap.	kg	2000,0	2500,0	3000,0
Su Tartım Kapasitesi/Water Weighing Capacity	lt	1000,0	1500,0	3000,0
Katkı Tartım Kapasitesi/Additives Weighing Capacity	kg	50,0	50,0	50,0
AGREGA TARTIM KONVEYÖRÜ/ AG. WEIGHING CONVEYOR				
Genişlik/Width	mm	1200,0	1200,0	1400,0
Uzunluk/Length	mm	14600,0	14600,0	14600,0
Motor Gücü/Motor Power	kW	15,0	18,5	18,5
MİKSER BESLEME/MIXER FEEDING				
Genişlik/Width	mm	1200,0	1400,0	1400,0
Uzunluk/Length	mm	30000,0	30000,0	30000,0
Motor Gücü/Motor Power	kW	37,0	45,0	45,0
AGREGA BUNKERİ/AGGREGATE BUNKER				
Göz Adedi/Aggregate Compartment	adet/no	4-6	4-6	4-6
Göz Kapasitesi/Compartment Capacity	m ³	30-40-60	30-40-60	30-40-60
Toplam/Total	m ³	120-160-360	120-160-360	120-160-360
ÇİMENTO HELEZONU/CEMENT SCREW CONVEYOR				
Çap/Diameter	mm	323,0	323,0	323,0
Uzunluk/Length	mm	8000,0	8000,0	8000,0
Motor Gücü/Motor Power	kW	18,5	18,5	18,5
ÇİMENTO SİLOSU / CEMENT SILO				
Kapasite/Capacity	ton	100-200	100-200	100-200
Adet/Number	adet/no	2-4	2-4	2-4
KOMPRESÖR/COMPRESSOR				
Kapasite/Capacity	lt/dak	1500,0	1500,0	1500,0
Çalışma Basıncı/Working Pressure	bar	6-8	6-8	6-8
Motor Gücü/Motor Power	kW	7,5	7,5	7,5

Mobil Beton Santralleri
Mobile Concrete Batching Plant

Polita Mobil Beton Santralleri; hızlı kurulum, kısa zamanda üretime başlama avantajı ve minimum altyapı ihtiyacı ile geçici ihtiyaçlar için harika bir çözüm yoludur.

30 m³/s' den 120 m³/s' e kadar müşteri ihtiyacına göre imalatı yapılabilmektedir.

Polita Mobile Concrete Batching Plants is a Professional solution for temporary needs with its rapid installation, advantage of starting production in a short time and minimum infrastructure needs.

From 30 m³/h to 120 m³/h capacity Mobile Concrete Batching Plants are manufactured according to customer requirements.





Beton Santralleri *Concrete Batching Plants*

www.politamakine.com

Mobil Beton Santralleri *Mobile Concrete Batching Plant*



sales@politamakine.com

Mobil Beton Santralleri

Mobile Concrete Batching Plant

ÖZELLİKLER/SPECIFICATIONS	BİRİM	M30	M60	M90	M120
SANTRAL KAPASİTESİ/PLANT CAPACITY	m ³ /h	30,0	60,0	100,0	120,0
MİKSER ÖZELLİKLERİ/MIXER SPECIFICATIONS					
Mikser Kapasitesi	m ³	0,5	1,0	2,0	3,0
Kuru Hacim/Dry capacity	lt	750,0	1500,0	3000,0	4500,0
Sıkıştırılmış Beton/Compacted Concrete	lt	500,0	1000,0	2000,0	3000,0
Motor Gücü/Motor Power	kW	18,5	45,0	2x37	2x55
KANTARLAR/BATCHERS					
Agrega Tartım Kapasitesi/Ag. Weighing Capacity	kg	2000,0	4000,0	6000,0	9000,0
Çimento Tartım Kapasitesi/ Cement Weighing Cap.	kg	400,0	600,0	1000,0	1500,0
Su Tartım Kapasitesi/Water Weighing Capacity	lt	200,0	300,0	500,0	800,0
Katkı Tartım Kapasitesi/Additives Weighing Capacity	kg	12,0	20,0	20,0	50,0
AGREGA TARTIM KONVEYÖRÜ/ AG. WEIGHING					
Genişlik/Width	mm	600,0	800,0	1000,0	1000,0
Uzunluk/Length	mm	11750,0	12500,0	14000	14000,0
Motor Gücü/Motor Power	kW	11,0	15,0	18,5	15,0
MİKSER BESLEME/MIXER FEEDING					
Genişlik/Width	mm				1000,0
Uzunluk/Length	mm				13300,0
Motor Gücü/Motor Power	kW				22,0
AGREGA BUNKERİ/AGGREGATE BUNKER					
Göz Adedi/Aggregate Compartment	adet/no	4	4	4	4
Göz Kapasitesi/Compartment Capacity	m ³	11,0	11,0	11,0	20-30
Toplam/Total	m ³	44,0	44,0	44,0	80-120
ÇİMENTO HELEZONU/CEMENT SCREW CONVEYOR					
Çap/Diameter	mm	193,0	219,0	opsiyonel	
Uzunluk/Length	mm	9850,0	10000,0		
Motor Gücü/Motor Power	kW	7,5	11,0		
ÇİMENTO SİLOSU / CEMENT SILO					
Kapasite/Capacity	ton	30,0	30-40	opsiyonel	
Adet/Number	adet/no	1	1		
KOMPRESÖR/COMPRESSOR					
Kapasite/Capacity	lt/dak	1100,0	1100,0	1500,0	1500,0
Çalışma Basıncı/Working Pressure	bar	6-8	6-8	6-8	6-8
Motor Gücü/Motor Power	kW	5,5	5,5	7,5	7,5