



No	NAME	No	A	B	C	D	E	H	DIAM.	STEP	PINS	NOTE
1	Mottura 6+6	1	24.20	2.50	2.50	4.30	5.70	10.80	4.50	1.80	NM11	Klass, Gardian, Elbor
2	Moturra +6+	2	15.80	2.50	2x2.5	4.00	7.00	10.80	4.50	1.80	NM11	Nucleo
3	Moturra 3+3	3	13.80	2.50	2.50	4.30	6.70	10.80	4.50	1.80	NM11	
4	Securemme 6+6	4	24.50	2.50	2.80	5.20	5.80	10.20	5.00	1.75	NM11	
5	Securemme 3+3	5	11.30	2.50	2.50	5.50	7.00	11.00	4.50	1.40	SC 12.5	CAM 3+3
6	Cisa 3+5+3	6	24.20	2.50	2x2.8	4.00	9.00	10.50	4.50	1.66	NM13	Stavr(Latvija)
7	Cisa 3+3	7	13.00	2.50	2.80	4.00	7.00	10.80	4.00	1.61	NM11	
8	CAM 4+4	8	13.85	2.50	2.50	5.50	7.00	11.00	4.50	1.40	SC 12.5	Boda-428. Border, Abloj
9	Gardian 4+4	9	17.70	2.50	3.30	4.30	6.70	10.80	4.50	1.80	SM11	Elbor-Lazurit
10	Elbor 3+3	10	14.80	2.50	4.30	5.50	5.50	10.80	4.30	1.75	SM11	Rex, Klass 3+3
11	ELP 6+6 (Kazan)	11	25.90	2.50	2.50	5.40	7.00	10.30	4.50	1.95	NM11	
12	Patent 7000 7+7	11	25.00	2.00	2.70	4.50	7.50	11.20	4.50	1.55	SC 12.5	
13	Mottura +7+ Safe	13	17.60	2.50	2x2.6	4.00	7.00	10.80	4.50	1.80	NM11	
14	ISEO +6+	14	18.20	2.00	2x4.1	4.00	7.00	9.80	4.20	1.63	NM11	
15	Iseo Fiam 6+6	15	26.00	2.00	4.50	4.00	7.00	10.50	4.20	1.65	NM11	

No	NAME	No	A	B	C	D	E	H	DIAM.	STEP	PINS	NOTE
16	Multi-Lock Matrix 6+6	16	26.00	2.00	4.00	4.85	4.85	10.30	4.50	1.68	NM16	
17	ELP 3+3 (Kazan)	3	14.20	2.50	2.30	5.50	5.50	10.50	4.50	1.78	NM11	
18	Serrature 6+6(magnetic rotor system)	18	24.20	2.00	2.50	4.30	6.70	10.20	4.50	1.80	NM11	
19	Technomax casseforti 4+4 Safe	19	18.50	2.50	3.20	5.30	5.70	10.20	4.50	1.63	NM11	
20	Potent Viper +8+	20	25.60	2.50	2x5.5	4.00	7.00	10.50	4.50	1.80	NM11	
21	Ezcurra 10 pins	21	13.90	2.00	--	7.60	7.60	--	4.50	1.37	SC18.5	
22	FAS 309, 318 +9+	22	13.30	2.50	2x2.30	8.3	--	13.3	4.50	1.24		Developed
23	KALE 4+4	23	17.00	2.50	3.00	4.30	8.20	10.80	4.50	1.58	SC12.5	
24	Ezcurra 6+6	24	20.10	2.00	2.50	6.70		10.50	4.50	1.37	SC9	
25	Mottura 3+3 (4+4)	25	17.00	2.50	2.50	4.30	6.70	10.00	4.50	1.78	NM11	
26	MCM (safe) 3+3	26	13.50	2.00	3.00	4.50	4.50	10.1	4.70	1.58	NM9	
27	FAG (safe)+4	27	11.2	2.00	2.50	4.50	6.50	10.7	4.50	2.10	NM11	
28	Potent 2500 14 pins	28	24.8	2.00	-	4.90	4.90	-	4.50	1.74	NM17	
29	Tesio 6+6	29	25.5	2.00	4.20	5.00	5.00	10.3	4.50	1.65	NM11	
30	Stop 6+6 (Chaina door)	30	14.8	2.50	2x 2.5	4.00	7.00	9.00	4.50	1.63	NM11	
31	Erevan 4+4	31	18.50	2.50	2.50	8.00	-	15.00	6.50	1.95	NM11	
32	MOIA 6+6	32	21.00	2.00	2.50	5.00	5.00	10.00	4.50	-		Developed
33	Mottura Nucleo (ball) My key	33	24.20	2.50	-	4.30	6.70	10.00	4.50	1.80	NM11	
34	Safe +6+	34	13.80	2.00	2x2.00	4.50	4.50	10.00	4.50	1.63	NM14.5	
35	IDM	35	13.20	2.20	2.80	6.50	4.50	11.00	4.50	1.66	NM11	

1. The sizes of adaptations are given for dissection of locks. Studying a lock - it is possible on sizes to pick up adaptation.

2. Sign (+) of -bolt, X are sizes of double bolt

E-mail : [salonkey@mail.ru](mailto:salonkey@mail.ru)

skype: sekretservice78

### Sizes of pins (height x width x LENGTH)

No	Type of pins	Height, mm	Width, mm	Length, mm	Note
1	SM11	1.35	1.55	11.0	
2	NM11	1.35	1.1	11.0	
3	SC 12.5	1.1	1.35	12.5	
4	NM13	1.35	1.1	13.0	
5	NM16	1.35	1.1	16.0	
7	SC18.5	1.1	1.35	18.5	
8	SC12.5	1.1	1.35	12.5	
9	SC9	1.1	1.35	9.0	

Example:

SM11 – length of pins 11.0 mm, (The last number specifies length of pins in Millimeters).

For exact determination of pins - it is necessary to specify a number or type of instrument and measure the sizes of pins.