

# Isoplan



isoplan® -

300 ° - 400 °  
600 °C, isoplan® 1100 750 °C),

(isoplan® 750/1000

isoplan®



(044) 233 06 10  
www.compensator.prom.ua  
compensator84@yandex.ru

(063) 233 06 10

# Isoplan

ISOPLAN

10 /



3

			Isoplan-750	Isoplan-1000	Isoplan-1100
1		<sup>0</sup>	750	1000	1100
2		/ <sup>3</sup>	0,94	0,94	0,91
3		%	25	25	25
4		%	25	30	30
5	2.	/ <sup>2</sup>	3,5	4,0	4,0
		/ <sup>2</sup>	1,5	2,0	2,0
6	800 <sup>0</sup> /1	%	17,0	17,0	17,0
	.	%	2,5	2,5	2,5
	.	%	2,0	2,0	2,0
	.	%	2,0	2,0	2,0
7	400 <sup>0</sup>	- W/	0,13	0,13	0,11



# Isoplan

, : 1000 1000  
 , : 1,5 / 2,0 / 3,0 / 4,0 / 5,0 / 6,0 / 8,0 / 9,0 / 10,0



. (044) 233 06 10 .  
[www.compensator.prom.ua](http://www.compensator.prom.ua)  
[compensator84@yandex.ru](mailto:compensator84@yandex.ru)

(063) 233 06 10