

FRONTLOADER

Standard bucket


Product details:

- side dimensions: height - 710mm, length - 800mm,
- steel plate thickness: cover - 4mm, sides - 5mm,
- blade: 400HB 110x12mm,
- reinforcement: ribs as standard or reinforcing plate ,
- standard brackets: EURO.

Optional

- another type of brackets (surcharge)

Index	Width (m)	Weight (kg)	Volume (m3)	EUR / net
MSB140	1,40	140	0,45	475,00 €
MSB150	1,50	155	0,48	500,00 €
MSB160	1,60	170	0,51	537,50 €
MSB180	1,80	185	0,58	587,50 €
MSB200	2,00	195	0,64	612,50 €
MSB220	2,20	210	0,70	662,50 €
MSB240	2,40	225	0,77	725,00 €

Volume bucket


Product details:

- side dimensions: height - 740mm, length - 870mm,
- steel plate thickness: cover - 5mm, sides - 5mm,
- blade: 400HB 110x16mm,
- reinforcement: ribs as standard or reinforcing plate ,
- Strengthened back for brackets.
- standard brackets: EURO.

Optional

- another type of brackets (surcharge)
- third reinforcing plate - 43 € / mb - only with Euro brackets

Index	Width (m)	Weight (kg)	Volume (m3)	EUR / net
MVB140	1,40	220	0,56	625,00 €
MVB150	1,50	230	0,60	650,00 €
MVB160	1,60	240	0,64	675,00 €
MVB180	1,80	255	0,72	725,00 €
MVB200	2,00	270	0,80	800,00 €
MVB220	2,20	290	0,88	875,00 €
MVB240	2,40	315	0,96	950,00 €

Volume bucket MAXI


Product details:

- side dimensions: height - 910mm, length - 1210mm,
- steel plate thickness: cover - 5mm, sides - 6mm,
- blade: 400HB 150x16mm,
- reinforcement: ribs as standard or reinforcing plate ,
- standard brackets: EURO .

Optional

- another type of brackets (surcharge)
- third reinforcing plate - 43€ / m - only with Euro brackets

Index	Width (m)	Weight (kg)	Volume (m3)	EUR / net
MVBM160	1,60	240	1,03	1 125,00 €
MVBM180	1,80	260	1,17	1 200,00 €
MVBM200	2,00	280	1,30	1 275,00 €
MVBM220	2,20	295	1,43	1 375,00 €
MVBM240	2,40	320	1,56	1 475,00 €

High tip bucket


Product details:

- side dimensions: height - 770mm, length - 920/1060mm,
- steel plate thickness: cover - 5mm, sides - 6mm,
- blade: 400HB 110x16mm,
- standard brackets: EURO

Optional:

- another type of brackets (surcharge)

Index	Szerokość (m)	Waga (kg)	Pojemność (m3)	EUR / net
MHTB140	1,40	350	0,56	1 750,00 €
MHTB160	1,60	370	0,64	1 875,00 €
MHTB180	1,80	455	0,72	2 025,00 €
MHTB200	2,00	488	0,80	2 150,00 €
MHTB220	2,20	520	0,88	2 300,00 €
MHTB240	2,40	550	0,96	2 475,00 €

FRONTLOADER

High tip bucket MAXI


Product details:

- side dimensions: height - 1120mm, length - 1310/1470mm,
- steel plate thickness: cover - 5mm, sides - 6mm,
- blade: 400HB 150x16mm,
- standard brackets: EURO.

Optional:

- another type of brackets (surcharge)

Index	Width (m)	Weight (kg)	Volume (m3)	EUR / net
MHTBM180	1,80	675	1,44	2 750,00 €
MHTBM200	2,00	700	1,60	2 875,00 €
MHTBM220	2,20	730	1,76	3 000,00 €
MHTBM230	2,30	770	1,84	3 125,00 €
MHTBM250	2,50	880	2,00	3 250,00 €

4 in 1 bucket


Product details:

- side dimensions: height - 830mm, length - 810mm,
- steel plate thickness: cover - 6mm, sides - 10mm,
- blade: 400HB 16x110mm - 3pieces
- opening height: 850mm,
- standard brackets: EURO.

Optional:

- another type of brackets (surcharge)

Index	Number of tines	Volume (m3)	Weight (kg)	Width (m)	EUR / net
M41B140	6	0,40	350	1,40	1 725,00 €
M41B150	7	0,43	380	1,50	1 800,00 €
M41B160	7	0,46	420	1,60	1 875,00 €
M41B180	8	0,52	460	1,80	2 025,00 €
M41B200	9	0,58	490	2,00	2 175,00 €
M41B220	10	0,64	540	2,20	2 325,00 €
M41B240	11	0,70	560	2,40	2 475,00 €

Stone bucket


Product details:

- side dimensions: height - 730mm, length - 980mm,
- steel plate thickness: sides - 12mm,
- bar thickness: 30mm,
- bars spacing: 80mm,
- standard brackets: EURO.

Optional:

- another type of brackets (surcharge)

Index	Width (m)	Weight (kg)	Volume (m3)	EUR / net
MSBS160	1,60	255	0,33	1 225,00 €
MSBS200	2,00	320	0,42	1 475,00 €
MSBS240	2,40	385	0,50	1 725,00 €

Potato bucket


Product details:

- side dimensions: height - 910mm, length - 1140mm,
- blade: 400HB 150x16mm,
- bar thickness: 16mm, sides steel 6mm
- bars spacing: 30mm,
- standard brackets: EURO.

Optional:

- another type of brackets (surcharge)

Index	Width (m)	Weight (kg)	Volume (m3)	EUR / net
MPB160	1,60	320	0,80	1 125,00 €
MPB180	1,80	345	0,90	1 225,00 €
MPB200	2,00	360	1,00	1 325,00 €
MPB220	2,20	385	1,10	1 425,00 €
MPB240	2,40	405	1,20	1 525,00 €

FRONTLOADER

Beet bucket with plate


Product details:

- side dimensions: height - 910mm, length - 1140mm,
- steel plate thickness: cover - 4mm,
- blade: 400HB 150x20mm,
- bar thickness: 20mm,
- bars spacing: 50mm,
- standard brackets: EURO.

Optional:

- another type of brackets (surcharge)

Index	Width (m)	Bucket weight (kg)	Plate weight (kg)	Volume (m3)	EUR / net*
MBBP160	1,60	300	102	0,80	1064 / 366
MBBP180	1,80	310	114	0,90	1214 / 406
MBBP200	2,00	330	126	1,00	1302 / 446
MBBP220	2,20	355	138	1,10	1392 / 468
MBBP240	2,40	370	150	1,20	1538 / 526

* Prices for bucket without plate / price for plate

Manure fork


Product details:

- side dimensions: height - 640mm, length - 870mm,
- tine length and type: 810mm, forged tines,
- strengthening rib for width above 1,8m,
- bottom reinforced with profile 80x80mmx3,0mm
- standard brackets: EURO.

Optional:

- another type of brackets (surcharge)

Index	Width (m)	Weight (kg)	Number of tines	EUR / net
MMF140	1,40	90	8	525,00 €
MMF150	1,50	95	8	550,00 €
MMF160	1,60	100	9	575,00 €
MMF180	1,80	110	9	625,00 €
MMF200	2,00	120	10	675,00 €
MMF220	2,20	130	11	725,00 €
MMF240	2,40	140	12	775,00 €

Fork with gripper


Product details:

- side dimensions: height - 880mm, length- 1040mm,
- tine length and type: upper - 680mm, lower - 810mm, forged tines,
- opening height: 1280mm,
- numbers of hydraulic cylinders: 2
- standard brackets: EURO.

Optional:

- another type of brackets (surcharge)
- check valve 58€

Index	Number of tines	Volume (m3)	Weight (kg)	Width (m)	EUR / net
MFWG140	7 / 8	0,77	255	1,40	1 150,00 €
MFWG150	7 / 8	0,82	265	1,50	1 200,00 €
MFWG160	8 / 9	0,88	275	1,60	1 250,00 €
MFWG180	8 / 9	0,99	295	1,80	1 350,00 €
MFWG200	9 / 10	1,10	315	2,00	1 475,00 €
MFWG220	10 / 11	1,21	335	2,20	1 600,00 €
MFWG240	11 / 12	1,32	355	2,40	1 750,00 €

* for tines upper / lower

Bucket with gripper


Product details:

- side dimensions: height - 820mm, length - 980mm,
- steel plate thickness: cover - 5mm, sides - 10mm, added side-5mm or solid 6mm
- blade: 400HB 16x110mm,
- tine length and type: 680mm, forged tines,
- opening height: 1220mm,
- numbers of hydraulic cylinders: 2
- standard brackets: EURO.

Optional:

- another type of brackets (surcharge)
- check valve 58€

Index	Number of tines	Volume (m3)	Weight (kg)	Width (m)	EUR / net
MBWG150	7	0,78	340	1,50	1 275,00 €
MBWG160	8	0,83	370	1,60	1 325,00 €
MBWG180	8	0,94	380	1,80	1 425,00 €
MBWG200	9	1,04	440	2,00	1 525,00 €
MBWG220	10	1,14	470	2,20	1 700,00 €
MBWG240	11	1,25	490	2,40	1 925,00 €



FRONTLOADER

Bucket with grab


Product details:

- side dimensions: height - 910mm, length - 1000mm,
- steel plate thickness: cover - 5mm, sides - 10mm, added side -5mm
- blade: 400HB 150x16mm,
- tine length and type: 820mm, cutted tines 16mm,
- opening height: 1290mm,
- numbers of hydraulic cylinders: 2
- standard brackets: EURO.

Optional:

- another type of brackets (surcharge)
- check valve 58€

Index	Number of tines	Volume (m3)	Weight (kg)	Width (m)	EUR / net
MBGB150	5	0,63	380	1,50	1 424,00 €
MBGB160	5	0,67	400	1,60	1 480,00 €
MBGB180	6	0,75	415	1,80	1 628,00 €
MBGB200	6	0,84	435	2,00	1 730,00 €
MBGB220	7	0,92	455	2,20	1 880,00 €
MBGB240	7	1,00	470	2,40	2 012,00 €

Bucket with grab MAXI


Product details:

- side dimensions: height - 1110mm, length - 12500mm,
- steel plate thickness: cover - 6mm, sides - 10mm, added side -10mm
- blade: 400HB 20x150mm,
- tine length and type: 920mm, cutted tines 18mm,
- opening height: 1570mm,
- numbers of hydraulic cylinders: 2
- standard brackets: EURO.

Optional:

- another type of brackets (surcharge)
- check valve 58€

Index	Ilość zębów	Pojemność (m3)	Waga (kg)	Szerokość (m)	EUR / net
MBGBM180	6	1,03	730	1,80	2 750,00 €
MBGBM200	6	1,14	750	2,00	2 875,00 €
MBGBM220	7	1,25	775	2,20	3 000,00 €
MBGBM230	7	1,31	800	2,30	3 125,00 €
MBGBM240	7	1,37	830	2,40	3 250,00 €

Bale cutter


Product details:

- side dimensions: height - 860mm, length - 1030mm,
- tine length and type: 1000mm, forged tines ø44
- open height: 1490mm, span between arms 1520mm
- cutting tines brackets type: welded
- special hooks tines or bale capture while cutting,
- standard brackets: EURO.

Optional:

- another type of brackets (surcharge)
- check valve 58€

Index	Width (m)	Weight (kg)	Number of tines	EUR / net
MBC19	1,90	490	6	2 750,00 €

Silage cutter - fork


Product details:

- side dimensions: height - 880mm, length - 1010mm,
- steel plate thickness: cover - 8mm, sides - 8mm,
- tine length and type: 810mm, forged tines,
- cutting tines brackets type: welded.
- opening height: 910mm,
- numbers of hydraulic cylinders: 2 hydraulic cylinders,
- standard brackets: EURO.

Optional:

- another type of brackets (surcharge)
- check valve 58€

Index	Width (m)	Weight (kg)	Block size (m)	Number of tines	Volume (m3)	EUR / net
MSC110	1,10	430	1,05x0,80x0,75	7+2	0,63	2 375,00 €
MSC130	1,30	453	1,25x0,80x0,75	8+2	0,75	2 500,00 €
MSC150	1,50	475	1,45x0,80x0,75	9+2	0,87	2 625,00 €
MSC170	1,70	497	1,65x0,80x0,75	10+2	0,99	2 750,00 €

FRONTLOADER

Silage cutter - bucket


Product details:

- side dimensions: height - 930mm, length - 1040mm,
- steel plate thickness: cutter: cover - 8mm, sides - 8mm / bucket: cover - 6mm, sides - 10mm
- blade: 400HB 110x12mm,
- cutting tines brackets type: welded
- opening height: 790mm,
- numbers of hydraulic cylinders: 2
- standard brackets: EURO.

Optional:

- another type of brackets (surcharge)
- check valve 58€

Index	Width (m)	Weight (kg)	Volume (m3)	EUR / net
MSCB110	1,10	550	0,63	2 500,00 €
MSCB130	1,30	575	0,75	2 625,00 €
MSCB150	1,50	505	0,87	2 750,00 €
MSCB170	1,70	540	0,99	2 875,00 €

Silage cutter multi 3 in 1


Product details:

- side dimensions: height - 850mm, length - 1100mm,
- steel plate thickness: cutter: cover - 8mm, sides - 8mm / bucket: cover - 4mm, sides - 5mm
- cutting tines brackets type: welded
- opening height: 1300mm,
- standard brackets: EURO.

Optional:

- another type of brackets (surcharge)
- check valve 58€
- screwed tines (surcharge)

Index	Weight (kg)	Width (m)	EUR / net
MSSCM170	790	1,70	3 750,00 €

FRONTLOADER

Manure scraper - rigid


Product details:

- side dimensions: height - 680mm, length - 480mm
- rubber size and type: height - 465mm, thickness - 40mm, monolith rubber,
- side edges bending: 430mm - 30°,
- standard brackets: EURO, optional 3-point or Combi

- another type of brackets (surcharge)

Index	Width (m)	Weight (kg)	EUR / net
MRSM150	1,50	120	600,00 €
MRSM170	1,70	130	650,00 €
MRSM200	2,00	140	725,00 €
MRSM220	2,20	150	800,00 €
MRSM240	2,40	160	850,00 €
MRSM260	2,60	170	900,00 €
MRSM300	3,00	185	1 100,00 €

Manure scraper - hydraulic


Product details:

- side dimensions: height - 670mm, length 840mm,
- rubber size and type: height - 465mm, thickness - 40mm, monolith rubber,
- side edges bending: 320mm - 42°,
- working angle adjustment: 50°,
- standard brackets: EURO, optional 3-point or combi

- another type of brackets (surcharge)

Index	Width (m)	Weight (kg)	EUR / net
MRSH150	1,50	215	1 150,00 €
MRSH170	1,70	225	1 225,00 €
MRSH200	2,00	245	1 300,00 €
MRSH220	2,20	265	1 375,00 €
MRSH240	2,40	275	1 475,00 €
MRSH260	2,60	285	1 575,00 €
MRSH300	3,00	310	1 750,00 €