

# ROCKO

Vinyl Flooring by Kronospan



*A solid step up*



R072 Derelicta

**ROCKO**  
Vinyl Flooring by Kronospan

## CONTENTS

<b>04</b>	introduction
<b>05</b>	assortment
<b>05</b>	surface textures
<b>06</b>	overview
<b>08</b>	product range
<b>64</b>	skirting boards and accessories




Water resistant flooring



Slide resistant




Stain proof and easy to clean



Designed for floor heating



Soft touch and silent walk



Scratch resistant



Dimensionally stable



4-sided V-groove



1 clic 2 go pure fast, clean and easy

## assortment

range	utility class	guarantee*	water resistant	lock	groove	sound insulation	slide resistant	number of SKU's
600 x 295 x 5 mm	34	30 years						3
1210 x 234 x 5 mm	34	30 years						4
1210 x 192 x 5 mm	34	30 years						10
1210 x 192 x 4 mm	32	25 years						6
Abrasion resistance method B acc. to EN 16511. The guarantee is valid for domestic use acc. to the conditions of guarantee (detailed terms of guarantee: <a href="http://www.rocko-vinyl.com">www.rocko-vinyl.com</a> ).								23


## surface textures



HS  
Hickory Scrape



PT  
Peetah



SO  
Stone Oak

---

## overview

---

**class** 34  
**format** 600 x 295 x 5 mm



R095 **Venato**, PT



R062 **Konstrukta**, PT



R059 **Monolith**, PT

**class** 34  
**format** 1210 x 234 x 5 mm



R063 **Alkemi**, HS



R065 **Rope**, HS



R066 **Sulpta**, HS



R064 **Eboniza**, SO

**class** 34  
**format** 1210 x 192 x 5 mm



R071 **Crystal Shore**, SO



R072 **Derelicta**, SO



R073 **Scandipure**, HS



R091 **Fortwood**, HS



R089 **Bluetrail**, HS




R067 **Millwood**, HS



R065 **Rope**, HS



R076 **Bourbon Cask**, SO



R090 **Castlebridge**, SO



R070 **Incando**, SO

**class** 32  
**format** 1210 x 192 x 4 mm



R079 **Salt Mine**, SO



R080 **Chromawood**, SO



R078 **Airflow**, HS



R077 **Barista**, HS



R081 **Crescendo**, HS



R082 **Humidor**, SO



R070 **Incando**

---

# CLASS

34

---

---

# FORMAT

600 x 295 x 5 mm

---




R062 Konstrukta



R062 Konstrukta

R062

## Konstrukta



**thickness** 5 mm  
**format** 600 x 295 mm  
**texture** PT  
Peetah  
**lock** 1 clic 2go pure






R059 Monolith

R059

## Monolith



**thickness** 5 mm  
**format** 600 x 295 mm  
**texture** PT  
Peetah  
**lock** 1 clic 2go pure






R095 Venato

R095

## Venato



<b>thickness</b>	5 mm
<b>format</b>	600 x 295 mm
<b>texture</b>	PT Peetah
<b>lock</b>	1 clic 2go pure





---

# CLASS

34


---

---

# FORMAT

1210 x 234 x 5 mm

---




R064 Eboniza



R063 Alkemi

R063

## Alkemi



---

<b>thickness</b>	5 mm
<b>format</b>	1210 x 234 mm
<b>texture</b>	HS Hickory Scrape
<b>lock</b>	1 clic 2go pure

---






R065 Rope


R065

## Rope



**thickness** 5 mm  
**format** 1210 x 234 mm  
**texture** HS  
Hickory Scrape  
**lock** 1 clic 2go pure





R066 Sculpta

R066

## Sculpta




---

<b>thickness</b>	5 mm
<b>format</b>	1210 x 234 mm
<b>texture</b>	HS Hickory Scrape
<b>lock</b>	1 clic 2go pure

---






R064 Eboniza

R064

## Eboniza



---

<b>thickness</b>	5 mm
<b>format</b>	1210 x 234 mm
<b>texture</b>	SO Stone Oak
<b>lock</b>	1 clic 2go pure

---



---

# CLASS

34


---

---

# FORMAT

1210 x 192 x 5 mm

---



R090 Castlebridge



R071 Crystal Shore

R071

## Crystal Shore



---

<b>thickness</b>	5 mm
<b>format</b>	1210 x 192 mm
<b>texture</b>	SO Stone Oak
<b>lock</b>	1 clic 2go pure

---







R072 Derelicta

R072

## Derelicta



---

<b>thickness</b>	5 mm
<b>format</b>	1210 x 192 mm
<b>texture</b>	SO Stone Oak
<b>lock</b>	1 clic 2go pure

---








R073 Scandipure


R073

## Scandipure



**thickness** 5 mm  
**format** 1210 x 192 mm  
**texture** HS  
Hickory Scrape  
**lock** 1 clic 2go pure






R091 Fortwood

R091

## Fortwood



**thickness** 5 mm  
**format** 1210 x 192 mm  
**texture** HS  
Hickory Scrape  
**lock** 1 clic 2go pure






R089 Bluetrail

R089

## Bluetrail



---

<b>thickness</b>	5 mm
<b>format</b>	1210 x 192 mm
<b>texture</b>	HS Hickory Scrape
<b>lock</b>	1 clic 2go pure

---





R067 Millwood

R067

## Millwood



---

<b>thickness</b>	5 mm
<b>format</b>	1210 x 192 mm
<b>texture</b>	HS Hickory Scrape
<b>lock</b>	1 clic 2go pure

---






R065 Rope

R065

## Rope



---

<b>thickness</b>	5 mm
<b>format</b>	1210 x 192 mm
<b>texture</b>	HS Hickory Scrape
<b>lock</b>	1 clic 2go pure

---






R076 Bourbon Cask


R076

## Bourbon Cask



<b>thickness</b>	5 mm
<b>format</b>	1210 x 192 mm
<b>texture</b>	SO Stone Oak
<b>lock</b>	1 clic 2go pure






R090 Castlebridge

R090

## Castlebridge



---

<b>thickness</b>	5 mm
<b>format</b>	1210 x 192 mm
<b>texture</b>	SO Stone Oak
<b>lock</b>	1 clic 2go pure

---





R070 Incando

R070

## Incando



---

<b>thickness</b>	5 mm
<b>format</b>	1210 x 192 mm
<b>texture</b>	SO Stone Oak
<b>lock</b>	1 clic 2go pure

---





---

# CLASS

32


---

---

# FORMAT

1210 x 192 x 4 mm

---




R077 Barista



R079 Salt Mine

R079

## Salt Mine



**thickness** 4 mm  
**format** 1210 x 192 mm  
**texture** SO  
Stone Oak  
**lock** 1 clic 2go pure





R080 Chromawood

R080

## Chromawood



---

<b>thickness</b>	4 mm
<b>format</b>	1210 x 192 mm
<b>texture</b>	SO Stone Oak
<b>lock</b>	1 clic 2go pure

---






R078 Airflow

R078

## Airflow



**thickness** 4 mm  
**format** 1210 x 192 mm  
**texture** HS  
Hickory Scrape  
**lock** 1 clic 2go pure





R077 Barista

R077

## Barista



<b>thickness</b>	4 mm
<b>format</b>	1210 x 192 mm
<b>texture</b>	HS Hickory Scrape
<b>lock</b>	1 clic 2go pure






R081 Crescendo

R081

## Crescendo



<b>thickness</b>	4 mm
<b>format</b>	1210 x 192 mm
<b>texture</b>	HS Hickory Scrape
<b>lock</b>	1 clic 2go pure





R082 Humidor

R082

## Humidor



---

<b>thickness</b>	4 mm
<b>format</b>	1210 x 192 mm
<b>texture</b>	SO Stone Oak
<b>lock</b>	1 clic 2go pure

---



accessories

**Underlay PUR1.0 for ROCKO Vinyl Flooring by Kronospan**




Acoustic underlay, 1 mm thick, specifically for floating design flooring, as well as being suitable for laminate, cork and parquet flooring. Ideal for underfloor heating.

Item No. [Customer Code.]	Dimensions	Thickness	R Thermal Resistance	RWS Walking sound reduction	IS Impact sound reduction	CS Load	PC Uneven floor	SD Moisture protection
98535 [EX PUR1.0_SPC]	1x10m=10m <sup>2</sup>	1,0mm	0,01m <sup>2</sup> K/W	13%*	11-15dB*	>530kPa	0,2mm	-

\* see technical data sheet

**Design skirting board K58C - 18 x 58 x 2400 mm**



**K58C**

Decor matching  
Design skirting board K58C

Rocko flooring	Skirting board	Design skirting board K58C - 97345
R059	R059	•
R062	R062	•
R063	R063	•
R064	R064	•
R065	R065	•
R066	R066	•
R067	R067	•
R070	R070	•
R071	R071	•
R072	R072	•
R073	R073	•
R076	R076	•
R077	R077	•
R078	R078	•
R079	R079	•
R080	R080	•
R081	R081	•
R082	R082	•
R089	R089	•
R090	R090	•
R091	R091	•
R095	R095	•
suitable for all decors	9002 (white)	•



---

accessories

---

**Mounting parts**



Packing unit  
Box of 30 pieces

**Tap-block**



Packing unit  
Box of 20 pieces


**Design floor cleaner**



This special cleaning agent does a great job, even cleaning off greasy residues of our Rocko Vinyl flooring, thanks to its excellent dirt-binding properties. It does not damage the finish and leaves no grey film.

750 ml

**Design click transition profile**



For equally high Rocko floors, the Design-Click transition profiles are suitable for flooring thickness 4 to 7.5mm. This elegant aluminum expansion joint cover was specifically designed for Rocko Vinyl. The top piece is simply clicked into place.

Item No. [Customer Code]	Dimensions	Height	Width
95112	900 mm	4 – 7,5 mm	27 mm
95113	2700 mm		

**Design click ramp profile**



Ramp profiles are used to join two floorings of different heights. This Design-Click profile specifically designed for Rocko Vinyl ensures elegant transition and compensate for height differences of up to 7.5 mm.

Item No. [Customer Code]	Dimensions	Height	Width
95122	900 mm	4 – 7,5 mm	34 mm
95123	2700 mm		

**Design click end profile**



This aluminum profile is used to create clean edges on walls and borders for Rocko Vinyl. The Design-Click profile system is suitable for flooring thickness 4 to 7.5 mm.

Item No. [Customer Code]	Dimensions	Height	Width
95132	900 mm	4 – 7,5 mm	21 mm
95133	2700 mm		



# ROCKO

Vinyl Flooring by Kronospan



[www.rocko-vinyl.com](http://www.rocko-vinyl.com)

1/02/2020/EN

Product information in this brochure is correct at time of publication. The company has a policy of continuous product development and reserves the right to change any product specifications given in this brochure. Due to the variations in the printing process, colours in this brochure may be subject to deviation from the actual products.



**Kronoflooring Sp. z o.o.**  
39-300 Mielec  
ul. Wojska Polskiego 3  
T +48 17 58 22 200  
F +48 17 58 22 300  
[sales.jaslo@kronospan.pl](mailto:sales.jaslo@kronospan.pl)