

TEST REPORT

NAME OF SAMPLE:	Clear OM Pin
TYPE:	N/A
CLIENT:	FANTOM HARDWARE PTY LTD
CLIENT ADDRESS:	Suite 301, Level 3, 89 Pirie st, Adelaide 5000, South Australia.
TEST SORT:	Delegation test
Date of receipt of test item:	Jan.14,2020
Date of test:	Jan.15,2020~Jan.16,2020
Report No. :	HTT200102190ZR-1

Shenzhen HTT Technology Co., Ltd.

深圳市环通检测技术有限公司 Shenzhen HTT Technology Co.,Ltd.

电话 TEL : 0755-23595200 传真 FAX : 0755-23595201 热线 Hotline: 400-6655-351 邮箱 Mail : info@httprc.com

地址 Address : 深圳市宝安区西乡街道固戍华丰国际机器人产业园 B 座 1 楼

1F, B Building, Huafeng International Robotics Industrial Park, Gushu, Xixiang Street, Bao'an District, Shenzhen

TEST REPORT

Sample name :	Clear OM Pin	
Model name :	N/A	
Input specifications:	N/A	
Trademark :	FANTOM	
Applicant	FANTOM HARDWARE PTY LTD	
Address :	Suite 301, Level 3, 89 Pirie st, Adelaide 5000, South Australia.	
Manufacturer :	FANTOM HARDWARE PTY LTD	
Address :	Suite 301, Level 3, 89 Pirie st, Adelaide 5000, South Australia.	
Test standard: GB/T10125-2012 Corrosion test in artificial atmosphere-Salt spray tests requirements for testing		
Conclusion: See the detailed content of the report		
Tested By : <u>Derek Wang</u> Check By : <u>Andy Shen</u> Approved By : <u>Kevin Yang</u>	Shenzhen HTT Technology Co., Ltd. Jan.16,2020	

深圳市环通检测技术有限公司 Shenzhen HTT Technology Co.,Ltd.

电话 TEL : 0755-23595200 传真 FAX : 0755-23595201 热线 Hotline: 400-6655-351 邮箱 Mail : info@httpc.com

地址 Address : 深圳市宝安区西乡街道固戍华丰国际机器人产业园 B 座 1 楼

1F, B Building, Huafeng International Robotics Industrial Park, Gushu, Xixiang Street, Bao'an District, Shenzhen

No.	Test item	Test description	Test requirement	test result	Verdict
1	Neutral salt spray test (NSS)	<p>Test time:24H</p> <p>The samples were placed in the salt spray testing machine under the following test conditions for continuous 24H; Test space anywhere, with an area of 80cm² funnel Collection of continuous spray 12H salt mist settlement, Then gently clean with clean flowing water with a temperature no higher than 40℃ to remove the residual salt spray solution on the surface, and then immediately dry with a hair dryer, and then check the appearance.</p> <p>Test Reagent: 5% NaCl aqueous solution /(50g / L ± 5 g / L)</p> <p>Saline pH: 6.0-7.0</p> <p>Relative humidity: 96%</p> <p>Pressure barrel temperature: 47 ± 1 ℃</p> <p>Saline bucket temperature: 35 ± 1 ℃</p> <p>Chamber temperature: 35 ± 1℃</p> <p>Spray pressure: 120 kPa</p> <p>Sample placement: The subject surface is 20 ± 5° from the vertical direction.</p>	<p>Determination basis:</p> <p>GB/T 6461-2002</p> <p>Appearance inspection: after the test, the exposed surface of the sample does not appear corrosion, darkening and other undesirable phenomena.</p>	<p>After the test, the exposed surface of the sample did not appear corrosion, darkening and other undesirable phenomena.</p>	<p>PASS</p>

深圳市环通检测技术有限公司 Shenzhen HTT Technology Co.,Ltd.

电话 TEL : 0755-23595200 传真 FAX : 0755-23595201 热线 Hotline: 400-6655-351 邮箱 Mail : info@httpc.com

地址 Address : 深圳市宝安区西乡街道固戍华丰国际机器人产业园 B 座 1 楼

1F, B Building, Huafeng International Robotics Industrial Park, Gushu, Xixiang Street, Bao'an District, Shenzhen

Attachment 1: Sample images

Photo 1



Positive samples

Photo 2



Back of sample

深圳市环通检测技术有限公司 Shenzhen HTT Technology Co.,Ltd.


电话 TEL : 0755-23595200 传真 FAX : 0755-23595201 热线 Hotline: 400-6655-351 邮箱 Mail : info@httpc.com

地址 Address : 深圳市宝安区西乡街道固戍华丰国际机器人产业园 B 座 1 楼

1F, B Building, Huafeng International Robotics Industrial Park, Gushu, Xixiang Street, Bao'an District, Shenzhen

Attachment 2: Test images

Photo 3



In the test

Photo 4



Test placement area

深圳市环通检测技术有限公司 Shenzhen HTT Technology Co.,Ltd.

电话 TEL : 0755-23595200 传真 FAX : 0755-23595201 热线 Hotline: 400-6655-351 邮箱 Mail : info@httpc.com

地址 Address : 深圳市宝安区西乡街道固戍华丰国际机器人产业园 B 座 1 楼

1F, B Building, Huafeng International Robotics Industrial Park, Gushu, Xixiang Street, Bao'an District, Shenzhen

申 明

Statements

1. 报告的检测结果只与被检测的项目有关。
The results of the testing relate only to the items that tested.
2. 报告无“检测报告专用章”或检测单位公章无效。
Test report is invalid without the “Special Seal of Test Report” or that of test unit on it.
3. 报告无主检、审核、批准人签章无效。
Test report is invalid without the signature of the chief tester, examiner and approver.
4. 报告随意涂改复印无效，如复印需经本公司同意并加盖公章。
Test report is invalid if randomly altered or duplicated .The consent and seal of this HTT is required for any duplication.
5. 委托检测仅对来样负责。
For entrusted tests, this Center is only responsible for the delivered samples.
6. 相关项目未取得资质认定，仅作为科研、教学或内部质量控制之用。
Relevant projects have not obtained qualifications and only used for scientific research, teaching or internal quality control.
7. 对检测报告若有异议，应于收到报告之日起十五日内向检测单位提出，逾期不予受理。
For any claim of the report, just refer to the testing unit in 15 days, in case it is not in the above limited time, the claim shall be dismissed.
8. 未经本公司批准,不得复制(全文复制除外)报告。
It may not be duplicated or used in part without prior written consent for Shenzhen HTT Technology Co.,Ltd.

***** 报告结束 *****
***** END OF REPORT *****

深圳市环通检测技术有限公司 Shenzhen HTT Technology Co.,Ltd.

电话 TEL : 0755-23595200 传真 FAX : 0755-23595201 热线 Hotline: 400-6655-351 邮箱 Mail : info@httprc.com

地址 Address : 深圳市宝安区西乡街道固戍华丰国际机器人产业园 B 座 1 楼

1F, B Building, Huafeng International Robotics Industrial Park, Gushu, Xixiang Street, Bao'an District, Shenzhen