


## Blacklight BL368 Linear T12

F40W T12 BL368 48  
0000099



### Product features

- Blacklight BL368 Linear T12



## PRODUCT OVERVIEW

Product name	F40W T12 BL368 48
Technology	Special applications
Watt (Rated) (W)	39.50
Lamp shape	Tubular shape
Type	T12
Cap/Base	G13
Lamp finish	Frosted/Coated
Fixture rating	Enclosed
General application	Hospitality, Retail, Residential & Consumer
ETIM Class	EC002962
E-number FI	4940428
Light colour	BL368 Blacklight
Wattage (W)	40.00
Dimmable	No
Average life (Nominal) (h)	10000
Product EAN number	5410288000992

## DATA TABLE

### General data

Product name	F40W T12 BL368 48
Technology	Special applications
Watt (Rated) (W)	39.50
Lamp shape	Tubular shape
Type	T12
Cap/Base	G13
Lamp finish	Frosted/Coated
Fixture rating	Enclosed
General application	Hospitality, Retail, Residential & Consumer
Operating temperature range (°C)	-20°C - 40°C
ETIM Class	EC002962
E-number FI	4940428

## Blacklight BL368 Linear T12

*F40W T12 BL368 48*  
0000099

### Optical data

Ambient temperature for maximum luminous flux (°C)	25
Light colour	BL368 Blacklight
Adjustable chromaticity	N

### Electrical data

Wattage (W)	40.00
Mains voltage (V)	230-240V~
Control gear required	Yes
Transformer required	No
Dimmable	No

### Lifetime data

Average life (Nominal) (h)	10000
----------------------------	-------

### Physical data

Nominal Product Length (mm)	1200.0
Nominal Product Diameter (mm)	38
Max. Length base to base (mm) - A	1199.4
Length base to pin Min-Max (mm) - B	1204.1-1206.5
Max. Lamp Length (mm) - C/L	1213.6
Max. Lamp Diameter (mm) - D	40.5
Weight (kg)	0.275

### Packaging

Single packaging type	Carton
Product EAN number	5410288000992
Packaging single length / height (cm)	121.2
Packaging single width (cm)	4.3
Packaging single depth (cm)	4.1
DUN14 (outer)	15410288000999
Units per outer package	25
Packaging outer length / height (cm)	124.0
Packaging outer width (cm)	22.0
Packaging outer depth (cm)	21.0

### Safety data

Lamp mercury content (mg)	9.00
Optimal operating condition (°C)	-20-40
Breakage cleaning instructions	Applicable
Recommendation for disposal at end of life	Applicable
Special purpose lamp	Yes
Intended purpose	Flykilling
Suitable for household illumination	No
Safety message	Not suitable for household

## Blacklight BL368 Linear T12 *F40W T12 BL368 48* 0000099

### TECHNICAL DRAWINGS

