




A brand of
MATRIX
L I G H T I N G


LED PAR Lamps

VIRIBRIGHT™ LED PAR lamps are a direct replacement for 60-100W incandescent and 13-25W CFL bulbs and provides up to 85% energy savings over incandescent. With long life, low energy consumption, no hazardous mercury, VIRIBRIGHT™ LED PAR lamps are setting the benchmark for price and performance.

POLAR CURVE:



PAR38



(PAR30 - E27)

- * IP20 = Indoor use
- * IP65 = Outdoor use



CE cUL US KEMA
WWW.VIRIBRIGHT.COM



General Specifications	PAR38		PAR30		PAR16	
	IP20	IP65	IP20	IP65		
Base Type	E26 / E27 / GU24 / B22				E26 / E27 / B22	
Color Temperature (K)	2800 / 4000 / 6000				2800 / 4000 / 6000	
Lumen (Lm)	2800K	1100	1300	550	700	200
	4000K	1400	1500	700	800	220
	6000K	1400	1500	700	800	220
CRI	>80				>80	
Beam Angle (°)	90°				140°	
Lifespan	Up to 25,000 hrs				Up to 25,000 hrs	
Certification	CE/UL	Pending CE/UL	Pending CE/UL	Pending CE/UL	Pending CE/UL	

Electrical Characteristics

Wattage	18W / 10W / 4.5W
Voltage	110-120V AC / 220-240V AC
Working Frequency (Hz)	50-60
Power Factor	>0.9
Operating Temperature (°C)	-20° to 45°
Storage Temperature (°C)	-40° to 85°



ALL NEW



Dimmer Switch PAR16 4.5W Spotlight 7W Spotlight Candle Bulb Candlelight 10W LED Bulb 8W LED Bulb 5W LED Bulb PLC Lamp PAR30 PAR38 T8 LED Tubes

