



GRABO



# PLANK*IT*

LUXURY  
VINYL TILE FLOORING

**100%**  
**WATER**  
**RESISTANT**

GRABO  
PLANK*IT*



# GRABO PLANK/IT

LUXURY  
VINYL TILE FLOORING

GRABO PLANK/IT IS THE NEW LUXURY VINYL TILE FROM GRABOPLAST WHICH ENSURES NATURAL FEELING FOR YOUR FLOOR IN BOTH COMMERCIAL AND DOMESTIC APPLICATIONS.



## CONSTRUCTIONS



## ECOLOGICAL FORMULA

THE NEW GRABO LVT IS INSPIRED BY NATURE, MANUFACTURED WITH **PHTHALATE FREE** TECHNOLOGY AND PROVIDES AN ENVIRONMENTALLY FRIENDLY FLOORING SOLUTION FOR THE USERS.

Grabo Plank/IT is a long lasting flooring solution due to its durability against impacts, stains and scratches thus it is a perfect choice for shops, offices, hotels, restaurants or any other hospitality areas.

Our product has iGuard surface coating with low maintenance requirement.

Due to it's glass fibre reinforcement Grabo Plank/IT is a **dimensionally stable LVT flooring** with sound insulating properties and warm underfoot feeling.

Its flexibility provides economic, easy and quick installation.



**100%**  
**WATER**  
**RESISTANT**

GRABO  
PLANK/IT





BAELISH



WESTERLING



GENDRY

PLANK-IT  
**WOOD**  
 NATURAL WOOD  
 STRUCTURE

Plank size  
**185 × 1220**  
 mm

Qty/Box  
**~2.7m<sup>2</sup>**  
 12 PIECES



GREYJOY



BOLTON



WALDER



GRABO  
 PLANK(IT)  
 GENDRY

GRABO  
 PLANKIT



MALISTER



LANNISTER



TULLY



TORMUND



STARK



ARRYN



NAHARIS



MELISANDRE



BRONN



MORMONT



TARGARYEN



DROGO







REED



SELMY



MORDANE



# GRABO PLANKIT

- EASY TO INSTALL THANKS TO IT'S TILE FORMAT
- RESISTS TO WATER SO IT IS SUITABLE TO WET ROOMS AS WELL
- OPTIMAL SOLUTION FOR HOTELS, RESTAURANTS OFFICES AND SHOPS



BARATHEON



DAVOS

# GRABO PLANKIT DROGO





YGRITTE



TARLY



LUWIN



CASSEL

PLANK-IT  
**STONE**  
NATURAL STONE  
STRUCTURE

Tile size  
**305 × 610**  
mm

Qty/Box  
**~2.2 m<sup>2</sup>**  
12 PIECES



VARYS



BRIENNE



MISSANDEI



ROYCE

Thickness  
2.5 mm  
Wear layer  
0.55 mm

42

33

23

iGuard

GLASS FIBRE  
REINFORCEMENT

## SPECIFICATION

CONSTRUCTION	Luxury Vinyl Tile with iGuard Surface	
PLANK SIZE   WOOD	EN ISO 24346	185×1220 mm
PLANK SIZE   STONE	EN ISO 24346	305×610 mm
THICKNESS	EN ISO 24346	2.5 mm
WEAR LAYER	EN ISO 24340	0.55 mm
TOTAL WEIGHT	EN ISO 23997	4.0 kg/m <sup>2</sup>

## CLASSIFICATION

BINDER CONTENT	EN ISO 10582	Type I.
EUROPEAN CLASSIFICATION	EN ISO 10582	class: 33/42
RESIDUAL INDENTATION	EN ISO 24343	max. 0.1 mm
DIMENSIONAL STABILITY	EN ISO 23999	max. 0.15 %
CURLING	EN ISO 23999	max. 2 mm

## PERFORMANCE

ABRASION GROUP	MSZ EN 660-1	class: T
FIRE RESISTANCE	EN 13501-1	class: Bfl-s1
SLIP RESISTANCE	EN 13893	DS
ELECTRICAL PROPERTIES	EN 1815	max. 2 kV / Antistatic
THERMAL RESISTANCE	ISO 8302	0.014 m <sup>2</sup> /K/W
LIGHT FASTNESS	EN ISO 105-B0	grade 6
CHEMICAL RESISTANCE	EN ISO 26987	✓
	ASTM F925	✓
HYGIENE	bacterial resistant	
CASTOR CHAIR RESISTANCE	EN 425 / ISO 4918	✓
ENVIRONMENTAL ATTRIBUTES	solvent and phthalate free	
SURFACE TREATMENT	iGuard PUR Surface / Easy cleaning	
CONTENT OF PCP	EN 12673	does not contain
FORMALDEHIDE EMISSION	ENV 717-1	E1 (no emission)
VOC		pass
CE MARKING	EN 14041	✓



GRABOPLAST

FLOOR COVERING MANUFACTURERS LTD.

H-9023 Győr, Fehérvári út. 16/b. Telefon: (+36) 96 506-100

[www.graboplast.com](http://www.graboplast.com)



[www.facebook.com/graboplast](https://www.facebook.com/graboplast)

GRABO  
PLANK/IT