RF Dimmer Receiver

Model: SR-1009CS series



FC CE PROHS (Warranty) (1) (1)


Feature


- Work with different sender
- Work with WIFI transmitter
- Control Single color LED lighting.


Parameter

Part No.	Input Voltage	Output Current	Output Power	Remarks
SR-1009CS	12-36VDC	1x8A	1x(96-288)W	Constant voltage
SR-1009CS3	12-36VDC	1x350mA	1x(4.2-12.6)W	Constant current
SR-1009CS7	12-36VDC	1x700mA	1x(8.4-25.2)W	Constant current

Product Size







Operation

Learning (matching)

- a. Do wiring according to connection diagram
- b. Wake up the remote control by touching ON/OFF button.
- c. Press learning button on receiver.
- d. Touch any zone button on remote control.
- e. Then touch color wheel.
- f. Connected LED light will blink to confirm zone designation.
- g. Press at learning button on receiver over 5 seconds until LED light flash, then delete the learned ID.

Warranty Agreement

1) We provide lifelong technical assistance with this product:

• 3-year warranty. We print date on every products, for example :1125 means year 2011, week 25. The warranty is for free repair or replacement and covers manufacturing faults only.

• For faults beyond the 3-year warranty we reserve the right to charge for time and parts. 2) Limited Warrenty

• Any defects caused by wrong operation.

• Any damages caused by unauthorized removal, maintenance, modifying, incorrect connection and replacement of chips.

- Any damages due to transportation, vibration etc. after purchase.
- Any damages caused by earthquake, fire, lightning, pollution and abnormal voltage.

• Any damages caused by negligence, inappropriate storing at high temperatures and humidity or near harmful chemicals.

• Product has been updated

3) Repair or replacement as provided under this warranty is the exclusive remedy to the customer.

Safety & Warnings

P

1) The product shall be installed and serviced by a qualified person.

2) IP20.Please avoid the sun and rain. When installed outdoors, please ensure it is mounted in a water proof enclosure.

3) Always be sure to mount this unit in an area with proper ventilation to avoid overheating.

4) Please check if the output voltage of any LED power supplies used comply with the working voltage of the product.

5) Never connect any cables while power is on and always assure correct connections to avoid short circuits before switching on.

6) Please ensure that the cable is secured tightly in the connector

7) For update information please consult your supplier.