

BAYFERROX® · CHROME OXIDE GREEN

INORGANIC PIGMENTS

Shade Card

Building Industry Products

Farbkarte Baustoffe



LANXESS
Energizing Chemistry

BAYFERROX® · CHROME OXIDE GREEN

INORGANIC PIGMENTS

3% PIGMENT IN GRAUZEMENT / GREY CEMENT

BAYFERROX® ROT/RED 110



BAYFERROX® ROT/RED 120N



BAYFERROX® ROT/RED 130



BAYFERROX® ROT/RED 130B



BAYFERROX® ROT/RED 140



BAYFERROX® ROT/RED 160



BAYFERROX® ROT/RED 180




BAYFERROX® ROT/RED 222



3% PIGMENT IN GRAUZEMENT / GREY CEMENT

BAYFERROX® ROT/RED 503



BAYFERROX® SCHWARZ/BLACK 306



BAYFERROX® SCHWARZ/BLACK 318



BAYFERROX® SCHWARZ/BLACK 330



BAYFERROX® GELB/YELLOW 420



BAYFERROX® GELB/YELLOW 910



BAYFERROX® GELB/YELLOW 920



BAYFERROX® · CHROME OXIDE GREEN

INORGANIC PIGMENTS

3% PIGMENT IN GRAUZEMENT / GREY CEMENT

BAYFERROX® GELB/YELLOW 930



BAYFERROX® GELB/YELLOW 960



BAYFERROX® BRAUN/BROWN 610N



BAYFERROX® BRAUN/BROWN 655N



BAYFERROX® BRAUN/BROWN 663



BAYFERROX® BRAUN/BROWN 686



CHROMOXIDGRÜN GN/
CHROME OXIDE GREEN GN



3% PIGMENT IN WEISSZEMENT / WHITE CEMENT

BAYFERROX® ROT/RED 110



BAYFERROX® ROT/RED 130



BAYFERROX® ROT/RED 160



BAYFERROX® ROT/RED 503



BAYFERROX® GELB/YELLOW 420



BAYFERROX® GELB/YELLOW 910



BAYFERROX® GELB/YELLOW 920



BAYFERROX® GELB/YELLOW 960



CHROMOXIDGRÜN GN/
CHROME OXIDE GREEN GN



BAYFERROX® · CHROME OXIDE GREEN

INORGANIC PIGMENTS

HITZESTABILE SPEZIALPIGMENTE / HEAT RESISTANT SPECIAL PIGMENTS
3% PIGMENT IN WEISSZEMENT / WHITE CEMENT

BAYFERROX® GELB/YELLOW 3950



BAYFERROX® SCHWARZ/BLACK 303T



BAYFERROX® BRAUN/BROWN 645T



BAYFERROX® · CHROME OXIDE GREEN

INORGANIC PIGMENTS

Shade Card
Building Industry Products
Farbkarte Baustoffe

-  Globaler Anbieter mit weltweitem technischem und kaufmännischem Service.
Global supplier offering a world-wide technical and commercial service.
-  Rot, Gelb, Braun, Schwarz, Grün aus einer Hand.
Red, Yellow, Brown, Black, Green from one source.
-  Sondertypen für anwendungstechnische Spezialfälle.
Special grades for special applications.
-  Bayferrox® C und G: staubarm, fließfähig und gut dosierbar.
Bayferrox® C und G: Low in dust emission, flowable and efficient to meter.

BAYFERROX® ist eine eingetragene Marke der LANXESS Deutschland GmbH.
BAYFERROX® is a registered trademark of LANXESS Deutschland GmbH.

www.lanxess.com



This information and our technical advice – whether verbal, in writing or by way of trials – are given in good faith but without warranty, and this also applies where proprietary rights of third parties are involved. Our advice does not release you from the obligation to verify the information currently provided – especially that contained in our safety data and technical information sheets – and to test our products as to their suitability for the intended processes and uses. The application, use and processing of our products and the products manufactured by you on the basis of our technical advice are beyond our control and, therefore, entirely your own responsibility. Our products are sold in accordance with the current version of our General Conditions of Sale and Delivery.

Edition: 01/2005
Printed in Germany · E

Die vorstehenden Informationen und unsere anwendungstechnische Beratung in Wort, Schrift und durch Versuche erfolgen nach bestem Wissen, gehen jedoch nur als unverbindliche Hinweise, auch in Bezug auf etwaige Schutzrechte Dritter. Die Beratung befreit Sie nicht von einer eigenen Prüfung unserer aktuellen Beratungshinweise – insbesondere unserer Sicherheitsdatenblätter und technischen Informationen – und unserer Produkte im Hinblick auf ihre Eignung für die beabsichtigten Verfahren und Zwecke, Anwendung und Verarbeitung unserer Produkte und der aufgrund unserer anwendungstechnischen Beratung von Ihnen hergestellten Produkte erfolgen außerhalb unserer Kontrollmöglichkeiten und liegen daher ausschließlich in Ihrem Verantwortungsbereich. Der Verkauf unserer Produkte erfolgt nach Maßgabe unserer jeweils aktuellen Allgemeinen Verkaufs- und Lieferbedingungen.

Ausgabe: 01/2005
Printed in Germany · D

LANXESS
Energizing Chemistry

LANXESS Deutschland GmbH
Business Unit
Inorganic Pigments
47812 Krefeld, Germany
Fax: +49 (2151) 88 - 8394