

# SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2015/830)

## SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

## 1.1. Product identifier

Product name : IPRA PAPAYA Product code : 14-0002014.

**1.2. Relevant identified uses of the substance or mixture and uses advised against** Product only intended to industrial use. Limited use.

## **1.3.** Details of the supplier of the safety data sheet

Registered company name : IPRA FRAGRANCES.

Address : Parc de l'Argile N°39.06370.Mouans-Sartoux.France.

Telephone : +33 (0)4 92 92 10 04. Fax : +33 (0)4 92 92 29 33.

client@iprafragrances.com / customer@iprafragrances.com

## 1.4. Emergency telephone number : +33 (0)1 45 42 59 59.

Association/Organisation : INRS / ORFILA http://www.centres-antipoison.net.

Other emergency numbers

emergency phone: 112

## **SECTION 2 : HAZARDS IDENTIFICATION**

## 2.1. Classification of the substance or mixture

## In compliance with EC regulation No. 1272/2008 and its amendments.

Skin sensitisation, Category 1 (Skin Sens. 1, H317).

Hazardous to the aquatic environment - Chronic hazard, Category 3 (Aquatic Chronic 3, H412).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

## 2.2. Label elements

4

## In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms :

GHS07	
Signal Word :	
WARNING	
Product identifiers :	
EC 227-813-5	D-LIMONENE
EC 203-377-1 EC 203-375-0	GERANIOL DL-CITRONELLOL
EC 201-134-4	LINALOOL
Hazard statements :	
H317	May cause an allergic skin reaction.
H412	Harmful to aquatic life with long lasting effects.
Precautionary statemer	its - Prevention :
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/
Precautionary statemer	its - Response :
P302 + P352	IF ON SKIN: Wash with plenty of water.
P321	Specific treatment (see if more details are available on this label).

P333 + P313	If skin irritation or rash occurs: Get medical advice/attention.
P362 + P364	Take off contaminated clothing and wash it before reuse.
Precautionary statements - Disposal :	
P501	Dispose of contents/container to the waste collection point according to the local, national or international regulation.

## 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC)  $\geq 0.1\%$  published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

## **SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS**

# 3.2. Mixtures

Composition :			
Identification	(EC) 1272/2008	Note	%
CAS: 101-84-8	GHS07, GHS09	[1]	5 <= x% < 8
EC: 202-981-2	Wng		
	Eye Irrit. 2, H319		
DIPHENYL ETHER	Aquatic Chronic 3, H412		
	Aquatic Acute 1, H400		
	M Acute = 1		
CAS: 4940-11-8	GHS07		$1 \le x \% \le 2.5$
EC: 225-582-5	Wng		1 11/0 210
20.223 302 3	Acute Tox. 4, H302		
ETHYL MALTOL	110000 10M 1, 11502		
INDEX: 607-130-00-2	GHS02	С	$1 \le x \% \le 2.5$
CAS: 123-92-2	Wng	[1]	$1 \le X / 0 \le 2.3$
EC: 204-662-3	Flam. Liq. 3, H226		
REACH: 01-2119548408-32-0000	EUH:066		
ISOPENTYL ACETATE			
HYDROCARBONS	GHS08		1 <= x % < 2.5
	Dgr		
	Asp. Tox. 1, H304		
CAS: 928-96-1	GHS02, GHS07		$1 \le x \% < 2.5$
EC: 213-192-8	Wng		
REACH: 01-2119969743-23	Flam. Liq. 3, H226		
	Eye Irrit. 2, H319		
CIS-3-HEXENOL	5 ,		
CAS: 5989-27-5	GHS08, GHS02, GHS07, GHS09	[1]	$1 \le x \% \le 2.5$
EC: 227-813-5	Dgr		1 11/0 210
REACH: 01-2119493353-35-0000	Asp. Tox. 1, H304		
REACTI. 01 2119 195555 55 0000	Flam. Liq. 3, H226		
D-LIMONENE	Skin Irrit. 2, H315		
D-LINIOINEINE	Skin Sens. 1B, H317		
	Aquatic Acute 1, H400		
	M Acute = 1		
	Aquatic Chronic 1, H410		
	M  Chronic = 1		
CAS: 128-37-0	GHS09	[1]	0 <= x % < 1
EC: 204-881-4	Wng		
REACH: 01-21198480433-40-0000	Aquatic Acute 1, H400		
	M Acute $= 1$		
BUTYLATED HYDROXYTOLUENE	Aquatic Chronic 1, H410		
	M Chronic $= 1$		
CAS: 106-24-1	GHS05, GHS07		0 <= x % < 1
EC: 203-377-1	Dgr		
REACH: 01-2119552430-49-0000	Skin Irrit. 2, H315		
	Skin Sens. 1, H317		
GERANIOL	Eye Dam. 1, H318		
OLIVINIOL	Lyc Dam. 1, 11510		

CAS: 106-22-9	GHS07	0 <= x % < 1
EC: 203-375-0	Wng	
REACH: 01-2119453995-23-0000	Skin Irrit. 2, H315	
	Skin Sens. 1B, H317	
DL-CITRONELLOL	Eye Irrit. 2, H319	
CAS: 78-70-6	GHS07	$0 \le x \% < 1$
EC: 201-134-4	Wng	
REACH: 01-2119474016-42-0000	Skin Irrit. 2, H315	
	Skin Sens. 1B, H317	
LINALOOL	Eye Irrit. 2, H319	

(Full text of H-phrases: see section 16)

#### Information on ingredients :

[1] Substance for which maximum workplace exposure limits are available.

## **SECTION 4 : FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

#### 4.1. Description of first aid measures

#### In the event of splashes or contact with eyes :

Wash thoroughly with fresh, clean water for 15 minutes holding the eyelids open.

#### In the event of splashes or contact with skin :

Remove contaminated clothing and wash the skin thoroughly with soap and water or a recognised cleaner.

Watch out for any remaining product between skin and clothing, watches, shoes, etc.

In the event of an allergic reaction, seek medical attention.

If the contaminated area is widespread and/or there is damage to the skin, a doctor must be consulted or the patient transferred to hospital.

#### In the event of swallowing :

Do not give the patient anything orally.

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor.

Keep the person exposed at rest. Do not force vomiting.

Seek medical attention immediately, showing the label.

If swallowed accidentally, call a doctor to ascertain whether observation and hospital care will be necessary. Show the label.

## 4.2. Most important symptoms and effects, both acute and delayed

#### No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

## **SECTION 5 : FIREFIGHTING MEASURES**

Non-flammable.

### 5.1. Extinguishing media

#### Suitable methods of extinction

In the event of a fire, use :

- sprayed water or water mist

#### Unsuitable methods of extinction

In the event of a fire, do not use :

- water jet

#### 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)
- carbon dioxide (CO2)

## 5.3. Advice for firefighters

No data available.

#### **SECTION 6 : ACCIDENTAL RELEASE MEASURES**

## 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

## For non first aid worker

Avoid any contact with the skin and eyes.

## For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

## **6.2.** Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

#### 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

## 6.4. Reference to other sections

No data available.

## **SECTION 7 : HANDLING AND STORAGE**

Requirements relating to storage premises apply to all facilities where the mixture is handled.

Individuals with a history of skin sensitisation should not, under any circumstance, handle this mixture.

## 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Ensure that there is adequate ventilation, especially in confined areas.

#### Fire prevention :

Handle in well-ventilated areas.

Prevent access by unauthorised personnel.

#### **Recommended equipment and procedures :**

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Packages which have been opened must be reclosed carefully and stored in an upright position.

#### Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

#### 7.2. Conditions for safe storage, including any incompatibilities

No data available.

## Storage

Keep the container tightly closed in a dry, well-ventilated place.

The floor must be impermeable and form a collecting basin so that, in the event of an accidental spillage, the liquid cannot spread beyond this area.

#### Packaging

Always keep in packaging made of an identical material to the original.

## 7.3. Specific end use(s)

No data available.

### SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control parameters

## **Occupational exposure limits :**

- European Union (2017/2398, 2017/164, 2009/161, 2006/15/CE, 2000/39/CE, 98/24/CE) :					
CAS	VME-mg/m3:	VME-ppm :	VLE-mg/m3:	VLE-ppm :	Notes :
101-84-8	7	1	14	2	-
123-92-2	270	50	540	100	-

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010) :

CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :	]
101-84-8	1 ppm	2 ppm				7
123-92-2	50 ppm	100 ppm				7
128-37-0	2 (IFV) mg/m3	3		A4		1
- Germany - AGW (	BAuA - TRGS	900, 29/01/2018	8):			_
CAS	VME :	VME :	Excess	Notes	]	
101-84-8		1 ppm 7,1 mg/m <sup>3</sup>		1(I)		
123-92-2		50 ppm 270 mg/m <sup>3</sup>		1(I)		
5989-27-5		5 ppm 28 mg/m <sup>3</sup>		4(II)		
128-37-0		10 E mg/m <sup>3</sup>		4(II)	]	
- France (INRS - EI	0984 :2016) :		•	•	-	
CAS	VME-ppm :	VME-mg/m3 :	VLE-ppm :	VLE-mg/m3 :	Notes :	TMP No :
101-84-8	1	7	-	-	-	-
123-92-2	50	270	100	540	-	84
128-37-0	-	10	-	-	-	-
- UK / WEL (Work	blace exposure l	imits, EH40/20	05, 2011) :			
CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :	7
101-84-8	1 ppm 7,1 mg/m <sup>3</sup>	- ppm - mg/m <sup>3</sup>				
123-92-2	50 ppm	100 ppm	-	-	-	
128-37-0	- ppm 10 mg/m <sup>3</sup>	- ppm - mg/m <sup>3</sup>				

#### 8.2. Exposure controls

#### Personal protection measures, such as personal protective equipment

Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE) :



Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

## - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

## - Hand protection

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question : other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

- Type of gloves recommended :
- PVA (Polyvinyl alcohol)
- Butyl Rubber (Isobutylene-isoprene copolymer)
- Recommended properties :

- Impervious gloves in accordance with standard EN374

#### - Body protection

Avoid skin contact.

Wear suitable protective clothing.

Suitable type of protective clothing :

In the event of substantial spatter, wear liquid-tight protective clothing against chemical risks (type 3) in accordance with EN14605 to prevent skin contact.

In the event of a risk of splashing, wear protective clothing against chemical risks (type 6) in accordance with EN13034 to prevent skin contact.

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

<b>SECTION 9 : PHYSICAL AND CHEMICAL PROPER</b>	<u>TIES</u>	
9.1. Information on basic physical and chemical properties		
General information :		
Physical state :	Fluid liquid.	
Important health, safety and environmental information		
pH :	Not relevant.	
Boiling point/boiling range :	Not relevant.	
Flash Point :	77.00 °C.	
Vapour pressure (50°C) :	Not relevant.	
Density :	<1	
Water solubility :	Insoluble.	
Viscosity:	$v < 7 mm2/s (40^{\circ}C)$	
Melting point/melting range :	Not relevant.	
Self-ignition temperature :	Not relevant.	
Decomposition point/decomposition range :	Not relevant.	
9.2. Other information		
No data available.		

## SECTION 10 : STABILITY AND REACTIVITY

## 10.1. Reactivity

## No data available.

#### 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

#### 10.3. Possibility of hazardous reactions

When exposed to high temperatures, the mixture can release hazardous decomposition products, such as carbon monoxide and dioxide, fumes and nitrogen oxide.

## 10.4. Conditions to avoid

No data available.

#### 10.5. Incompatible materials

No data available.

#### 10.6. Hazardous decomposition products

The thermal decomposition may release/form :

- carbon monoxide (CO)
- carbon dioxide (CO2)

## **SECTION 11 : TOXICOLOGICAL INFORMATION**

#### 11.1. Information on toxicological effects

Exposure to vapours from solvents in the mixture in excess of the stated occupational exposure limit may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on kidney, liver and central nervous system.

Symptoms produced will include headaches, numbness, dizziness, fatigue, muscular asthenia and, in extreme cases, loss of consciousness.

Repeated or prolonged contact with the mixture may cause removal of natural oil from the skin resulting in non-allergic contact dermatitis and absorption through the skin.

Splashes in the eyes may cause irritation and reversible damage

May cause an allergic reaction by skin contact.

#### 11.1.1. Substances

#### Acute toxicity :

LINALOOL (CAS: 78-70-6) Oral route :	LD50 = 2790 mg/kg
DL-CITRONELLOL (CAS: 106-22-9) Oral route :	LD50 = 3450 mg/kg

Dermal route :	LD50 = 2650 mg/kg
GERANIOL (CAS: 106-24-1) Oral route :	LD50 = 3600 mg/kg
ETHYL MALTOL (CAS: 4940-11-8) Oral route :	LD50 = 1200 mg/kg
DIPHENYL ETHER (CAS: 101-84-8) Oral route :	LD50 = 2830 mg/kg

## 11.1.2. Mixture

No toxicological data available for the mixture.

## Monograph(s) from the IARC (International Agency for Research on Cancer) :

CAS 5989-27-5 : IARC Group 3 : The agent is not classifiable as to its carcinogenicity to humans.

## **SECTION 12 : ECOLOGICAL INFORMATION**

Harmful to aquatic life with long lasting effects.

The product must not be allowed to run into drains or waterways.

## 12.1. Toxicity

## 12.1.2. Mixtures

No aquatic toxicity data available for the mixture.

- **12.2.** Persistence and degradability
- No data available.

### 12.3. Bioaccumulative potential

No data available.

**12.4. Mobility in soil** No data available.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Other adverse effects

No data available.

## **SECTION 13 : DISPOSAL CONSIDERATIONS**

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

#### 13.1. Waste treatment methods

Do not pour into drains or waterways.

#### Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

## Soiled packaging :

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

# SECTION 14 : TRANSPORT INFORMATION

Exempt from transport classification and labelling.

## 14.1. UN number

- •
- 14.2. UN proper shipping name
- -
- 14.3. Transport hazard class(es)

### 14.4. Packing group

14.5. Environmental hazards

-

14.6. Special precautions for user

-

## **SECTION 15 : REGULATORY INFORMATION**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### - Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2018/1480 (ATP 13)
- EU Regulation No. 1272/2008 amended by EU Regulation No. 2019/521 (ATP 12)

#### - Container information:

No data available.

- Particular provisions :

No data available.

#### 15.2. Chemical safety assessment

No data available.

## **SECTION 16 : OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

## Wording of the phrases mentioned in section 3 :

H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH066	Repeated exposure may cause skin dryness or cracking.

#### Abbreviations :

ADR : European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods.

IATA : International Air Transport Association.

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

WGK : Wassergefahrdungsklasse (Water Hazard Class).

GHS07 : Exclamation mark

PBT: Persistent, bioaccumulable and toxic.

vPvB : Very persistent, very bioaccumulable.

SVHC : Substances of very high concern.