

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Product form : Mixture  
 Trade name/designation : PC® 58 KOMP B  
 Product group : Trade product

**1.2. Relevant identified uses of the substance or mixture and uses advised against****1.2.1. Relevant identified uses**

Main use category : Professional use  
 Use of the substance/mixture : Additive

**1.2.2. Uses advised against**

No data available

**1.3. Details of the supplier of the safety data sheet**

PCE-Pittsburgh Corning Europe  
 Albertkade 1  
 3980 TESSENDERLO - BELGIUM  
 T +32 (0)13 661 721 - F +32 (0)13 667 854  
[safetydepartment@pce.be](mailto:safetydepartment@pce.be) - [www.foamglas.com](http://www.foamglas.com)

**1.4. Emergency telephone number**

Emergency number : +32 (0)13 661 721  
 Only available during office hours.

Country	Official advisory body	Address	Emergency number
Ireland	National Poisons Information Centre Beaumont Hospital	Beaumont Hospital Beaumont Road 9 Dublin	+353 1 809 21 66 (public, 8am - 10pm, 7/7) +353 01 809 2566 (Professionals, 24/7)
United Kingdom	National Poisons Information Service (Newcastle Centre) Regional Drugs and Therapeutics Centre, Wolfson Unit	Claremont Place Newcastle-upon-Tyne NE1 4LP Newcastle	0844 892 0111 (UK only, 24/7, healthcare professionals only)

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture**

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin Irrit. 2 H315

Eye Dam. 1 H318

STOT SE 3 H335

Full text of H statements : see section 16

**2.2. Label elements**

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS05

GHS07

Signal word : Danger

Hazardous ingredients : Cement, portland, chemicals; Potassium carbonate; Flue dust, portland cement

Hazard statements (CLP) :  
 H315 - Causes skin irritation.  
 H318 - Causes serious eye damage.  
 H335 - May cause respiratory irritation.

Precautionary statements (CLP) : P101 - If medical advice is needed, have product container or label at hand.  
P102 - Keep out of reach of children.  
P264 - Wash hands, forearms and face thoroughly after handling.  
P271 - Use only outdoors or in a well-ventilated area.  
P280 - Wear eye protection, face protection, protective gloves, protective clothing.  
P302+P352 - IF ON SKIN: Wash with plenty of soap and water.  
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P405 - Store locked up.  
P501 - Dispose of contents and container to an approved waste disposal plant.

### 2.3. Other hazards

Other hazards : PBT/vPvB data : This information is not available.

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Comments : Cement product for which the amount of chromium VI was decreased to < 0,0002 % by a reduction agent (related to the total dry weight).  
(H317: Not applicable.)  
--> Observe the expiry date.

Substance name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Cement, portland, chemicals	(CAS-No.) 65997-15-1 (EC-No.) 266-043-4	> 50	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 STOT SE 3, H335
Potassium carbonate	(CAS-No.) 584-08-7 (EC-No.) 209-529-3 (REACH-no) 2119532646-36-XXXX	2 - 5	Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335
Flue dust, portland cement	(CAS-No.) 68475-76-3 (EC-No.) 270-659-9 (REACH-no) 2119486767-17-XXXX	1 - 2	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 STOT SE 3, H335

Full text of H-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

Additional advice : First aider: Pay attention to self-protection. Concerning personal protective equipment to use, see section 8. Never give anything by mouth to an unconscious person. In case of doubt or persistent symptoms, consult always a physician. Show this safety data sheet to the doctor in attendance.

Inhalation : Remove person to fresh air and keep comfortable for breathing. In case of doubt or persistent symptoms, consult always a physician.

Skin contact : Take off contaminated clothing. Gently wash with plenty of soap and water. In case of doubt or persistent symptoms, consult always a physician.

Eyes contact : Rinse immediately carefully and thoroughly with eye-bath or water. Get medical advice/attention.

Ingestion : Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Get medical advice/attention.

### 4.2. Most important symptoms and effects, both acute and delayed

Inhalation : May cause respiratory irritation.

Skin contact : Causes skin irritation.

Eyes contact : Causes serious eye damage. Causes burns.

Page : 3

Revision nr : 6.0

Issue date : 17/07/2018

Supersedes : 26/08/2015

Ingestion : No adverse effects are expected. May cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

#### **4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

### **SECTION 5: Firefighting measures**

#### **5.1. Extinguishing media**

Suitable extinguishing media : Water spray, Alcohol resistant foam, Carbon dioxide, Dry extinguishing powder.

Unsuitable extinguishing media : Strong water jet.

#### **5.2. Special hazards arising from the substance or mixture**

Specific hazards : Non flammable.

Explosion hazard : Risk of dust explosion.

Hazardous decomposition products in case of fire : Carbon oxides (CO, CO<sub>2</sub>).

#### **5.3. Advice for firefighters**

Firefighting instructions : Evacuate area. Use water spray or fog for cooling exposed containers. Contain the extinguishing fluids by bunding. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus.

Other information : Do not allow run-off from fire-fighting to enter drains or water courses. Dispose of waste in accordance with environmental legislation.

### **SECTION 6: Accidental release measures**

#### **6.1. Personal precautions, protective equipment and emergency procedures**

##### **6.1.1. For non-emergency personnel**

For non-emergency personnel : Use personal protective equipment as required. Concerning personal protective equipment to use, see section 8. Evacuate personnel to a safe area. Do not breathe dust. Provide adequate ventilation. Avoid contact with skin, eyes and clothing. Avoid dust formation.

##### **6.1.2. For emergency responders**

For emergency responders : Ensure procedures and training for emergency decontamination and disposal are in place. Concerning personal protective equipment to use, see section 8.

#### **6.2. Environmental precautions**

Do not allow to enter into surface water or drains.

#### **6.3. Methods and material for containment and cleaning up**

For containment : Stop leak if safe to do so. Dam up the solid spill.

Methods for cleaning up : Avoid dust formation. Take up mechanically (sweeping, shovelling) and collect in suitable container for disposal. Dispose of contaminated materials in accordance with current regulations.

#### **6.4. Reference to other sections**

Concerning disposal elimination after cleaning, see section 13. Concerning personal protective equipment to use, see section 8.

### **SECTION 7: Handling and storage**

#### **7.1. Precautions for safe handling**

Precautions for safe handling : Use only in well ventilated areas. Provide adequate ventilation. Use personal protective equipment as required. Concerning personal protective equipment to use, see section 8. Avoid contact with skin, eyes and clothing. Do not breathe dust. Avoid dust formation. Ensure proper process control to avoid excess waste discharge (temperature, concentration, pH, time). Do not allow to enter into surface water or drains.

Page : 4

Revision nr : 6.0

Issue date : 17/07/2018

Supersedes : 26/08/2015

Hygiene measures : Keep good industrial hygiene. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Keep away from food, drink and animal feedingstuffs. Remove contaminated clothes. Separate working clothes from town clothes. Launder separately. Wash contaminated clothing before reuse.

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Refer to the detailed list of incompatible materials in section 10 Stability/Reactivity. Keep container tightly closed in a cool, well-ventilated place. Keep away from : Water, humidity, Moisture.

Incompatible substances or mixtures : Do not store with: Acids.

Packaging materials : Keep only in the original container.

### 7.3. Specific end use(s)

Not applicable.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

Cement, portland, chemicals (65997-15-1)		
Austria	MAK (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup> (dust-inhalable fraction)
Belgium	Limit value (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>
Croatia	GVI (granična vrijednost izloženosti) (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> (total dust) 4 mg/m <sup>3</sup> (respirable dust)
Finland	HTP-arvo (8h) (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup> (inhalable dust) 1 mg/m <sup>3</sup> (respirable dust)
Hungary	AK-érték	10 mg/m <sup>3</sup>
Ireland	OEL (8 hours ref) (mg/m <sup>3</sup> )	1 mg/m <sup>3</sup> (respirable fraction)
Ireland	OEL (15 min ref) (mg/m <sup>3</sup> )	3 mg/m <sup>3</sup> (calculated-respirable dust; respirable fraction)
Latvia	OEL TWA (mg/m <sup>3</sup> )	6 mg/m <sup>3</sup>
Poland	NDS (mg/m <sup>3</sup> )	6 mg/m <sup>3</sup> (inhalable fraction) 2 mg/m <sup>3</sup> (respirable fraction)
Portugal	OEL TWA (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> (particulate matter containing no Asbestos and <1% Crystalline silica)
Romania	OEL TWA (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> (dust, inhalable fraction)
Slovenia	OEL TWA (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup> (inhalable fraction, dust)
Spain	VLA-ED (mg/m <sup>3</sup> )	4 mg/m <sup>3</sup> (this value is for the particulate matter that is free from Asbestos and contains less than 1% of crystalline Silica)
United Kingdom	WEL TWA (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> (inhalable dust) 4 mg/m <sup>3</sup> (respirable dust)
United Kingdom	WEL STEL (mg/m <sup>3</sup> )	30 mg/m <sup>3</sup> (calculated-inhalable dust) 12 mg/m <sup>3</sup> (calculated-respirable dust)
Switzerland	MAK (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup> (dust, inhalable dust)
Australia	TWA (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> (containing no asbestos and <1% crystalline silica-inhalable dust)
Canada (Quebec)	VEMP (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> (containing no Asbestos and <1% Crystalline silica-total dust) 5 mg/m <sup>3</sup> (containing no Asbestos and <1% Crystalline silica-respirable dust)
USA - ACGIH	ACGIH TWA (mg/m <sup>3</sup> )	1 mg/m <sup>3</sup> (particulate matter containing no asbestos and <1% crystalline silica, respirable particulate matter)
USA - IDLH	US IDLH (mg/m <sup>3</sup> )	5000 mg/m <sup>3</sup>
USA - NIOSH	NIOSH REL (TWA) (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> (total dust) 5 mg/m <sup>3</sup> (respirable dust)

# SAFETY DATA SHEET

## PC® 58 KOMP B

**FOAMGLAS®**

Page : 5

Revision nr : 6.0

Issue date : 17/07/2018

Supersedes : 26/08/2015

<b>Cement, portland, chemicals (65997-15-1)</b>		
USA - OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	15 mg/m <sup>3</sup> (total dust) 5 mg/m <sup>3</sup> (respirable fraction)
<b>Potassium carbonate (584-08-7)</b>		
Czech Republic	Expoziční limity (PEL) (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup>
Latvia	OEL TWA (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup>
Lithuania	IPRV (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup>
<b>Flue dust, portland cement (68475-76-3)</b>		
Austria	MAK (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup> (dust, inhalable fraction)

Additional information : Personal air monitoring :. Room air monitoring. Recommended monitoring procedures

### 8.2. Exposure controls

Engineering measure(s) : Provide adequate ventilation. Use only in area provided with appropriate exhaust ventilation. Organisational measures to prevent /limit releases, dispersion and exposure. Safe handling: see section 7. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

Personal protective equipment : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Hand protection : Wear chemically resistant gloves (tested to EN374) . Suitable material: Nitrile rubber. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. The exact break through time can be obtained from the protective glove producer and this has to be observed.

Eye protection : tightly fitting safety goggles (EN166).

Body protection : Wear suitable protective clothing

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment. Short term exposure : Full face mask (EN 136). Half-face mask (DIN EN 140). Filter type: P2 (EN143). Long term exposure : Self-contained breathing apparatus

Thermal hazard protection : Not required for normal conditions of use.

Environmental exposure controls : Avoid release to the environment. Comply with applicable Community environmental protection legislation.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state : Solid

Appearance : Powder.

Colour : Product specification.

Odour : Characteristic.

Odour threshold : No data available

pH : > 12 (DIN 19261) @ 20°C (Contact with water)

Relative evaporation rate (butylacetate=1) : No data available

Melting / freezing point : No data available

Freezing point : No data available

Initial boiling point and boiling range : No data available

Flash point : Not applicable

Auto-ignition temperature : Not applicable

Decomposition temperature : No data available

Flammability (solid, gas) : Not flammable

Vapour pressure : Not applicable

Vapour density : Not applicable

Page : 6

Revision nr : 6.0

Issue date : 17/07/2018

Supersedes : 26/08/2015

Relative density	: No data available
Density	: Not applicable
Solubility	: Water: 1,5 g/l @ 20°C
Partition coefficient n-octanol/water	: No data available
Kinematic viscosity	: No data available
Dynamic viscosity	: No data available
Explosive properties	: Not applicable. The study does not need to be conducted because there are no chemical groups associated with explosive properties present in the molecule.
Oxidising properties	: Not applicable. The classification procedure needs not to be applied because there are no chemical groups present in the molecule which are associated with oxidising properties.
Explosive limits	: Not applicable

**9.2. Other information**

VOC content : 0 %

**SECTION 10: Stability and reactivity****10.1. Reactivity**

Reference to other sections: 10.4 &amp; 10.5.

**10.2. Chemical stability**

Stable under normal conditions.

**10.3. Possibility of hazardous reactions**

None under normal processing. React in contact of acids. Reacts on exposure to water (moisture) with (some) metals : Attacks light metals (Al, Zn) releasing hydrogen gas.

**10.4. Conditions to avoid**

Avoid dust formation. Exposure to moisture. See also section 7 : Handling and storage.

**10.5. Incompatible materials**

Acids. Alloy. See also section 7. Handling and storage.

**10.6. Hazardous decomposition products**(Exposure to moisture. + Light metals): Carbon oxides, H<sub>2</sub>.**SECTION 11: Toxicological information****11.1. Information on toxicological effects**

Acute toxicity	: Not classified (Based on available data, the classification criteria are not met.)
Skin corrosion/irritation	: Causes skin irritation. pH: > 12 (DIN 19261) @ 20°C (Contact with water)
Serious eye damage/irritation	: Causes serious eye damage. pH: > 12 (DIN 19261) @ 20°C (Contact with water)
Respiratory or skin sensitisation	: Not classified (Based on available data, the classification criteria are not met.)
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met.)
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met.)
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met.)
STOT-single exposure	: May cause respiratory irritation.
STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met.)
Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met.)
Other information	: Symptoms related to the physical, chemical and toxicological characteristics. Reference to other sections: 4.2.

**SECTION 12: Ecological information****12.1. Toxicity**

Environmental properties : Ecological injuries are not known or expected under normal use.

## SAFETY DATA SHEET

## PC® 58 KOMP B

FOAMGLAS®

Page : 7

Revision nr : 6.0

Issue date : 17/07/2018

Supersedes : 26/08/2015

Ecology - water : May cause pH changes in aqueous ecological systems

**Potassium carbonate (584-08-7)**

EC50 Daphnia 1 630 mg/l (Exposure time: 48 h - Species: Ceriodaphnia dubia)

**12.2. Persistence and degradability****PC® 58 KOMP B**

Persistence and degradability Poorly biodegradable.

**12.3. Bioaccumulative potential****PC® 58 KOMP B**

Partition coefficient n-octanol/water No data available

**12.4. Mobility in soil****PC® 58 KOMP B**

Ecology - soil No data available.

**12.5. Results of PBT and vPvB assessment****PC® 58 KOMP B**

Results of PBT assessment Not applicable

**12.6. Other adverse effects**

Other adverse effects : No data available.

**SECTION 13: Disposal considerations****13.1. Waste treatment methods**

Product/Packaging disposal recommendations : Avoid release to the environment. Dispose of empty containers and wastes safely. Safe handling: see section 7. Refer to manufacturer/supplier for information on recovery/recycling. Recycling is preferred to disposal or incineration. If recycling is not possible, eliminate in accordance with local valid waste disposal regulations. Handle contaminated packages in the same way as the substance itself. Dispose of contaminated materials in accordance with current regulations.

Further ecological information : Do not allow to enter into surface water or drains.

European waste catalogue (2001/573/EC, 75/442/EEC, 91/689/EEC) : The following Waste Codes are only suggestions: 10 13 14 - waste concrete and concrete sludge  
10 13 11 - wastes from cement-based composite materials other than those mentioned in 10 13 09 and 10 13 10  
Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

**SECTION 14: Transport information**

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
<b>14.1. UN number</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.2. UN proper shipping name</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.3. Transport hazard class(es)</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.4. Packing group</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.5. Environmental hazards</b>				
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No
No supplementary information available				

**14.6. Special precautions for user****- Overland transport**

No data available

**- Transport by sea**

No data available

**- Air transport**

No data available

**- Inland waterway transport**

No data available

**- Rail transport**

No data available

**14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****15.1.1. EU-Regulations**

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

VOC content : 0 %

**15.1.2. National regulations**

Germany : UVV / BGV: "Gesundheitsgefährlicher mineralischer Staub" (VBG 119).

**Germany**

Reference to AwSV : Water hazard class (WGK) nwg, Non-hazardous to water (Classification according to AwSV, Annex 1)

German storage class (LGK) : LGK 13 - Non-combustible solids

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

**Netherlands**

Waterbezwaarlijkheid : 11 - B - Weinig schadelijk voor in het water levende organismen

SZW-lijst van kankerverwekkende stoffen : None of the components are listed

SZW-lijst van mutagene stoffen : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : None of the components are listed

**15.2. Chemical safety assessment**

For this substance a chemical safety assessment has been carried out

**For the following substances of this mixture a chemical safety assessment has been carried out**

Potassium carbonate



## SAFETY DATA SHEET

**PC® 58 KOMP B****FOAMGLAS®**

Page : 9

Revision nr : 6.0

Issue date : 17/07/2018

Supersedes : 26/08/2015

Flue dust, portland cement

**SECTION 16: Other information**

Indication of changes:

	Indication of changes	Removed	
2.2	Precautionary statements (CLP)	Modified	
5.2	Explosion hazard	Added	
6.3	For containment	Added	
13.1	European waste catalogue (2001/573/EC, 75/442/EEC, 91/689/EEC)	Added	
15.1	Water hazard class (WGK)	Modified	
15.1	SZW-lijst van mutagene stoffen	Modified	
15.2	Chemical safety assessment	Added	
16	Training advice	Modified	
16	Sources of key data used to compile the datasheet	Modified	

Abbreviations and acronyms:

ABM = Algemene beoordelingsmethodiek
ADN = Accord Européen relatif au Transport International des Marchandises Dangereuses par voie de Navigation du Rhin
ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route
CLP = Classification, Labelling and Packaging Regulation according to 1272/2008/EC
IATA = International Air Transport Association
IMDG = International Maritime Dangerous Goods Code
LEL = Lower Explosive Limit/Lower Explosion Limit
UEL = Upper Explosion Limit/Upper Explosive Limit
REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
BTT = Breakthrough time (maximum wearing time)
DMEL = Derived Minimal Effect level
DNEL = Derived No Effect Level
EC50 = Median Effective Concentration
EL50 = Median effective level
ErC50 = EC50 in terms of reduction of growth rate
ErL50 = EL50 in terms of reduction of growth rate
EWC = European waste catalogue
LC50 = Median lethal concentration
LD50 = Median lethal dose
LL50 = Median lethal level
NA = Not applicable
NOEC = No observed effect concentration
NOEL: no-observed-effect level
NOELR = No observed effect loading rate
NOAEC = No observed adverse effect concentration
NOAEL = No observed adverse effect level
N.O.S. = Not Otherwise Specified
OEL = Occupational Exposure Limits - Short Term Exposure Limits (STELs)
PNEC = Predicted No Effect Concentration
Quantitative structure-activity relationship (QSAR)
STOT = Specific Target Organ Toxicity
TWA = time weighted average
VOC = Volatile organic compounds
WGK = Wassergefährdungsklasse (Water Hazard Class under German Federal Water Management Act)

Sources of key data used to compile the : European Chemicals Agency. MSDS from Supplier SGW-D-40549-DUS-20170317.  
datasheet

## SAFETY DATA SHEET

**PC® 58 KOMP B**

**FOAMGLAS®**

Page : 10

Revision nr : 6.0

Issue date : 17/07/2018

Supersedes : 26/08/2015

Training advice : Training staff on good practice. Manipulations are to be done only by qualified and authorised persons.

Other information : Assessment/classification CLP. Article 9. Calculation method.

Full text of H- and EUH-statements:

Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2	Serious eye damage/eye irritation Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, hazard category 1
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

**DISCLAIMER OF LIABILITY** The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.