

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

|                 |                        |
|-----------------|------------------------|
| Product form    | : Mixture              |
| Product name    | : Coffee #EU35918F     |
| UFI             | : YRF6-K390-V00Q-5MF6  |
| Product code    | : EU35918F             |
| Type of product | : Perfumes, fragrances |
| Product group   | : Finished Good        |

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

|                                  |                                           |
|----------------------------------|-------------------------------------------|
| Main use category                | : Industrial use, Professional use        |
| Industrial/Professional use spec | : For professional use only<br>Industrial |
| Use of the substance/mixture     | : Perfumes, fragrances                    |
| Function or use category         | : Odour agents                            |

#### 1.2.2. Uses advised against

No additional information available

### 1.3. Details of the supplier of the safety data sheet

FRENCH COLOR & FRAGRANCE International GmbH  
Mittlerer Weg 35  
79424 Auggen - Germany  
T 49-7631-931-8900  
[SDS@frenchcolor.com](mailto:SDS@frenchcolor.com) - [www.frenchcolor.com](http://www.frenchcolor.com)

### 1.4. Emergency telephone number

|                  |                                                                                                                                          |
|------------------|------------------------------------------------------------------------------------------------------------------------------------------|
| Emergency number | : 1-800-255-3924; +01-813-248-0585; China: +400-120-0751; Mexico: +01-800-099-0731;<br>Brazil: +0-800-591-6042; India: +000-800-100-4086 |
|------------------|------------------------------------------------------------------------------------------------------------------------------------------|

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

|                                                                   |      |
|-------------------------------------------------------------------|------|
| Acute toxicity (oral), Category 4                                 | H302 |
| Hazardous to the aquatic environment — Chronic Hazard, Category 2 | H411 |
| Full text of H statements : see section 16                        |      |

#### Adverse physicochemical, human health and environmental effects

Harmful if swallowed. Toxic to aquatic life with long lasting effects.

### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS07

GHS09

|                         |                                                                                           |
|-------------------------|-------------------------------------------------------------------------------------------|
| Signal word (CLP)       | : Warning                                                                                 |
| Hazardous ingredients   | : Benzyl benzoate                                                                         |
| Hazard statements (CLP) | : H302 - Harmful if swallowed.<br>H411 - Toxic to aquatic life with long lasting effects. |

# Coffee #EU35918F

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

|                                |                                                                                                                                                                                                                                                                                                                |
|--------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Precautionary statements (CLP) | : P264 - Wash hands, forearms and face thoroughly after handling.<br>P270 - Do not eat, drink or smoke when using this product.<br>P273 - Avoid release to the environment.<br>P301+P312 - IF SWALLOWED: Call a POISON CENTRE or doctor if you feel unwell.<br>P330 - Rinse mouth.<br>P391 - Collect spillage. |
| EUH-statements                 | : EUH208 - Contains Tolu, balsam, gum, Acetyl Propionyl. May produce an allergic reaction.                                                                                                                                                                                                                     |

### 2.3. Other hazards

No additional information available

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

| Name                                           | Product identifier                                                                                     | %            | Classification according to Regulation (EC) No. 1272/2008 [CLP]                                                                                             |
|------------------------------------------------|--------------------------------------------------------------------------------------------------------|--------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Benzyl benzoate                                | (CAS-No.) 120-51-4<br>(EC-No.) 204-402-9<br>(EC Index-No.) 607-085-00-9<br>(REACH-no) 01-2119976371-33 | 59.2 – 79.61 | Acute Tox. 4 (Oral), H302<br>Aquatic Acute 1, H400<br>Aquatic Chronic 2, H411                                                                               |
| Methyl ester of rosin (partially hydrogenated) | (CAS-No.) 8050-15-5<br>(EC-No.) 232-476-2                                                              | 4.5 – 9      | Aquatic Chronic 3, H412                                                                                                                                     |
| Ethyl vanillin crystals                        | (CAS-No.) 121-32-4<br>(EC-No.) 204-464-7<br>(REACH-no) 01-211958961-24                                 | 1.35 – 2.7   | Eye Irrit. 2, H319                                                                                                                                          |
| Veltol plus crystals                           | (CAS-No.) 4940-11-8<br>(EC-No.) 225-582-5                                                              | 0.9 – 1.8    | Acute Tox. 4 (Oral), H302                                                                                                                                   |
| Benzothiazole                                  | (CAS-No.) 95-16-9<br>(EC-No.) 202-396-2                                                                | 0.175 – 0.35 | Acute Tox. 4 (Oral), H302<br>Acute Tox. 2 (Dermal), H310<br>Acute Tox. 4 (Inhalation), H332<br>Acute Tox. 3 (Inhalation:vapour), H331<br>Eye Irrit. 2, H319 |
| Tolu, balsam, gum                              | (CAS-No.) 9000-64-0<br>(EC-No.) 232-550-4                                                              | 0.115 – 0.23 | Eye Dam. 1, H318<br>Skin Sens. 1, H317<br>STOT RE 1, H372<br>Aquatic Chronic 3, H412                                                                        |
| acetyl propionyl                               | (CAS-No.) 600-14-6<br>(EC-No.) 209-984-8                                                               | 0.06 – 0.12  | Flam. Liq. 2, H225<br>Eye Dam. 1, H318<br>Skin Sens. 1B, H317<br>STOT RE 2, H373                                                                            |

Full text of H-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

|                                       |                                                                     |
|---------------------------------------|---------------------------------------------------------------------|
| First-aid measures general            | : Call a poison center or a doctor if you feel unwell.              |
| First-aid measures after inhalation   | : Remove person to fresh air and keep comfortable for breathing.    |
| First-aid measures after skin contact | : Wash skin with plenty of water.                                   |
| First-aid measures after eye contact  | : Rinse eyes with water as a precaution.                            |
| First-aid measures after ingestion    | : Rinse mouth. Call a poison center or a doctor if you feel unwell. |

# Coffee #EU35918F

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 4.2. Most important symptoms and effects, both acute and delayed

No additional information available

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

### 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area.

#### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.  
Methods for cleaning up : Take up liquid spill into absorbent material.  
Other information : Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

For further information refer to section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment.  
Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.  
Storage temperature : 25 °C  
Storage area : Store in a well-ventilated place. Store away from heat.  
Special rules on packaging : Store in a closed container.  
Packaging materials : Do not store in corrodable metal.

# Coffee #EU35918F

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Benzothiazole (95-16-9)

##### Poland - Occupational Exposure Limits

|                          |                      |
|--------------------------|----------------------|
| NDS (mg/m <sup>3</sup> ) | 20 mg/m <sup>3</sup> |
|--------------------------|----------------------|

#### acetyl propionyl (600-14-6)

##### Germany - Occupational Exposure Limits (TRGS 900)

|                                                        |                                   |
|--------------------------------------------------------|-----------------------------------|
| Occupational exposure limit value (mg/m <sup>3</sup> ) | 0.083 mg/m <sup>3</sup>           |
| Occupational exposure limit value (ppm)                | 0.02 ppm                          |
| Chemical category                                      | Skin notation, Skin sensitization |

##### Slovenia - Occupational Exposure Limits

|                               |                                    |
|-------------------------------|------------------------------------|
| OEL TWA (mg/m <sup>3</sup> )  | 0.083 mg/m <sup>3</sup>            |
| OEL TWA (ppm)                 | 0.02 ppm                           |
| OEL STEL (mg/m <sup>3</sup> ) | 0.083 mg/m <sup>3</sup>            |
| OEL STEL (ppm)                | 0.02 ppm                           |
| OEL chemical category (SI)    | Potential for cutaneous absorption |

##### Switzerland - Occupational Exposure Limits

|                            |                           |
|----------------------------|---------------------------|
| MAK (mg/m <sup>3</sup> )   | 0.08 mg/m <sup>3</sup>    |
| MAK (ppm)                  | 0.02 ppm                  |
| KZGW (mg/m <sup>3</sup> )  | 0.16 mg/m <sup>3</sup>    |
| KZGW (ppm)                 | 0.04 ppm                  |
| OEL chemical category (CH) | Sensitizer, Skin notation |

### 8.2. Exposure controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### Hand protection:

Protective gloves

#### Eye protection:

Safety glasses

#### Skin and body protection:

Wear suitable protective clothing

#### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

# Coffee #EU35918F

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### Personal protective equipment symbol(s):



### Environmental exposure controls:

Avoid release to the environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|                                                 |                                      |
|-------------------------------------------------|--------------------------------------|
| Physical state                                  | : Liquid                             |
| Colour                                          | : light yellow. amber.               |
| Odour                                           | : characteristic.                    |
| Odour threshold                                 | : No data available                  |
| pH                                              | : No data available                  |
| Relative evaporation rate (butylacetate=1)      | : No data available                  |
| Melting point                                   | : Not applicable                     |
| Freezing point                                  | : No data available                  |
| Boiling point                                   | : No data available                  |
| Flash point                                     | : > 93.33 °C (closed cup) ASTM D7094 |
| Auto-ignition temperature                       | : No data available                  |
| Decomposition temperature                       | : No data available                  |
| Flammability (solid, gas)                       | : Not applicable                     |
| Vapour pressure                                 | : No data available                  |
| Relative vapour density at 20 °C                | : No data available                  |
| Relative density                                | : No data available                  |
| Solubility                                      | : No data available                  |
| Partition coefficient n-octanol/water (Log Pow) | : No data available                  |
| Viscosity, kinematic                            | : No data available                  |
| Viscosity, dynamic                              | : No data available                  |
| Explosive properties                            | : No data available                  |
| Oxidising properties                            | : No data available                  |
| Explosive limits                                | : No data available                  |

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

### 10.5. Incompatible materials

No additional information available

# Coffee #EU35918F

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral) : Harmful if swallowed.  
Acute toxicity (dermal) : Not classified  
Acute toxicity (inhalation) : Not classified

#### Coffee #EU35918F

|                |                          |
|----------------|--------------------------|
| ATE CLP (oral) | 621.948 mg/kg bodyweight |
|----------------|--------------------------|

#### Benzothiazole (95-16-9)

|                            |                       |
|----------------------------|-----------------------|
| LD50 oral rat              | 380 mg/kg             |
| LD50 oral                  | 240 mg/kg bodyweight  |
| LD50 dermal rabbit         | 126 – 200 mg/kg       |
| LD50 dermal                | 1000 mg/kg bodyweight |
| LC50 inhalation rat (mg/l) | 5 mg/l/4h             |

#### Ethyl vanillin crystals (121-32-4)

|               |                       |
|---------------|-----------------------|
| LD50 oral rat | 1590 mg/kg            |
| LD50 oral     | 3000 mg/kg bodyweight |

#### Veltol plus crystals (4940-11-8)

|               |                       |
|---------------|-----------------------|
| LD50 oral rat | 1150 mg/kg            |
| LD50 oral     | 1200 mg/kg bodyweight |

#### Methyl ester of rosin (partially hydrogenated) (8050-15-5)

|               |              |
|---------------|--------------|
| LD50 oral rat | > 2000 mg/kg |
|---------------|--------------|

#### acetyl propionyl (600-14-6)

|               |                       |
|---------------|-----------------------|
| LD50 oral rat | 3 g/kg                |
| LD50 oral     | 3000 mg/kg bodyweight |
| LD50 dermal   | 2500 mg/kg bodyweight |

#### Benzyl benzoate (120-51-4)

|                    |                       |
|--------------------|-----------------------|
| LD50 oral rat      | 500 mg/kg             |
| LD50 oral          | 1500 mg/kg bodyweight |
| LD50 dermal rabbit | 4000 mg/kg            |
| LD50 dermal        | 4000 mg/kg bodyweight |

Skin corrosion/irritation : Not classified  
Serious eye damage/irritation : Not classified  
Respiratory or skin sensitisation : Not classified  
Germ cell mutagenicity : Not classified  
Carcinogenicity : Not classified

# Coffee #EU35918F

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

|                        |                  |
|------------------------|------------------|
| Reproductive toxicity  | : Not classified |
| STOT-single exposure   | : Not classified |
| STOT-repeated exposure | : Not classified |
| Aspiration hazard      | : Not classified |

## SECTION 12: Ecological information

### 12.1. Toxicity

|                                                           |                                                    |
|-----------------------------------------------------------|----------------------------------------------------|
| Ecology - general                                         | : Toxic to aquatic life with long lasting effects. |
| Hazardous to the aquatic environment, short-term (acute)  | : Not classified                                   |
| Hazardous to the aquatic environment, long-term (chronic) | : Toxic to aquatic life with long lasting effects. |

| Benzothiazole (95-16-9) |                                                                                      |
|-------------------------|--------------------------------------------------------------------------------------|
| LC50 fish 1             | 58.8 – 69.7 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through]) |

| Ethyl vanillin crystals (121-32-4) |                                                                                      |
|------------------------------------|--------------------------------------------------------------------------------------|
| LC50 fish 1                        | 81.4 – 94.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through]) |

| Veltol plus crystals (4940-11-8) |                                                                |
|----------------------------------|----------------------------------------------------------------|
| LC50 fish 1                      | > 85 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss) |

| Benzyl benzoate (120-51-4) |                                                                      |
|----------------------------|----------------------------------------------------------------------|
| LC50 fish 1                | 2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static]) |
| NOEC (chronic)             | 0.168 mg/l                                                           |

### 12.2. Persistence and degradability

| Benzyl benzoate (120-51-4)    |                                                         |
|-------------------------------|---------------------------------------------------------|
| Persistence and degradability | May cause long-term adverse effects in the environment. |

### 12.3. Bioaccumulative potential

| Benzothiazole (95-16-9)                         |           |
|-------------------------------------------------|-----------|
| BCF fish 1                                      | 2.1 – 7.5 |
| Partition coefficient n-octanol/water (Log Pow) | 2.01      |

| Benzyl benzoate (120-51-4)                      |                  |
|-------------------------------------------------|------------------|
| Partition coefficient n-octanol/water (Log Pow) | 4                |
| Bioaccumulative potential                       | Not established. |

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

No additional information available

# Coffee #EU35918F

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 12.6. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

## SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

### 14.1. UN number

|               |           |
|---------------|-----------|
| UN-No. (ADR)  | : UN 3082 |
| UN-No. (IMDG) | : UN 3082 |
| UN-No. (IATA) | : UN 3082 |
| UN-No. (ADN)  | : UN 3082 |
| UN-No. (RID)  | : UN 3082 |

### 14.2. UN proper shipping name

|                                       |                                                                                                           |
|---------------------------------------|-----------------------------------------------------------------------------------------------------------|
| Proper Shipping Name (ADR)            | : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.                                                     |
| Proper Shipping Name (IMDG)           | : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.                                                     |
| Proper Shipping Name (IATA)           | : Environmentally hazardous substance, liquid, n.o.s.                                                     |
| Proper Shipping Name (ADN)            | : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.                                                     |
| Proper Shipping Name (RID)            | : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.                                                     |
| Transport document description (ADR)  | : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl Benzoate), 9, III, (-)              |
| Transport document description (IMDG) | : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl Benzoate), 9, III, MARINE POLLUTANT |
| Transport document description (IATA) | : UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Benzyl Benzoate), 9, III                   |
| Transport document description (ADN)  | : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III                                     |
| Transport document description (RID)  | : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III                                     |

### 14.3. Transport hazard class(es)

#### ADR

|                                  |     |
|----------------------------------|-----|
| Transport hazard class(es) (ADR) | : 9 |
| Danger labels (ADR)              | : 9 |



#### IMDG

|                                   |     |
|-----------------------------------|-----|
| Transport hazard class(es) (IMDG) | : 9 |
| Danger labels (IMDG)              | : 9 |



#### IATA

|                                   |     |
|-----------------------------------|-----|
| Transport hazard class(es) (IATA) | : 9 |
| Danger labels (IATA)              | : 9 |



# Coffee #EU35918F

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



### ADN

Transport hazard class(es) (ADN) : 9

Danger labels (ADN) : 9



### RID

Transport hazard class(es) (RID) : 9

Danger labels (RID) : 9



## 14.4. Packing group

Packing group (ADR) : III

Packing group (IMDG) : III

Packing group (IATA) : III

Packing group (ADN) : III

Packing group (RID) : III

## 14.5. Environmental hazards

Dangerous for the environment : Yes

Marine pollutant : Yes

Other information : No supplementary information available

## 14.6. Special precautions for user

### Overland transport

Classification code (ADR) : M6

Special provisions (ADR) : 274, 335, 375, 601

Limited quantities (ADR) : 5I

Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Special packing provisions (ADR) : PP1

Mixed packing provisions (ADR) : MP19

Portable tank and bulk container instructions (ADR) : T4

Portable tank and bulk container special provisions (ADR) : TP1, TP29

Tank code (ADR) : LGBV

Vehicle for tank carriage : AT

Transport category (ADR) : 3

Special provisions for carriage - Packages (ADR) : V12

Special provisions for carriage - Loading, unloading

and handling (ADR) : CV13

Hazard identification number (Kemler No.) : 90

Orange plates :

Tunnel restriction code (ADR) : -

EAC code : •3Z

# Coffee #EU35918F

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### Transport by sea

|                                   |                 |
|-----------------------------------|-----------------|
| Special provisions (IMDG)         | : 274, 335, 969 |
| Packing instructions (IMDG)       | : P001, LP01    |
| Special packing provisions (IMDG) | : PP1           |
| IBC packing instructions (IMDG)   | : IBC03         |
| Tank instructions (IMDG)          | : T4            |
| Tank special provisions (IMDG)    | : TP2, TP29     |
| EmS-No. (Fire)                    | : F-A           |
| EmS-No. (Spillage)                | : S-F           |
| Stowage category (IMDG)           | : A             |

### Air transport

|                                              |                   |
|----------------------------------------------|-------------------|
| PCA Excepted quantities (IATA)               | : E1              |
| PCA Limited quantities (IATA)                | : Y964            |
| PCA limited quantity max net quantity (IATA) | : 30kgG           |
| PCA packing instructions (IATA)              | : 964             |
| PCA max net quantity (IATA)                  | : 450L            |
| CAO packing instructions (IATA)              | : 964             |
| CAO max net quantity (IATA)                  | : 450L            |
| Special provisions (IATA)                    | : A97, A158, A197 |
| ERG code (IATA)                              | : 9L              |

### Inland waterway transport

|                                   |                      |
|-----------------------------------|----------------------|
| Classification code (ADN)         | : M6                 |
| Special provisions (ADN)          | : 274, 335, 375, 601 |
| Limited quantities (ADN)          | : 5 L                |
| Excepted quantities (ADN)         | : E1                 |
| Carriage permitted (ADN)          | : T                  |
| Equipment required (ADN)          | : PP                 |
| Number of blue cones/lights (ADN) | : 0                  |

### Rail transport

|                                                                         |                           |
|-------------------------------------------------------------------------|---------------------------|
| Classification code (RID)                                               | : M6                      |
| Special provisions (RID)                                                | : 274, 335, 375, 601      |
| Excepted quantities (RID)                                               | : E1                      |
| Packing instructions (RID)                                              | : P001, IBC03, LP01, R001 |
| Special packing provisions (RID)                                        | : PP1                     |
| Mixed packing provisions (RID)                                          | : MP19                    |
| Portable tank and bulk container instructions (RID)                     | : T4                      |
| Portable tank and bulk container special provisions (RID)               | : TP1, TP29               |
| Tank codes for RID tanks (RID)                                          | : LGBV                    |
| Transport category (RID)                                                | : 3                       |
| Special provisions for carriage – Packages (RID)                        | : W12                     |
| Special provisions for carriage - Loading, unloading and handling (RID) | : CW13, CW31              |
| Colis express (express parcels) (RID)                                   | : CE8                     |
| Hazard identification number (RID)                                      | : 90                      |

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:

| Reference code | Applicable on                                                                             |
|----------------|-------------------------------------------------------------------------------------------|
| 3(a)           | acetyl propionyl                                                                          |
| 3(b)           | Coffee #EU35918F ; Benzothiazole ; Tolu, balsam, gum ; acetyl propionyl ; Benzyl benzoate |

# Coffee #EU35918F

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

|      |                                                                                                         |
|------|---------------------------------------------------------------------------------------------------------|
| 3(c) | Coffee #EU35918F ; Methyl ester of rosin (partially hydrogenated) ; Tolu, balsam, gum ; Benzyl benzoate |
| 40.  | acetyl propionyl                                                                                        |

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

### 15.1.2. National regulations

#### Germany

Employment restrictions : Observe restrictions according Act on the Protection of Working Mothers (MuSchG)  
Observe restrictions according Act on the Protection of Young People in Employment (JArbSchG)

Water hazard class (WGK) : WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1)

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

#### Netherlands

SZW-lijst van kankerverwekkende stoffen : Resin acids and Rosin acids, hydrogenated, methyl esters, Tolu, balsam, gum are listed

SZW-lijst van mutagene stoffen : Resin acids and Rosin acids, hydrogenated, methyl esters, Tolu, balsam, gum are listed

NIET-limitatieve lijst van voor de voortplanting : None of the components are listed

giftige stoffen – Borstvoeding

NIET-limitatieve lijst van voor de voortplanting : None of the components are listed

giftige stoffen – Vruchtbaarheid

NIET-limitatieve lijst van voor de voortplanting : None of the components are listed

giftige stoffen – Ontwikkeling

#### Denmark

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed

Danish National Regulations : Pregnant/breastfeeding women working with the product must not be in direct contact with the product

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

### Full text of H- and EUH-statements:

|                                  |                                                                   |
|----------------------------------|-------------------------------------------------------------------|
| Acute Tox. 2 (Dermal)            | Acute toxicity (dermal), Category 2                               |
| Acute Tox. 3 (Inhalation:vapour) | Acute toxicity (inhalation:vapour) Category 3                     |
| Acute Tox. 4 (Inhalation)        | Acute toxicity (inhal.), Category 4                               |
| Acute Tox. 4 (Oral)              | Acute toxicity (oral), Category 4                                 |
| Aquatic Acute 1                  | Hazardous to the aquatic environment — Acute Hazard, Category 1   |
| Aquatic Chronic 2                | Hazardous to the aquatic environment — Chronic Hazard, Category 2 |
| Aquatic Chronic 3                | Hazardous to the aquatic environment — Chronic Hazard, Category 3 |
| Eye Dam. 1                       | Serious eye damage/eye irritation, Category 1                     |
| Eye Irrit. 2                     | Serious eye damage/eye irritation, Category 2                     |
| Flam. Liq. 2                     | Flammable liquids, Category 2                                     |
| Skin Sens. 1                     | Skin sensitisation, Category 1                                    |
| Skin Sens. 1B                    | Skin sensitisation, category 1B                                   |
| STOT RE 1                        | Specific target organ toxicity — Repeated exposure, Category 1    |
| STOT RE 2                        | Specific target organ toxicity — Repeated exposure, Category 2    |
| H225                             | Highly flammable liquid and vapour.                               |

# Coffee #EU35918F

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

|        |                                                                                 |
|--------|---------------------------------------------------------------------------------|
| H302   | Harmful if swallowed.                                                           |
| H310   | Fatal in contact with skin.                                                     |
| H317   | May cause an allergic skin reaction.                                            |
| H318   | Causes serious eye damage.                                                      |
| H319   | Causes serious eye irritation.                                                  |
| H331   | Toxic if inhaled.                                                               |
| H332   | Harmful if inhaled.                                                             |
| H372   | Causes damage to organs through prolonged or repeated exposure.                 |
| H373   | May cause damage to organs through prolonged or repeated exposure.              |
| H400   | Very toxic to aquatic life.                                                     |
| H411   | Toxic to aquatic life with long lasting effects.                                |
| H412   | Harmful to aquatic life with long lasting effects.                              |
| EUH208 | Contains Tolu, balsam, gum, Acetyl Propionyl. May produce an allergic reaction. |

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.