

SCREW COMPRESSORS

PRODUCT CATALOGUE



Screw compressors without tank



Model	Power kW	Pressure bar	Capacity		Weight kg	Noise dB(A)	Dimensions mm		
			m³/min	m³/h			Length	Width	Height
5,5 SXP	5,5	8	0,85	51	180	70	983	650	860
		10	0,7	42					
		13	0,55	33					
7,5 SXP	7,5	8	1,15	69	200	70	983	650	860
		10	1,0	60					
		13	0,85	51					
11 SXP	11	8	1,65	99	340	70	970	720	1003
		10	1,48	88					
		13	1,15	69					
15 SXP	15	8	2,25	135	370	70	970	720	1003
		10	2,15	129					
		13	1,6	96					

Screw compressors with tank 270 and 500 L



Model	Tank L	Power kW	Pressure bar	Capacity		Weight kg	Noise dB(A)	Dimensions mm		
				m³/min	m³/h			Length	Width	Height
5,5 / 270 SXP	270	5,5	8	0,85	51	270	70	1178	650	1480
			10	0,7	42					
			13	0,55	33					
7,5 / 270 SXP	270	7,5	8	1,15	69	280	70	1178	650	1480
			10	1,0	60					
			13	0,85	51					
5,5 / 500 SXP	500	5,5	8	0,85	51	322	70	1944	650	1470
			10	0,7	42					
			13	0,55	33					
7,5 / 500 SXP	500	7,5	8	1,15	69	332	70	1944	650	1480
			10	1,0	60					
			13	0,85	51					
11 / 500 SXP	500	11	8	1,65	99	492	70	1944	720	1613
			10	1,48	88					
			13	1,15	69					
15 / 500 SXP	500	15	8	2,25	135	522	70	1944	720	1613
			10	2,15	129					
			13	1,6	96					

Screw compressors with tank 500 L, with dryer and 2 filters (1 and 0,01 micron)



Model	Tank L	Power kW	Pressure bar	Capacity		Weight kg	Noise dB(A)	Dimensions mm		
				m³/m	m³/h			Length	Width	Height
5,5 / 500 SXP COMBO	500	5,5	8	0,85	51	342	68	1940	650	1460
			10	0,7	42					
			13	0,55	33					
7,5 / 500 SXP COMBO	500	7,5	8	0,85	51	381	70	1940	650	1460
			10	0,7	42					
			13	0,55	33					
11 / 500 SXP COMBO	500	11	8	0,85	51	533	70	1940	650	1650
			10	0,7	42					
			13	0,55	33					
15 / 500 SXP COMBO	500	15	8	0,85	51	563	70	1940	650	1650
			10	0,7	42					
			13	0,55	33					

Screw compressors with inverter, without tank



Model	Power kW	Pressure bar	Capacity	Weight kg	Noise dB(A)	Dimensions mm		
			m ³ /min			Length	Width	Height
SF 5,5 SXP	5,5	8	0,43 – 0,85	181,9	70	983	650	860
		10	0,36 – 0,7					
		13	0,27 – 0,55					
SF 7,5 SXP	7,5	8	0,58 – 1,15	201,9	70	983	650	860
		10	0,48 – 1,0					
		13	0,45 – 0,85					
SF 11 SXP	11	8	0,87 – 1,65	343,5	70	970	720	1003
		10	0,8 – 1,5					
		13	0,6 – 1,2					
SF 15 SXP	15	8	1,2 – 2,25	373,5	70	970	720	1003
		10	1,0 – 2,15					
		13	0,8 – 1,6					

Screw compressors with inverter, with tank 500 L, with dryer and 2 filters (1 and 0,01 micron)



Model	Power kW	Pressure bar	Capacity	Weight kg	Noise dB(A)	Dimensions mm		
			m ³ /min			Length	Width	Height
SFTG 5,5/500 SXP COMBO	5,5	8	0,43 – 0,85	343,9	68	1940	650	1460
		10	0,36 – 0,7					
		13	0,27 – 0,55					
SFTG 7,5/500 SXP COMBO	7,5	8	0,58 – 1,15	382,9	70	1940	650	1460
		10	0,48 – 1,0					
		13	0,45 – 0,85					
SFTG 11/500 SXP COMBO	11	8	0,87 – 1,65	536,5	70	1940	720	1650
		10	0,8 – 1,5					
		13	0,6 – 1,2					
SFTG 15/500 SXP COMBO	15	8	1,2 – 2,25	566,5	70	1940	720	1650
		10	1,0 – 2,15					
		13	0,8 – 1,6					

WALTER KOMPRESSORTECHNIK POLAND