

BCE® 宝工 | **Kinlux**®

VR factory viewing



Company website: <https://baogongheater.com/>

Facebook: <https://www.facebook.com/NingboBaogong>

Instagram: <https://www.instagram.com/ningbobaogong/>



Add: 658 Xintang Road, Fuhai Industrial Zone, Cixi Ningbo, China


Tel: 86-574-6368 2508 Fax: 86-574-6368 2517 P.C.: 315332

E-mail: linda@baogon.com / baogong@vip.163.com

www.baogon.com

NINGBO
BAOGONG
www.baogon.com

BCE® 宝工
Kinlux®



COMPANY PROFILE

NINGBO BAOGONG ELECTRICAL APPLIANCE CO.,LTD

Fuhai industrial zone, Cixi Ningbo, China

Established year: 2006

Facility instrument Area: 80000m²

Company certificates: GS, ISO9001, BSCI

Workers:700-800

Capacity of production: 4000000pcs /Y

Main Products: Industrual Fan Heater, LP gas heaters, diesel heaters, industrial dehumidifier, industrial air conditioner

Catchword : Keep trying our best and service you the better

TECHNIQUE AND QUALITY SUPPORT

R&D department

QC department

5S & Lean management

PROPANE FORCED AIR HEATER

BCE® 宝工 | Kinlux®



Portable air heater

Function on propane gas (LPG)

Deflation and ignition separate design

Efficient & comfortable heating for large place

Special nozzle, with strong oxygen supply make combustion completely

Built-in safety device on ignition /overheat

Adjustable gas valve with "T" model

Regulator & 1.5 meters hose included

Ideal for construction sites, green houses, utility / farm buildings, barns and factories



MODEL NO.	BGA1902-20T
POWER	9-20KW
ELECTRIC SUPPLY	AC100-240V 50/60Hz DC18V
AIR OUTPUT (m ³ /h)	500
EXTERNAL THERMOSTAT	—
IP RATING	IPX4
FUEL CONSUMPTION (kg/h)	0.65-1.45
GAS TYPE	G30
PRESSURE MBAR	700
HEATING SPACE (m ²)	350
PRODUCT MEAS (mm)	451*246*422
PACKING MEAS (mm)	500*295*415
N.W. (kgs)	6.88
G.W. (kgs)	—
QTY/20' (pcs)	450
QTY/40' (pcs)	947
QTY/40HQ (pcs)	1110