

PRESSURE REGULATOR SUMMARY for Baltic and Russian - Market

Hercules - Pressure Regulator for bottles, single – stage, according EN ISO 2503						
Item	Gas Type	Pressure IN	Pressure OUT	Capacity	Connection to bottle	Connection to hose
1	Oxygen	200 bar	0 – 10 bar	max 50 Nm ³ /h	G 3/4" RH	G 1/4" RH x 6 mm
2	Oxygen	200 bar	0 – 10 bar	max 50 Nm ³ /h	G 3/4" RH	G 3/8"RH x 6 mm
3	Oxygen	200 bar	0 – 10 bar	max 50 Nm ³ /h	G 3/4" RH	G 3/8"RH x 8 mm
4	Oxygen	200 bar	0 – 10 bar	max 50 Nm ³ /h	W 21,8 x 1/14"RH	G 3/8"RH x 6 mm
5	Oxygen	200 bar	0 – 10 bar	max 50 Nm ³ /h	W 21,8 x 1/14"RH	G 3/8"RH x 8 mm
6	Oxygen	200 bar	0 – 20 bar	max 50 Nm ³ /h	G 3/4" RH	G 1/4" RH x 6 mm
7	Oxygen	200 bar	0 – 20 bar	max 50 Nm ³ /h	G 3/4" RH	G 3/8" RH x 8 mm
8	Oxygen	200 bar	0 – 20 bar	max 50 Nm ³ /h	W 21,8 x 1/14"RH	G 3/8" RH x 8 mm
9	Oxygen	200 bar	0 – 50 bar	max 60 Nm ³ /h	G 3/4" RH	G 3/8" RH x 8 mm
10	Oxygen	200 bar	0 – 50 bar	max 60 Nm ³ /h	W 21,8 x 1/14"RH	G 3/8" RH x 8 mm
11	Acetylene	26 bar	0 – 1,5 bar	max 8 Nm ³ /h	Bow	G 3/8" LH x 8 mm
12	Acetylene	26 bar	0 – 1,5 bar	max 8 Nm ³ /h	G 3/4" RH EXT	G 3/8" LH x 8 mm
13	Argon/Co2	200 bar	max 10 bar	0 – 30/28 l/min	W 21,8 x 1/14"RH	G 1/4" RH x 6 mm
14	Argon/Co2	200 bar	max 10 bar	0 – 30/28 l/min	W 21,8 x 1/14"RH	G 3/8" RH x 6 mm
15	Argon/Co2	200 bar	max 10 bar	0 – 30/28 l/min	G 3/4" RH	G 1/4" RH x 6 mm
16	Argon/Co2	200 bar	max 10 bar	0 – 30/28 l/min	W 24,32 x 1/14" RH	G 3/8" RH x 6 mm
17	Argon	200 bar	max 10 bar	0 – 30 l/min	W 24,32 x 1/14" RH	G 3/8" RH x 6 mm
18	Co2	200 bar	max 10 bar	0 – 30 l/min	W 21,8 x 1/14"RH	G 3/8" RH x 6 mm

PRESSURE REGULATOR SUMMARY for Baltic and Russian - Market

Hercules - Pressure Regulator for bottles, single – stage, according EN ISO 2503						
Item	Gas Type	Pressure IN	Pressure OUT	Capacity	Connection to bottle	Connetion to hose
19	Nitrogen	200 bar	0 – 10 bar	max 50 Nm ³ /h	W 24,32 x 1/14" RH	G 1/4" RH x 6 mm
20	Nitrogen	200 bar	0 – 10 bar	max 50 Nm ³ /h	W 24,32 x 1/14" RH	G 3/8" RH x 8 mm
21	Nitrogen	200 bar	0 – 10 bar	max 50 Nm ³ /h	G 3/4" RH	G 1/4" RH x 6 mm
22	Nitrogen	200 bar	0 – 20 bar	max 50 Nm ³ /h	W 24,32 x 1/14" RH	G 3/8" LH x 8 mm
23	Nitrogen	200 bar	0 – 20 bar	max 50 Nm ³ /h	G 3/4" RH	G 1/4" RH x 6 mm
24	Nitrogen	200 bar	0 – 50 bar	max 60 Nm ³ /h	W 24,32 x 1/14" RH	G 3/8" RH x 8 mm
25	Nitrogen	200 bar	0 – 50 bar	max 60 Nm ³ /h	G 3/4" RH	G 3/8"RH x 8 mm
26	Compressed Air	200 bar	0 – 10 bar	max 50 Nm ³ /h	G 5/8" RH EXT	G 1/4" RH x 6 mm
27	Compressed Air	200 bar	0 – 10 bar	max 50 Nm ³ /h	G 3/4" RH	G 1/4" RH x 6 mm
28	Compressed Air	200 bar	0 – 20 bar	max 50 Nm ³ /h	G 5/8" RH EXT	G 3/8" RH x 8 mm
29	Compressed Air	200 bar	0 – 20 bar	max 50 Nm ³ /h	G 3/4" RH	G 3/8" RH x 8 mm
30	Hydrogen	200 bar	0 – 1,5 bar	max 20 Nm ³ /h	W 21,8 x 1/14" LH	G 3/8" LH x 6 mm
31	Hydrogen	200 bar	0 – 10 bar	max 50 Nm ³ /h	W 21,8 x 1/14" LH	G 3/8" LH x 8 mm
32	Helium	200 bar	0 – 1,5 bar	max 20 Nm ³ /h	W 21,8 x 1/14" RH	G 1/4" RH x 6 mm
33	Helium	200 bar	0 – 1,5 bar	max 20 Nm ³ /h	G 3/4" RH	G 1/4" RH x 6 mm
34	Helium	200 bar	0 – 1,5 bar	max 20 Nm ³ /h	W 24,32 x 1/14" RH	G 3/8" RH x 6 mm
35	Helium	200 bar	0 – 10 bar	max 50 Nm ³ /h	W 21,8 x 1/14" RH	G 1/4" RH x 6 mm
36	Helium	200 bar	0 – 10 bar	max 50 Nm ³ /h	G 3/4" RH	G 1/4" RH x 6 mm
37	Helium	200 bar	0 – 10 bar	max 50 Nm ³ /h	W 24,32 x 1/14" RH	G 3/8" RH x 6 mm

PRESSURE REGULATOR SUMMARY for Baltic and Russian - Market

Hercules - Pressure Regulator for bottles, single – stage, according EN ISO 2503						
Item	Gas Type	Pressure IN	Pressure OUT	Capacity	Connection to bottle	Connetion to hose
38	Testing Gas	200 bar	0 – 1,5 bar	max 20 Nm ³ /h	M 19 x 1,5 LH	G 3/8" LH x 6 mm
39	Testing Gas	200 bar	0 – 10 bar	max 50 Nm ³ /h	M 19 x 1,5 LH	G 3/8" LH x 6 mm
40	Propane	20 bar	0 – 3,5 bar	max 20 Nm ³ /h	W 21,8 x 1/14" LH	G 3/8" LH x 8 mm
41	Forming Gas	200 bar	max 10 bar	0 – 50 l/min	W 21,8 x 1/14" LH	G 3/8" LH x 8 mm
42	Oxygen	300 bar	0 – 10 bar	max 50 Nm ³ /h	W 30 x 2 RH (17,3 / 18,7)	G 1/4" RH x 6 mm
43	Argon/ Mix	300 bar	max 10 bar	0 – 30 l/min	W 30 x 2 RH (15,9 / 20,1)	G 1/4" RH x 6 mm
44	Nitrogen	300 bar	0 – 10 bar	max 50 Nm ³ /h	W 30 x 2 RH (15,9 / 20,1)	G 1/4" RH x 6 mm
45	Nitrogen	300 bar	0 – 20 bar	max 50 Nm ³ /h	W 30 x 2 RH (15,9 / 20,1)	G 1/4" RH x 6 mm
46	Nitrogen	300 bar	0 – 50 bar	max 60 Nm ³ /h	W 30 x 2 RH (15,9 / 20,1)	G 3/8" RH x 8 mm
47	Compressed Air	300 bar	0 – 10 bar	max 50 Nm ³ /h	W 30 x 2 RH (16,6 / 19,4)	G 1/4" RH x 6 mm
48	Inert Gases	300 bar	0 – 10 bar	max 50 Nm ³ /h	W 30 x 2 RH (15,9 / 20,1)	G 1/4" RH x 6 mm
49	Fuel Gases	300 bar	0 – 1,5 bar	max 20 Nm ³ /h	W 30 x 2 LH (15,2 / 20,8)	G 3/8" LH x 8 mm
50	Fuel Gases	300 bar	0 – 10 bar	max 50 Nm ³ /h	W 30 x 2 LH (15,2 / 20,8)	G 3/8" LH x 8 mm

PRESSURE REGULATOR SUMMARY for Baltic and Russian - Market

Hercules - Pressure Regulator for bottles, single – stage, with Flowmeter						
Item	Gas Type	Pressure IN	Pressure OUT	Capacity	Connection to bottle	Connetion to hose
51	Argon/Co2	200 bar	1,5 bar	1 l/min	W 21,8 x 1/14" RH	G 1/4" RH x 6 mm
52	Argon/Co2	200 bar	1,5 bar	1 l/min	G 3/4" RH	G 1/4" RH x 6 mm
53	Argon/Co2	200 bar	1,5 bar	1 l/min	W 24,32 x 1/14" RH	G 3/8" RH x 6 mm
54	Argon/Co2	200 bar	4 bar	5 l/min	W 21,8 x 1/14" RH	G 1/4" RH x 6 mm
55	Argon/Co2	200 bar	4 bar	5 l/min	G 3/4" RH	G 1/4" RH x 6 mm
56	Argon/Co2	200 bar	4 bar	5 l/min	W 24,32 x 1/14" RH	G 3/8" RH x 6 mm
57	Argon/Co2	200 bar	4 bar	16 l/min	W 21,8 x 1/14"RH	G 1/4" RH x 6 mm
58	Argon/Co2	200 bar	4 bar	16 l/min	G 3/4" RH	G 1/4" RH x 6 mm
59	Argon/Co2	200 bar	4 bar	16 l/min	W 24,32 x 1/14" RH	G 3/8" RH x 6 mm
60	Argon/Co2	200 bar	4 bar	30 l/min	W 21,8 x 1/14" RH	G 1/4" RH x 6 mm
61	Argon/Co2	200 bar	4 bar	30 l/min	G 3/4" RH	G 1/4" RH x 6 mm
62	Argon/Co2	200 bar	4 bar	30 l/min	W 24,32 x 1/14" RH	G 3/8" RH x 6 mm
63	Nitrogen	200 bar	4 bar	16 l/min	W 24,32 x 1/14" RH	G 1/4" RH x 6 mm
64	Nitrogen	200 bar	4 bar	16 l/min	G 3/4" RH	G 1/4" RH x 6 mm
65	Forming Gas	200 bar	4 bar	30 l/min	W 21,8 x 1/14" LH	G 3/8" LH x 8 mm
66	Forming Gas	200 bar	4 bar	50 l/min	W 21,8 x 1/14" LH	G 3/8" LH x 8 mm
67	Argon/Mix	300 bar	4 bar	16 l/min	W 30 x 2 RH (15,9 / 20,1)	G 1/4" RH x 6 mm
68	Argon/ Mix	300 bar	4 bar	30 l/min	W 30 x 2 RH (15,9 / 20,1)	G 1/4" RH x 6 mm

PRESSURE REGULATOR SUMMARY for Baltic and Russian - Market

Hercules - Pressure Regulator for bottles, single – stage, with two Flowmeters						
Item	Gas Type	Pressure IN	Pressure OUT	Capacity	Connection to bottle	Connetion to hose
69	Argon/Co2	200 bar	4 bar	16 l/min	W 21,8 x 1/14" RH	G 1/4" RH x 6 mm
70	Argon/Co2	200 bar	4 bar	16 l/min	G 3/4" RH	G 1/4" RH x 6 mm
71	Argon/Co2	200 bar	4 bar	16 l/min	W 24,32 x 1/14" RH	G 3/8" RH x 6 mm
72	Argon/Co2	200 bar	4 bar	30 l/min	W 21,8 x 1/14" RH	G 1/4" RH x 6 mm
73	Argon/Co2	200 bar	4 bar	30 l/min	G 3/4" RH	G 1/4" RH x 6 mm
74	Argon/Co2	200 bar	4 bar	30 l/min	W 24,32 x 1/14" RH	G 3/8" RH x 6 mm
75	Forming Gas	200 bar	4 bar	50 l/min	W 21,8 x 1/14" LH	G 3/8" LH x 8 mm

Hercules - Pressure Regulator for bottles, double – stage, according EN ISO 2503						
Item	Gas Type	Pressure IN	Pressure OUT	Capacity	Connection to bottle	Connetion to hose
76	Oxygen	200 bar	0 – 10 bar	max 50 Nm ³ /h	G 3/4" RH	G 1/4" RH x 6 mm
77	Oxygen	200 bar	0 – 10 bar	max 50 Nm ³ /h	W 21,8 x 1/14" RH	G 3/8" RH x 6 mm
78	Nitrogen	200 bar	0 – 1,5 bar	max 20 Nm ³ /h	W 24,32 x 1/14" RH	G 1/4" RH x 6 mm
79	Nitrogen	200 bar	0 – 1,5 bar	max 20 Nm ³ /h	G 3/4" RH	G 1/4" RH x 6 mm
80	Nitrogen	200 bar	0 – 10 bar	max 50 Nm ³ /h	W 24,32 x 1/14" RH	G 1/4" RH x 6 mm
81	Nitrogen	200 bar	0 – 10 bar	max 50 Nm ³ /h	G 3/4" RH	G 1/4" RH x 6 mm
82	Fuel Gases	200 bar	0 – 1,5 bar	max 20 Nm ³ /h	W 21,8 x 1/14" LH	G 3/8" LH x 6 mm
83	Fuel Gases	200 bar	0 – 10 bar	max 50 Nm ³ /h	W 21,8 x 1/14" LH	G 3/8" LH x 8 mm

PRESSURE REGULATOR SUMMARY for Baltic and Russian - Market

Hercules - Pressure Regulator for bottles, double – stage, according EN ISO 2503						
Item	Gas Type	Pressure IN	Pressure OUT	Capacity	Connection to bottle	Connetion to hose
84	Helium	200 bar	0 – 1,5 bar	max 20 Nm ³ /h	W 21,8 x 1/14" RH	G 1/4" RH x 6 mm
85	Helium	200 bar	0 – 1,5 bar	max 20 Nm ³ /h	G 3/4" RH	G 1/4" RH x 6 mm
86	Helium	200 bar	0 – 1,5 bar	max 20 Nm ³ /h	W 24,32 x 1/14" RH	G 3/8" RH x 6 mm
87	Helium	200 bar	0 – 10 bar	max 50 Nm ³ /h	W 21,8 x 1/14" RH	G 1/4" RH x 6 mm
88	Helium	200 bar	0 – 10 bar	max 50 Nm ³ /h	G 3/4" RH	G 1/4" RH x 6 mm
89	Helium	200 bar	0 – 10 bar	max 50 Nm ³ /h	W 24,32 x 1/14" RH	G 3/8" RH x 6 mm
90	Argon/Co2	200 bar	max 10 bar	0 – 30/28 l/min	W 21,8 x 1/14" RH	G 1/4" RH x 6 mm
91	Argon/Co2	200 bar	max 10 bar	0 – 30/28 l/min	G 3/4" RH	G 1/4" RH x 6 mm
92	Argon/Co2	200 bar	max 10 bar	0 – 30/28 l/min	W 24,32 x 1/14" RH	G 3/8" RH x 6 mm

Hercules - Pressure Regulator for bottles, double – stage, with Flowmeter						
Item	Gas Type	Pressure IN	Pressure OUT	Capacity	Connection to bottle	Connetion to hose
93	Argon/Co2	200 bar	4 bar	30 l/min	W 21,8 x 1/14" RH	G 1/4" RH x 6 mm
94	Argon/Co2	200 bar	4 bar	30 l/min	G 3/4" RH	G 1/4" RH x 6 mm
95	Argon/Co2	200 bar	4 bar	30 l/min	W 24,32 x 1/14" RH	G 3/8" RH x 6 mm

PRESSURE REGULATOR SUMMARY for Baltic and Russian - Market

Hercules - Pressure Regulator for tapping points						
Item	Gas Type	Pressure IN	Pressure OUT	Capacity	Connection to bottle	Connetion to hose
96	Oxygen	max 40 bar	0 – 10 bar	max 50 Nm ³ /h	G 3/8" RH	G 1/4" RH x 6 mm
97	Acetylene	max 25 bar	0 – 1,5 bar	max 8 Nm ³ /h	G 3/8" LH	G 3/8" LH x 8 mm
98	Argon/Co2	max 40 bar	max 10 bar	0 – 30/28 l/min	G 3/8" RH	G 1/4" RH x 6 mm
99	Propane	max 25 bar	0 – 3,5 bar	max 20 Nm ³ /h	G 3/8" LH	G 3/8" LH x 8 mm
100	Forming Gas	max 40 bar	max 10 bar	0 – 50 l/min	G 3/8" LH	G 3/8" LH x 8 mm

Hercules - Pressure Regulator for tapping points, with Flowmeter						
Item	Gas Type	Pressure IN	Pressure OUT	Capacity	Connection to bottle	Connetion to hose
101	Argon/Co2	max 40 bar	1,5 bar	1 l/min	G 3/8" RH	G 1/4" RH x 6 mm
102	Argon/Co2	max 40 bar	4 bar	5 l/min	G 3/8" RH	G 1/4" RH x 6 mm
103	Argon/Co2	max 40 bar	4 bar	16 l/min	G 3/8" RH	G 1/4" RH x 6 mm
104	Argon/Co2	max 40 bar	4 bar	30 l/min	G 3/8" RH	G 1/4" RH x 6 mm
105	Forming Gas	max 40 bar	4 bar	30 l/min	G 3/8" LH	G 3/8" LH x 8 mm
106	Forming Gas	max 40 bar	4 bar	50 l/min	G 3/8" LH	G 3/8" LH x 8 mm

PRESSURE REGULATOR SUMMARY for Baltic and Russian - Market

Fin Pressure Regulator for bottles, with high capacity						
Item	Gas Type	Pressure IN	Pressure OUT	Capacity	Connection to bottle	Connetion to hose
107	Oxygen	200 bar	0 – 20 bar	max 170 Nm ³ /h	G 3/4" RH	G 1/2" RH EXT
108	Oxygen	200 bar	0 – 20 bar	max 170 Nm ³ /h	W 21,8 x 1/14" RH	G 1/2" RH EXT
109	Oxygen	200 bar	15 – 40 bar	max 290 Nm ³ /h	G 3/4" RH	G 1/2" RH EXT
110	Oxygen	200 bar	15 – 40 bar	max 290 Nm ³ /h	W 21,8 x 1/14" RH	G 1/2" RH EXT
111	Oxygen	200 bar	15 – 60 bar	max 450 Nm ³ /h	G 3/4" RH	G 1/2" RH EXT
112	Oxygen	200 bar	15 – 60 bar	max 450 Nm ³ /h	W 21,8 x 1/14" RH	G 1/2" RH EXT
113	Inert Gases	200 bar	0 – 20 bar	max 170 Nm ³ /h	G 3/4" RH	G 1/2" RH EXT
114	Inert Gases	200 bar	0 – 20 bar	max 170 Nm ³ /h	W 24,32 x 1/14" RH	G 1/2" RH EXT
115	Inert Gases	200 bar	15 – 40 bar	max 290 Nm ³ /h	G 3/4" RH	G 1/2" RH EXT
116	Inert Gases	200 bar	15 – 40 bar	max 290 Nm ³ /h	W 24,32 x 1/14" RH	G 1/2" RH EXT
117	Inert Gases	200 bar	15 – 60 bar	max 450 Nm ³ /h	G 3/4" RH	G 1/2" RH EXT
118	Inert Gases	200 bar	15 – 60 bar	max 450 Nm ³ /h	W 24,32 x 1/14" RH	G 1/2" RH EXT
119	Nitrogen	200 bar	0 – 20 bar	max 170 Nm ³ /h	G 3/4" RH	G 1/2" RH EXT
120	Nitrogen	200 bar	0 – 20 bar	max 170 Nm ³ /h	W 24,32 x 1/14" RH	G 1/2" RH EXT
121	Nitrogen	200 bar	15 – 40 bar	max 290 Nm ³ /h	G 3/4" RH	G 1/2" RH EXT
122	Nitrogen	200 bar	15 – 40 bar	max 290 Nm ³ /h	W 24,32 x 1/14" RH	G 1/2" RH EXT
123	Nitrogen	200 bar	15 – 60 bar	max 450 Nm ³ /h	G 3/4" RH	G 1/2" RH EXT
124	Nitrogen	200 bar	15 – 60 bar	max 450 Nm ³ /h	W 24,32 x 1/14" RH	G 1/2" RH EXT

PRESSURE REGULATOR SUMMARY for Baltic and Russian - Market

Fin Pressure Regulator for bottles, with high capacity						
Item	Gas Type	Pressure IN	Pressure OUT	Capacity	Connection to bottle	Connetion to hose
125	Oxygen	300 bar	0 – 20 bar	max 170 Nm ³ /h	W 30 x 2 RH (17,3 / 18,7)	G 1/2" RH EXT
126	Oxygen	300 bar	15 – 40 bar	max 290 Nm ³ /h	W 30 x 2 RH (17,3 / 18,7)	G 1/2" RH EXT
127	Oxygen	300 bar	15 – 60 bar	max 450 Nm ³ /h	W 30 x 2 RH (17,3 / 18,7)	G 1/2" RH EXT
128	Inert Gases	300 bar	0 – 20 bar	max 170 Nm ³ /h	W 30 x 2 RH (15,9 / 20,1)	G 1/2" RH EXT
129	Inert Gases	300 bar	15 – 40 bar	max 290 Nm ³ /h	W 30 x 2 RH (15,9 / 20,1)	G 1/2" RH EXT
130	Inert Gases	300 bar	15 – 60 bar	max 450 Nm ³ /h	W 30 x 2 RH (15,9 / 20,1)	G 1/2" RH EXT
131	Nitrogen	300 bar	0 – 20 bar	max 170 Nm ³ /h	W 30 x 2 RH (15,9 / 20,1)	G 1/2" RH EXT
132	Nitrogen	300 bar	15 – 40 bar	max 290 Nm ³ /h	W 30 x 2 RH (15,9 / 20,1)	G 1/2" RH EXT
133	Nitrogen	300 bar	15 – 60 bar	max 450 Nm ³ /h	W 30 x 2 RH (15,9 / 20,1)	G 1/2" RH EXT

MCW Pressure Regulator for bottles, with high working pressure						
Item	Gas Type	Pressure IN	Pressure OUT	Capacity	Connection to bottle	Connetion to hose
134	Oxygen	200 bar	20 – 100 bar	max 120 Nm ³ /h	G 3/4" RH	G 1/2" RH EXT
135	Oxygen	200 bar	20 – 100 bar	max 120 Nm ³ /h	W 21,8 x 1/14" RH	G 1/2" RH EXT
136	Nitrogen	200 bar	20 – 100 bar	max 120 Nm ³ /h	W 24,32 x 1/14" RH	G 1/2" RH EXT
137	Nitrogen	200 bar	20 – 100 bar	max 120 Nm ³ /h	G 3/4" RH	G 1/2" RH EXT
138	Oxygen	300 bar	20 – 100 bar	max 120 Nm ³ /h	W 30 x 2 RH (17,3 / 18,7)	G 1/2" RH EXT
139	Nitrogen	300 bar	20 – 100 bar	max 120 Nm ³ /h	W 30 x 2 RH (15,9 / 20,1)	G 1/2" RH EXT
140	Compressed Air	300 bar	20 – 100 bar	max 120 Nm ³ /h	W 30 x 2 RH (16,6 / 19,4)	G 1/2" RH EXT

PRESSURE REGULATOR SUMMARY for Baltic and Russian - Market

Picture for example

Item 1 - 50

Oxygen 0 - 10 bar



Acetylene 0 - 1,5 bar



Arg./Co2 0-30 l/min



Nitrogen 0 - 50 bar



Item 51 - 68

Arg/Co2 0-30 l/min. with
Flowmeter



Item 69 - 75

Arg/Co2 0 - 30 l/min.
with two Flowmeter



Item 76 - 92

Oxygen 0 - 10 bar,
double - stage



Item 93 - 95

Arg/Co2 double-stage,
with Flowmeter 0 - 30 l/min



PRESSURE REGULATOR SUMMARY for Baltic and Russian - Market

Picture for example

Item 96 - 100

Arg/Co2 0-30/28 l/min.



Item 101 - 106

Arg/Co2 0-30 l/min.with
Flowmeter + Tapping point



Item 107 - 133



Item 134 - 140



If you need more than this informations or additional technical details or if you did not find what you are looking for, please do not hesitate to contact us.
We are looking forward being of assistance to you.

PRESSURE REGULATOR SUMMARY for Baltic and Russian - Market

**C. Klein Schweißtechnik GmbH
Ernst - Gremler Strasse 24
D 58239 Schwerte**

**Tel. 0049(0)2304-94241-0
Fax 0049(0)2304-94241-20**

Verkauf:

**U. Busch
Tel. 0049(0)2304-94241-11
Fax 0040(0)2304-94241-20
E-mail: u.busch@carl-klein.de**

Export:

**E. Weber
Tel. 0049(0)345-4456085
Fax 0049(0)345-6876366
E-mail: ews-halle@ewt-net.de**