

Product Datasheet model ultravision 9301 716

**UVEX ARBEITSSCHUTZ GMBH, Würzburger Str. 181-189,
D-90766 Fürth**

**Product
characteristics**


- classic goggles with unrestricted field of vision
- can be worn over prescription spectacles
- lenses can be changed
- high mechanical strength of the cellulose acetate lens (F: 45 m/s)
- innovative indirect ventilation system helps maintain a comfortable climate around the eyes

Technical details**Frame**

Material
Features
Colour

Front piece

PVC
ventilation system / face foam velour
transparent light grey

Material	Headband
Features	synthetic headband
Colour	adjustable
	anthracite/lime
	Marking
Manufacturer's ID code	W
Applicable EN norm	166
Fiedl of use	3 (drops and splashes of liquid)
	4 (large dust particles)
Impact resistance	F (45 m/s)
Conformity symbol	CE
	Lens
Material	CA
Thickness	1,2 mm
Coating	inside antifog
Colour	clear
UV protection	UV 380
	Marking
Filter	2-1,2 (DIN EN 170)
Manufacturer's ID code	W
Optical class	1
Impact resistance	F (45 m/s)
Antifog	N
Conformity symbol	CE
Factory symbol	

Miscellaneous

Weight

121 g

Packing

80 pieces in one carton

Standards

DIN EN 166 + DIN EN 170

PPE Category

Category II