

## 64292 XIR 150W 22.8V 40/CS 1/SKU



### Характеристики продукта

- Precise filament alignment with patented quartz pinch technology
- OSRAM HLX lamps provide 10% higher luminous efficacy over standard halogen
- Instant on and nearly constant luminous flux over the life of the lamp
- Dimmable

### Области применения

- Microscopy
- Laboratory & Analysis
- UV Curing
- Fiber Illumination
- Surgical & Dental Overhead
- Ночные клубы и дискотеки

## Техническое описание продукта

### Technical data

#### General product information

NAED5 [AGGR]	54322
Description [AGGR]	64292 XIR 150W 22.8V 40/CS 1/SKU
Family Brand Name [AGGR]	XIR

#### Электрические параметры

Nominal Wattage [AGGR]	150 Вт
Nominal Voltage [AGGR]	22.8 В

#### Светотехнические параметры



Lumens [AGGR]	6000 лм
Color Temperature [AGGR]	3250 К
Color Rendering Index [AGGR]	100
Average Rated Life [AGGR]	600 h

#### Physical attributes

Base (OSI designation) [AGGR]	G6.35
Diameter d (in) [CRM]	0.551 in
Diameter d (mm) [CRM]	14.00 mm

#### Дополнительные данные

Lamp Type [AGGR]	SINGLE END
------------------	------------



### Packaging Information

Product number	EAN/UPC	Packaging	Quantity	Outside dimensions l x w x h	Вес брутто
54322	4008321330598	Картонная коробка (SKU)	1	1 in x 0.9 in x 2.8 in	
54322	4008321330604	Коробка для транспортировки товара (Case)	40	5.7 in x 4.2 in x 4.8 in	0.8 lb

## Техническое описание продукта

Product number	EAN/UPC	Packaging	Quantity	Outside dimensions L x w x h	Вес брутто
----------------	---------	-----------	----------	------------------------------	------------

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

---

### Примечание

OSRAM does not accept liability for errors, changes and omissions.