



		DECLARATION OF CONFORMITY		DOC N°
				PE-7401200-080-101
1	Laminate flooring 8mm Classic 1050 / Edition / Selected / Trendtime			EN 13329:2016+A1:2017
2	Intended use or uses of the construction product: Flooring for dry indoor use - only suitable for floating installation.			
3	Name, registered trade name or registered trade name and contact address of the manufacturer Parador GmbH, Millenkamp 7-8, D-48653 Coesfeld			
4	Where applicable, name and contact address of the authorized representative not applicable			
5	System for assessment and verification of constancy of performance:			3
Declared performance according to: EN 14041:2004/AC:2006				
6	Thermal resistance			0,048 m²K/W
	Formaldehyde emission			E1
	Content of Pentachlorophenol (PCP)			< 5 ppm
	Reaction to fire			C <sub>fi</sub> – s1
	Slip resistance			DS
	Electrical behaviour			antistatic
7	<u>Name of the notified body:</u> NB 0197 TÜV Rheinland LGA Products GmbH, Tillystraße 2, D-90431 Nürnberg NB 1658 TFI Aachen GmbH, Charlottenburger Allee 41, D-52068 Aachen NB 2097 eco-Institut GmbH, Schanzenstrasse 6-20, D-51063 Köln			
8	The performance of the product (1) corresponds to the declared performance in (6). The manufacturer (3) is solely responsible for the preparation of this statement in accordance with the Construction Products Regulation (EU) 2011 (EU Regulation No. 305/2011).			

Signed for and on behalf of the manufacturer:		
Name and position	Peter Mensing	Quality management
Coesfeld, 01.07.2022	  Parador GmbH · Millenkamp 7-8 48653 Coesfeld · Deutschland	
Place and date	Signature	