




AR 135 BP

1206 AR 135 BP C - NBR



58_01-001_ar

Customer: AR

Customer Code:



SAE 30
1,000 Kg

Revision: 1

Date: 02/10/2024


Validity: < XX/YY = From week/year

Code	Description	Q	Note	Validity
1	580013 Pump body	1		
2	550101 Head	2		
3	540301 Screw	1	C=40Nm	
4	580080 Foot	1		
5	320621 Washer	2		
6	620472 Screw	2	C=30Nm	
7	550102 Head	1		
8	740290 O-ring	1	Lubricate Molykote PG54	
9	880530 Plug	1	C=20Nm	
10	850851 Screw	2	C=10Nm	
11	550332 Washer	2		
12	1040310 Tank	1		
13	650920 O-ring	1	Lubricate with Mineral Grease	
14	1040324 Plug	1		
15	390180 O-ring	1	Lubricate with motor oil	
16	580140 Connecting-rod	3	Lubricate with motor oil	
17	580120 Piston	3		
18	380080 Ring	6		
19	380300 Pin	3	Lubricate with Mineral Grease	
20	2240100 Hub pin	3	C=30Nm Loxeal 83-21	
21	500260 Piston ring	3		
22	580350 Sleeve	3		
23	550080 Diaphragm	3	NBR - Øe 115	
24	580371 Plate	3	Ø 10	
25	2240110 Nut	3	C=25Nm	
26	551040 Screw	12	C=40Nm	
27	580150 Line	1	intake/delivery	
28	390291 O-ring	7	Lubricate Molykote G-807	
29	580072 Fitting	1		
30	180152 Nut	3	C=40Nm	
31	759051 Valve	6		
32	320030 O-ring	6	Lubricate with Mineral Grease	
33	550340 Fitting	1		
34	550350 O-ring	1	Lubricate with Mineral Grease	
35	550880 Ring nut	1		
36	550370 Elbow	1		
37	580050 Gasket	1	Lubricate with motor oil	
38	580180 Semi air chamber	1	lower	
39	550190 Diaphragm	1	NBR - Øe 110	
40	550233 Semi air chamber	1	upper	
41	650542 Gasket	1	Lubricate with motor oil	
42	550300 Air valve	1	C=3,5Nm	
43	550680 Screw	4	C=20Nm	
44	580400 Fitting	2		
45	180101 O-ring	1	Lubricate with motor oil	
46	330173 Plug	1	C=20Nm Loxeal 55-14	
47	390271 Nut	3	C=20Nm	
48	580421 Fitting	1	C=20Nm Loxeal 83-21	



AR 135 BP

1206 AR 135 BP C - NBR



Code	Description		Q	Note	Validity
49	881560 Fitting	1/2" G (M-F)	1	Loxéal 83-21	
50	1609000 Safety valve	20 bar	1	Loxéal 24-18	
51	880831 O-ring	Ø 15,54x2,62 Viton	1	Lubricate Molykote G-807	
52	550450 Ring nut	3/4" G	1		
53	550460 Elbow	Ø 18	1		
54	250310 O-ring	Ø 36,14x2,62	2	Lubricate with motor oil	
55	540530 Fitting	1" 1/4 G - 1" 3/4 G (M-M)	1		
56	540541 Ring nut	1" 3/4 G	1		
57	540550 Elbow	Ø 40	1		
A	47462 Valve kit		1		
B	2367 Diaphragms kit	NBR	1		
C	2026 O-ring kit		1		
D	47461 Maintenance repair kit	NBR	1		
E	47190 Tank kit		1		

58_01-001_ar

Customer: AR

Customer Code:



SAE 30
1,000 Kg

Revision: 1




Date: 02/10/2024

Validity: < XX/YY = From week/year



AR 135 BP

1206 AR 135 BP C - NBR



Code Description		Q	Note	Validity
1	550310 Bushing	1		
2	580470 Ring	2	Lubricate with motor oil	
3	580330 Shaft	1	AS marked	
4	550060 Bushing	1	Press Mount	
5	550070 Washer	1		
6	550470 Bushing	1		
7	650920 O-ring	1	Ø 53,65x2,62	Lubricate with Mineral Grease
8	550491 Ring	1	seal	Lubricate with Mineral Grease
9	200391 Ring	1	seeger Øi 62	
10	1500350 Cardan protection	1	Ø 199 mm	
11	320621 Washer	3		
12	850851 Screw	1	TCEI M6x30	C=10Nm
A	47462 Valve kit	1		
B	2367 Diaphragms kit	1	NBR	
C	2026 O-ring kit	1		
D	47461 Maintenance repair kit	1	NBR	

58_03-001_ar

Customer: AR
Customer Code:



SAE 30
1,000 Kg

Revision: 1
Date: 02/10/2024

Validity: <XX/YY = From week/year