

# KEMIWOOD

*solventbased*  
**STAINS**  
*pastel*  
**TSP**



**KEMICHAL®**



*let yourself*

**KEMI**

## **TSP PASTELLO TINTE A SOLVENTE PER INTERNI**

Le tinte **pastello** a solvente della serie **TSP** sono pronte all'uso e adatte per applicazioni a spruzzo da stracciare. Su richiesta è possibile avere le stesse tonalità anche in versione patina nella serie **PSP**.

Sono realizzate con pigmenti micronizzati di alta qualità e ottima resistenza alla luce, diluiti in appositi veicoli, in grado di esaltare la naturale bellezza del legno.

Assicurano un'eccellente bagnatura del supporto, donando un'ottima uniformità del colore e una gradevole marcatura del poro. Destinate all'arredo per interni, garantiscono una notevole stabilità nel tempo e un'ottima resistenza alla luce.

Grazie alla loro compatibilità e miscibilità, oltre alle tinte disponibili a catalogo, si possono ottenere, mescolandole tra loro nelle proporzioni desiderate, innumerevoli altre tonalità e diversi colori personalizzati.

Come supporto è stato utilizzato il Rovere Europeo Rigato. I colori sono stati fissati con un ciclo acrilico. Grazie all'elevata versatilità delle tinte e alle loro caratteristiche, si possono ottenere ottimi risultati su molte altre essenze legnose a poro aperto: dalle più nobili, come Castagno, alle più comuni, come Frassino, Olmo, ecc.

Il risultato dell'effetto può essere influenzato da vari fattori, quali: diversa tipologia di legno scelto, condizioni applicative, ciclo di verniciatura ed eventuali diluizioni. Si consigliano pertanto adeguate valutazioni preliminari e preventive prove di tinteggiatura. I colori rappresentati sono indicativi.

1962



*be inspired*

**WOOD**

## **TSP PASTEL SOLVENT-BASED INTERIOR STAINS**

The solvent-based pastel stains of the TSP series are ready to use and suitable for spray applications to remove with a rag. On request, it is also possible to have the same shades on PSP series patina version.

They are made with high quality micronized pigments and excellent light resistance, diluted in special vehicles, able to enhance the natural beauty of the wood.

They ensure excellent wetting of the surface, giving optimum color uniformity and a pleasant pore marking. Intended for interior furnishings, they guarantee high stability over time and optimum resistance to light.

Thanks to their compatibility and miscibility, in addition to the stains available, countless other shades and different custom colors can be obtained by mixing them together in the desired proportions.

The support used was the European Striped Oak. The colors were fixed with an acrylic cycle. Thanks to the high versatility of the stains and their characteristics, excellent results can be obtained on many other open pore wood essences: from the most noble, such as Chestnut, to the most common, such as Ash, Elm, etc.

The result of the effect can be influenced by various factors, such as: different kind of wood chosen, application conditions, coating system and any dilutions. Therefore, adequate preliminary evaluations and preventive coloring tests are recommended. The represented colors are indicative.

*Since  
1962*



TSP 01



TSP 06



TSP 02



TSP 07



TSP 03



TSP 08



TSP 04



TSP 09



TSP 05



TSP 10

I colori sono indicativi. Si consiglia sempre di effettuare prove preliminari per ottenere i migliori risultati.



TSP 11



TSP 16



TSP 12



TSP 17



TSP 13



TSP 18



TSP 14



TSP 19



TSP 15



TSP 20

Consultare la scheda tecnica per dettagli relativi al ciclo di verniciatura o alle specifiche e caratteristiche del prodotto.



TSP 21



TSP 26



TSP 22



TSP 27



TSP 23



TSP 28



TSP 24



TSP 29



TSP 25



TSP 30

See the technical data sheet for details about coating system or specifications and characteristics of the product.



TSP 31



TSP 36



TSP 32



TSP 37



TSP 33



TSP 38



TSP 34



TSP 39



TSP 35



TSP 40


The colors are indicative. Preliminary tests should be always carried out in order to obtain the best results.



VERNICI E COLORI

Via dell'Artigianato, 2 - TREBASELEGHE (PD) - Italy

Tel. +39 049 9385648 - Fax +39 049 9385070

[www.kemichal.it](http://www.kemichal.it)  [info@kemichal.it](mailto:info@kemichal.it)



[www.kemichal.it](http://www.kemichal.it)