



SAFETY DATA SHEET

This safety data sheet was prepared according to DSTU GOST 30333-2009 Safety Data Sheet for chemical products.

Complies with EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830

1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY

1.1 Product identifier

Product Name Mustang™ SUPER GLUE GEL (MG1, MG3, MG6

MG7, MG14)

Synonym(s) Ethyl Cyanoacrylate Adhesive.

CAS No. Mixture. EINECS No. Mixture.

1.2 Relevant identified uses of the substance or

mixture and uses advised against

Identified use(s) Adhesive for metal, rubber, cardboard, plastic, ceramics,

glass, paper. Fast-gluing.

Uses advised against polyethylene, polypropylene, teflon

1.3 Details of the supplier of the Safety Data

Sheet

Company Identification UKRPACK HOLDING LLC.

Ukraine Kiev

Str. Elizavety Chavdar, 2

 Telephone
 +38 (044) 585 21 02

 Fax
 +38 (044) 585 21 02

 Web-site
 www.mustang-tape.com

2. SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Regulation (EC) No. 1272/2008 (CLP) Skin Irrit. 2; Causes skin irritation.

Eye Irrit. 2; Causes serious eye irritation. STOT SE 3; May cause respiratory irritation.

2.2 Label elements According to Regulation (EC) No. 1272/2008 (CLP)

Product Name Mustang™ SUPER GLUE GEL



Hazard pictogram(s)



Warning.

Signal word(s)

Hazardous Ingredient(s) Ethyl cyanoacrylate.

Hazard statement(s) H315: Causes skin irritation.

H319: Causes serious eye irritation. H335: May cause respiratory irritation.

Precautionary statement(s) P102: Keep out of reach of children.

P261: Avoid breathing fume/ mist/vapours/spray. P271: Use only outdoors or in a well-ventilated area. P302+P352: IF ON SKIN: Wash with plenty of water. P304 + P340: IF INHALED: Remove person to fresh

air and keep comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P501: Dispose of contents/container in accordance with local, regional, national, and international

egulations.

EUH202: Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children.

2.3 Other hazards Rapid polymerisation occurs upon contact with

water or alkaline substances. As a result, heat is generated. Skin inflammation or burns may occur

upon contact during this polymerisation.

2.4 Additional Information For full text of H/P statements see section 16.

3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable.

3.2 Mixtures

EC Classification No. 1272/2008

Hazardous ingredient(s)	%W/W	CAS No.	EC No.	EC INDEX No.	Classification
Ethyl cyanoacrylate	60-100	7085-85-0	230-391-5	607-236-00-9	Skin Irrit. 2; H315, Eye Irrit. 2; H319, STOT SE 3; H335 Specific Concentration Limits (C >= 10) STOT SE 3; H335

3.3 Additional Information

For full text of H/P statements see section 16.



4. SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General information Do not give anything by mouth to an unconscious

person. Get medical advice/attention if you feel

unwell. (show the label if possible).

Inhalation Remove person to fresh air and keep comfortable

for breathing. Get medical advice/attention if you

feel unwell.

Skin Contact Remove contaminated clothing. Gently wash with

plenty of soap and water. Continue to wash the affected area for at least 15 minutes. Call a POISON

CENTER/doctor if you feel unwell. Wash contaminated clothing before reuse.

Eye Contact Flush eyes with water for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention.

Ingestion Rinse mouth. Do not induce vomiting. Immediately

call a POISON CENTER or doctor/physician.

4.2 Most important symptoms and effects, both

acute and delayed

Skin Contact: Causes skin irritation.

Inhalation: May cause respiratory irritation. Eye Contact: Causes serious eye irritation. Ingestion: Likely to be harmful or have adverse

effects.

4.3 Indication of any immediate medical

attention and special treatment needed

If medical advice is needed, have product container

or label at hand.

5. SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing Media

Suitable Extinguishing Media Water spray, foam, dry powder or CO₂.

Unsuitable Extinguishing Media Do not use a heavy water stream. Use of heavy

stream of water may spread fire.

5.2 Special hazards arising from the substance

or mixture

Non-flammable. Non-explosive.

Rapid polymerisation occurs upon contact with water or alkaline substances. As a result, heat is generated. Skin inflammation or burns may occur

upon contact during this polymerisation.

5.3 Advice for firefighters Exercise caution when fighting any chemical fire. Do

not allow runoff to enter drains, sewers or watercourses. Fire fighters should wear proper protective clothing including respiratory protection.

6. SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment

and emergency procedures

Avoid contact with skin, eyes or clothing. Avoid breathing vapours. Ensure adequate ventilation.

Evacuate if necessary. Stop leak if safe to do so. Ensure suitable personal protection during removal

of spillages

6.2 Environmental precautions

Avoid run off to waterways and sewers.



SAFETY DATA SHEET

MUSTANG™ SUPER GLUE GEL (MG1, MG3, MG6, MG7, MG14)

6.3 Methods and material for containment and

cleaning up

Cover spills with inert absorbent material. Transfer

to a container for disposal. Dispose of empty

containers and wastes safely.

6.4 Reference to other sections See Also Section: 8, 13

7. SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling General hygiene measures for the handling of

chemicals are applicable. Do not eat, drink or smoke when using this product. Wash thoroughly with soap and water after handling and before eating, drinking,

or using tobacco.

0 - +25°C

7.2 Conditions for safe storage, including any

incompatibilities

Store in a cool/low-temperature, well-ventilated (dry) place. Keep container closed when not in use.

Protect from moisture. Store locked up.

Storage Temperature

Storage Life Stable under normal conditions.

Incompatible materials Acids, Alkalis, Strong oxidising agents, Water.

7.3 Specific end use(s) Adhesive for metal, wood, ceramics, leather, paper,

most plastics and more.

8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits

SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m³)	Note
Ethyl cyanoacrylate	7085-85-0	-	-	0,3	1,5	WEL

WEL: Workplace Exposure Limit (UK HSE EH40)

8.1.2 Biological limit value Not established.

8.1.3 PNECs and DNELs Not established.

8.2 Exposure controls

8.2.1 Appropriate engineering controls Provide adequate ventilation to ensure that the

occupational exposure limit is not exceeded. Guarantee that the eye flushing systems and safety showers are located close to the working

8.2.2 Personal protection equipment

Eye/face protection Wear protective eyewear (goggles, face shield, or

safety glasses).

Skin protection (Hand protection/ Other)

Wear protective clothing and gloves: Chemically resistant materials and fabrics.

Respiratory protection Wear suitable respiratory protective equipment if

exposure to levels above the occupational

exposure limit is likely.





Thermal hazards Not applicable.

8.2.3 Environmental Exposure Controls Avoid run off to waterways and sewers.

9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical

properties

Appearance Gel Liquid.
Colour White

Odour Sharp, Irritating.

Odour Threshold No data. pH Not applicable.

Melting Point/Freezing Point
No data.
Initial boiling point and boiling range
Flash Point
Flash Point
Flammability (solid, ga s)
Upper/lower flammab ility or explosive limits
Not applicable.

Vapour pressure <0,5mm Hg @ 25°C
Vapour density No data.
Relative density 1,1 (Water = 1)

Solubility(ies) Immiscible with water.

Partition coefficient: n -octanol/water No data.
Auto-ignition tempera ture No data.
Decomposition Tempe rature No data.
Viscosity No data.
Explosive properties No data.
Oxidising properties No data.

9.2 Other information

VOC content <20g/l estimated

10. SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity Rapid polymerisation occurs upon contact with

water or alkaline substances. As a result, heat is generated. Skin inflammation or burns may occur

upon contact during this polymerisation.

10.2 Chemical stability Stable under normal conditions.

10.3 Possibility of hazardous reactions Hazardous polymerisation will not occur.

No hazardous reactions known if used for its

intended purpose.

10.4 Conditions to avoid Keep from direct sunlight. Extremely high or low

temperatures.

10.5 Incompatible materials Acids, Alkalis, Strong oxidising agents, Water.

10.6 Hazardous Decomposition Product(s) None known.

11. SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity Not classified.

 Oral
 LD50(estimated) = >5000 mg/kg

 Dermal
 LD50(estimated) = >2000 mg/kg



SAFETY DATA SHEET

MUSTANG™ SUPER GLUE GEL (MG1, MG3, MG6, MG7, MG14)

Inhalation LC50(estimated)(1 hour(s)) = >4000 ppm

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/irritation Causes serious eye irritation.

Respiratory or skin sensitisationNot classified.Germ cell mutagenicityNot classified.CarcinogenicityNot classified.Reproductive toxicityNot classified.

STOT - single exposure May cause respiratory irritation.

STOT - repeated exposureAspiration hazard
Not classified.
Not classified.

11.2 Other information None.

12. SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity
 12.2 Persistence and degradability
 12.3 Bioaccumulative potential
 12.4 Mobility in soil
 12.5 Results of PBT and vPvB assessment
 No information available.
 No information available.
 No information available.

12.6 Other adverse effects Avoid release to the environment.

13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods Dispose of wastes in an approved waste disposal

facility.

13.2 Additional Information Disposal should be in accordance with local, state or

national legislation.

14. SECTION 14: TRANSPORT INFORMATION

Not classified as dangerous for transport.

14.1 UN number Not applicable.
 14.2 UN Proper Shipping Name Not applicable.
 14.3 Transport hazard class(es) Not applicable.
 14.4 Packing Group Not applicable.
 14.5 Environmental hazards Not applicable.

14.6 Special precautions for user Air transport: Primary pack containing less than

500ml are unregulated by this mode of transport

and may be shipped unrestricted.

14.7 Transport in bulk according to Annex II of

Marpol and the IBC Code

Not applicable.

15. SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1 EU regulations

Authorisations and/or restrictions on use

Candidate List of Substances of Very High

All chemicals are not listed.

Concern for Authorisation

REACH: ANNEX XIV list of substances subject

All chemicals are not listed.

to authorisation



SAFETY DATA SHEET

MUSTANG™ SUPER GLUE GEL (MG1, MG3, MG6, MG7, MG14)

REACH: Annex XVII Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures

and articles

Mustang™ SUPER GLUE GEL

 ${\bf 3.}\ Liquid\ substances\ or\ mixtures\ which\ are\ regarded$

as dangerous in accordance with Directive 1999/45/EC or are fulfilling the criteria for any of the following hazard classes or categories set out in

Annex I to Regulation (EC) No. 1272/2008.

All chemicals are not listed.

None known. Not applicable.

Community Rolling Action Plan (CoRAP)

15.1.2 National regulations

15.2 Chemical Safety Assessment

16. SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 11

LEGEND

LTEL Long Term Exposure Limit
STEL Short Term Exposure Limit
DNEL Derived No Effect Level

PNEC Predicted No Effect Concentration
PBT Persistent, Bioaccumulative and Toxic
vPvB very Persistent and very Bioaccumulative
Skin Irrit. 2 Skin corrosion/irritation Category 2
Eye Irrit. 2 Serious eye damage/irritation Category 2

STOT SE 3 Specific target organ toxicity — single exposure Category 3

Hazard statement(s)

H315 Causes skin irritation.
 H319 Causes serious eye irritation.
 H335 May cause respiratory irritation.

Disclaimers

The information presented in this Safety Data Sheet was prepared by qualified personnel and to the best of our knowledge is true and accurate. The information and recommendations are furnished for this product with the understanding that the purchaser will independently determine the suitability of the product for this purpose. This data does not constitute a warranty, expressed or implied, statutory or otherwise, nor is it representation for which UKRPACK HOLDING LLC assumes legal responsibility. The data is submitted for the user's information and consideration only. Any use of this product must be determined by the user to be in accordance with applicable federal, state, provincial and local laws and regulations.

Annex to the extended Safety Data Sheet (eSDS)

Not applicable.