

DTECH DT-7019A HDMI to AV HD Converter Instructions



Welcome to use our high quality video converter series product!

HDMI to AV high-definition converter, can convert high-definition HDMI signal into AV (CVBS) composite video signal and FL/FR stereo audio signal

- Product Origin: guangzhou
- Brand: DTECH
- Shipping Port: guangzhou/shenzhen
- Color: Silver

PRODUCT DETAILS

I . Product introduction

Welcome to use our high quality video converter series product!

HDMI to AV high-definition converter, can convert high-definition HDMI signal into AV (CVBS) composite video signal and FL/FR stereo audio signal, allowing customers to convert high-definition HDMI video signal into ordinary CVBS signal, support PAL /NTSC two different standards.

II . Specification

1. Input HDMI signal format: 1080P (50Hz/60Hz) backward compatible
2. Output signal format: 1 group of AV output, 1 group of stereo audio output;
- 3, AV output impedance:75Ω

- 4, HDMI input impedance: 100Ω
- 5, working environment temperature: -25 ° C -75 ° C
- 6, working environment humidity: 65%
- 7, product size: 88 * 48.5 * 20mm (L*W*H)
- 8, maximum working current: DC5V/350mA

HDMI to AV converter

Enjoys 1080P high definition display



HDMI to AV converter

Enjoys 1080P high definition display



1080P high definition

audio and video
synchronization

multi standard PAL/NTSC

Highly compatible with spare power supply ports

Generally, not need ower supply, only when it connect with long distace or some high power comsumption equiment, power supply is needed. 1 meter line for present.

