



SecurOS supported hardware list

SecurOS 8.2 and Devices Pack 3.11

Contents

IP cameras and encoders

[3SVision \(Taiwan\)](#)
[ACTi \(Taiwan\)](#)
[Acumen \(Taiwan\)](#)
[APPRO \(Taiwan\)](#)
[Arecont Vision \(USA\)](#)
[Avigilon \(USA\)](#)
[AVTECH \(Taiwan\)](#)
[AXIS \(Sweden\)](#)
[Basler \(Germany\)](#)
[Beward \(Russia\)](#)
[Bolide \(USA\)](#)
[Bosch \(Germany\)](#)
[Brickcom \(Taiwan\)](#)
[Canon \(Japan\)](#)
[Cisco \(USA\)](#)
[CNB \(Korea\)](#)
[ComOnyx \(Taiwan\)](#)
[CORUMcctv \(Taiwan\)](#)
[D-Link \(Taiwan\)](#)
[Dallmeier \(Germany\)](#)
[Etrovision \(Taiwan\)](#)
[Evidence \(Latvia\)](#)
[FlexWATCH \(Korea\)](#)
[FLIR \(USA\)](#)
[Fuho \(Taiwan\)](#)
[Grandstream \(USA\)](#)
[HIKvision \(China\)](#)
[HUNT \(Taiwan\)](#)
[IOImage \(USA\)](#)
[IRZ \(Russia\)](#)
[IQinVision \(USA\)](#)
[J2000IP \(Russia\)](#)
[JVC \(Japan\)](#)
[Lilin \(Taiwan\)](#)
[LTV \(Russia\)](#)
[MicroDigital \(Korea\)](#)
[MOBOTIX \(Germany\)](#)
[NeoVizus \(Russia\)](#)
[OTN \(Belgium\)](#)
[Partizan \(UK\)](#)
[Panasonic \(Japan\)](#)
[Pelco \(USA\)](#)
[Rvi \(Taiwan\)](#)
[Samsung \(Korea\)](#)
[Sanyo \(Japan\)](#)
[Siera \(USA\)](#)
[Sigura \(USA\)](#)
[Sony \(Japan\)](#)
[Sunell \(China\)](#)
[Surveon \(Taiwan\)](#)
[Truen \(Korea\)](#)
[Tedd \(Taiwan\)](#)
[Verint \(USA\)](#)
[VIVOTEK \(Taiwan\)](#)
[XIS Corp. \(USA\)](#)
[YUDOR \(Taiwan\)](#)
[ZAVIO \(Taiwan\)](#)

Protocols

[ONVIF](#)
[RTP/RTSP](#)

Video Capture Boards

[ISS \(USA\)](#)

Joysticks and control boards

[AXIS \(Sweden\)](#)
[Bosch \(Germany\)](#)
[CH Products \(USA\)](#)
[Panasonic \(Japan\)](#)
[Pelco \(USA\)](#)
[Samsung \(Korea\)](#)

I/O devices

[MOXA \(Taiwan\)](#)

Video walls

[BARCO \(Belgium\)](#)

Radars

[SIMICON \(Russia\)](#)

Weighing machine

[TENSO-M \(Russia\)](#)

LED information panels

[ELTABLO \(Russia\)](#)

Access control

[AXIS \(Sweden\)](#)
[Bolid \(Russia\)](#)
[FortNet \(Russia\)](#)
[S2 Security \(USA\)](#)
[Falco System \(China\)](#)
[Vault \(Brazil\)](#)

Radiation and Gas controls

[ASPECT \(Russia\)](#)
[INKRAM \(Russia\)](#)

[Contents](#)
[General list](#)

Model	Device type	Video channel	Compression types*	Min Resolution *	Max Resolution *	Audio *	PTZ *	I/O *	Firmware, tested with
N1072	fixed box camera	1 ch.	H.264, MJPEG	0.02 MP (160x128)	1.9 MP (1600x1200)	in	n/a	n/s	tested by partner
N1073 (NTSC)	fixed box camera	1 ch.	H.264, MJPEG	0.02 MP (176x120)	0.3 MP (720x480)	in	n/a	n/s	supported by specification
N1073 (PAL)	fixed box camera	1 ch.	H.264, MJPEG	0.03 MP (176x144)	0.4 MP (720x576)	in	n/a	n/s	supported by specification
N3071	fixed dome camera	1 ch.	H.264, MJPEG	0.02 MP (160x128)	1.9 MP (1600x1200)	in	n/a	n/s	supported by specification
N3072	fixed dome camera	1 ch.	H.264, MJPEG	0.02 MP (160x128)	1.9 MP (1600x1200)	in	n/a	n/s	supported by specification
N3073	fixed dome camera	1 ch.	H.264, MJPEG	0.02 MP (160x128)	1.9 MP (1600x1200)	in	n/a	n/s	supported by specification
N3074	fixed dome camera	1 ch.	H.264, MJPEG	0.02 MP (160x128)	1.9 MP (1600x1200)	in	n/a	n/s	supported by specification
N5071 (NTSC)	PTZ dome camera	1 ch.	H.264, MJPEG	0.02 MP (176x120)	0.3 MP (720x480)	in	PTZ, presets	n/a	supported by specification
N5071 (PAL)	PTZ dome camera	1 ch.	H.264, MJPEG	0.03 MP (176x144)	0.4 MP (720x576)	in	PTZ, presets	n/a	supported by specification
N5072 (NTSC)	PTZ dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	0.9 MP (1280x720)	in	PTZ, presets	n/s	supported by specification
N5072 (PAL)	PTZ dome camera	1 ch.	H.264, MJPEG	0.11 MP (352x288)	0.9 MP (1280x720)	in	PTZ, presets	n/s	supported by specification
N6071	fixed box camera	1 ch.	H.264, MJPEG	0.02 MP (160x128)	1.9 MP (1600x1200)	in	n/a	n/s	supported by specification
N6072	fixed box camera	1 ch.	H.264, MJPEG	0.02 MP (160x128)	1.9 MP (1600x1200)	in	n/a	n/s	supported by specification
N6073	fixed box camera	1 ch.	H.264, MJPEG	0.02 MP (160x128)	1.9 MP (1600x1200)	in	n/a	n/s	supported by specification
N6074	fixed box camera	1 ch.	H.264, MJPEG	0.02 MP (160x128)	1.9 MP (1600x1200)	in	n/a	n/s	supported by specification
N6075	fixed box camera	1 ch.	H.264, MJPEG	0.02 MP (160x128)	1.9 MP (1600x1200)	in	n/a	n/s	supported by specification
N6076	fixed box camera	1 ch.	H.264, MJPEG	0.02 MP (160x128)	1.9 MP (1600x1200)	in	n/a	n/s	supported by specification
N6077	fixed box camera	1 ch.	H.264, MJPEG	0.02 MP (160x128)	1.9 MP (1600x1200)	in	n/a	n/s	supported by specification
N8071	fixed box camera	1 ch.	H.264, MJPEG	0.02 MP (160x128)	1.9 MP (1600x1200)	in	n/a	n/a	supported by specification
N8072	fixed box camera	1 ch.	H.264, MJPEG	0.02 MP (160x128)	1.9 MP (1600x1200)	in	n/a	n/a	supported by specification
N9071	fixed dome camera	1 ch.	H.264, MJPEG	0.02 MP (160x128)	1.9 MP (1600x1200)	in	n/a	n/a	ver.V1.05_STD-1
S2071	encoder	2 ch.	H.264, MJPEG	0.02 MP (176x120) in NTSC 0.02 MP (176x144) in PAL	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	in	n/a	n/s	supported by specification
S4071	encoder	4 ch.	H.264, MJPEG	0.02 MP (176x120) in NTSC 0.02 MP (176x144) in PAL	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	in	n/a	n/s	supported by specification

[Contents](#)
[General list](#)

Model	Device type	Video channel	Compression types*	Min Resolution*	Max Resolution*	Audio*	PTZ*	I/O*	Firmware, tested with
KCM-3211	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.3 MP (640x480)	3.9 MP (2032x1920)	n/s	n/a	n/s	supported by specification
KCM-3311	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.3 MP (640x480)	3.9 MP (2032x1920)	n/a	n/a	n/a	supported by specification
KCM-3911	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.3 MP (640x480)	3.9 MP (2032x1920)	n/s	n/a	n/s	supported by specification
KCM-5111	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.3 MP (640x480)	3.9 MP (2032x1920)	n/s	n/a	n/s	supported by specification
KCM-5211	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.3 MP (640x480)	3.9 MP (2032x1920)	n/s	n/a	n/s	ver.A1D-311-V5.07.02-AC
KCM-5211E	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.3 MP (640x480)	3.9 MP (2032x1920)	n/s	n/a	n/s	supported by specification
KCM-5311	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.3 MP (640x480)	2.1 MP (1920x1080)	n/s	n/a	n/s	ver.A1D-311-V5.07.02-AC
KCM-5311E	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.3 MP (640x480)	2.1 MP (1920x1080)	n/s	n/a	n/s	ver.A1D-311-V5.03.02-AC
KCM-5611	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.3 MP (640x480)	2.1 MP (1920x1080)	n/s	n/a	n/s	supported by specification
KCM-7111	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.3 MP (640x480)	3.9 MP (2032x1920)	n/s	n/a	n/s	supported by specification
KCM-7211	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.3 MP (640x480)	3.9 MP (2032x1920)	n/s	n/a	n/s	supported by specification
KCM-7311	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.3 MP (640x480)	3.9 MP (2032x1920)	n/s	n/a	n/s	supported by specification
KCM-7911	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.3 MP (640x480)	3.9 MP (2032x1920)	n/s	n/a	n/s	supported by specification
TCM-1111	fixed bullet camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x112)	1.3 MP (1280x1024)	n/a	n/a	n/a	supported by specification
TCM-1231	fixed bullet camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x112)	1.3 MP (1280x1024)	n/s	n/a	n/s	ver.A1D-310-V4.10.07-AC
TCM-3111	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x112)	1.3 MP (1280x1024)	n/a	n/a	n/a	supported by specification
TCM-3511	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x112)	1.3 MP (1280x1024)	n/s	n/a	n/s	supported by specification
TCM-4201	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x112)	1.3 MP (1280x1024)	n/s	n/a	n/s	supported by specification
TCM-4511	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x112)	1.3 MP (1280x1024)	n/a	n/a	n/a	ver.A1D-310-V4.12.02-AC
TCM-5111	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x112)	1.3 MP (1280x1024)	n/a	n/a	n/a	supported by specification
TCM-5611	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x112)	1.3 MP (1280x1024)	n/s	n/a	n/s	supported by specification
TCM-6630N	speed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x112)	0.3 MP (720x480)	n/s	PTZ, presets, tour	n/s	supported by specification
TCM-6630P	speed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (176x144)	0.4 MP (720x576)	n/s	PTZ, presets, tour	n/s	ver.A1D-310-V4.12.02-AC
TCM-7411	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x112)	1.3 MP (1280x1024)	n/s	n/a	n/s	supported by specification
TCM-7811	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x112)	1.2 MP (1280x960)	n/s	n/a	n/s	supported by specification

[Contents](#)
[General list](#)

Model	Device type	Video channel	Compression types*	Min Resolution *	Max Resolution *	Audio *	PTZ *	I/O *	Firmware, tested with
AiP-B54A-05Y2B	fixed box camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	5.1 MP (2560x1980)	in	n/a	n/s	supported by specification
AiP-B34N-05Y2B	fixed box camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	3.1 MP (2048x1536)	in	n/a	n/s	supported by specification
AiP-B34A-05Y2B	fixed box camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	3.1 MP (2048x1536)	in	n/a	n/s	supported by specification
AiP-B24N-05Y2B	fixed box camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	2.1 MP (1920x1080)	in	n/a	n/s	supported by specification
AiP-B24A-05Y2B	fixed box camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	2.1 MP (1920x1080)	in	n/a	n/s	supported by specification
AiP-B53N-05Y2B	fixed box camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	2.1 MP (1920x1080)	in	n/a	n/s	ver. 1.1.004(AI)
AiP-B53A-05Y2B	fixed box camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	2.1 MP (1920x1080)	in	n/a	n/s	supported by specification
AiP-O24V-05Y2B	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	2.1 MP (1920x1080)	in	n/a	n/s	supported by specification
AiP-P24V-05Y2B	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	2.1 MP (1920x1080)	in	n/a	n/s	supported by specification
AiP-U53K-35N0B	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	2.1 MP (1920x1080)	n/a	n/a	n/a	supported by specification
AiP-O24N-05Y2B	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	2.1 MP (1920x1080)	in	n/a	n/s	supported by specification
AiP-O53N-05Y2B	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	2.1 MP (1920x1080)	in	n/a	n/s	supported by specification
AiP-P24N-05Y2B	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	2.1 MP (1920x1080)	in	n/a	n/s	supported by specification
AiP-P53N-05Y2B	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	2.1 MP (1920x1080)	in	n/a	n/s	supported by specification
AiP-U24K-01N0B	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	2.1 MP (1920x1080)	n/a	n/a	n/a	supported by specification
AiP-U53K-01N0B	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	2.1 MP (1920x1080)	n/a	n/a	n/a	supported by specification
AiP-U53E-01N0B	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	2.1 MP (1920x1080)	n/a	n/a	n/a	supported by specification
AiP-R24K-05Y1B	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	2.1 MP (1920x1080)	in	n/a	n/a	supported by specification
AiP-R53K-05Y1B	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	2.1 MP (1920x1080)	in	n/a	n/a	supported by specification
AiP-V24K-05Y1B	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	2.1 MP (1920x1080)	in	n/a	n/a	supported by specification
AiP-P24N-45Y2B	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	2.1 MP (1920x1080)	in	n/a	n/a	supported by specification
AiP-P53N-45Y2B	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	2.1 MP (1920x1080)	in	n/a	n/a	supported by specification
AiP-Z04N-44N0B	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	2.1 MP (1920x1080)	in	n/a	n/s	supported by specification
AiP-Y04Z-02N2BN	PTZ dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	0.5 MP (960x576)	n/s	PTZ	n/s	supported by specification
AiP-Y04Z-03N2BN	PTZ dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	0.5 MP (960x576)	n/s	PTZ	n/s	supported by specification
AiP-Y04Z-02N2BP	PTZ dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	0.5 MP (960x576)	n/s	PTZ	n/s	supported by specification
AiP-Y04Z-03N2BP	PTZ dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	0.5 MP (960x576)	n/s	PTZ	n/s	supported by specification
AiP-I04Z-02N2BN	PTZ dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	0.5 MP (960x576)	n/s	PTZ	n/s	supported by specification
AiP-I04Z-03N2BN	PTZ dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	0.5 MP (960x576)	n/s	PTZ	n/s	supported by specification
AiP-I04Z-02N2BP	PTZ dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	0.5 MP (960x576)	n/s	PTZ	n/s	supported by specification
AiP-I04Z-03N2BP	PTZ dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	0.5 MP (960x576)	n/s	PTZ	n/s	supported by specification
AiP-I14D-02N2B	PTZ dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	1.3 MP (1280x1024)	n/a	PTZ	n/s	supported by specification
AiP-I14D-03N2B	PTZ dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	1.3 MP (1280x1024)	n/a	PTZ	n/s	supported by specification
AiP-Y14D-02N2B	PTZ dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	1.3 MP (1280x1024)	n/s	PTZ	n/s	supported by specification
AiP-Y14D-03N2B	PTZ dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	1.3 MP (1280x1024)	n/s	PTZ	n/s	ver. 1.0.504(AI)
AiP-I34-02N2B	PTZ dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	2.1 MP (1920x1080)	n/s	PTZ	n/s	supported by specification
AiP-I34-03N2B	PTZ dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	2.1 MP (1920x1080)	n/s	PTZ	n/s	supported by specification
AiP-Y32-02N2B	PTZ dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	2.1 MP (1920x1080)	n/s	PTZ	n/s	supported by specification
AiP-Y32-03N2B	PTZ dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	2.1 MP (1920x1080)	n/s	PTZ	n/s	supported by specification

Model	Device type	Video channel	Compression types*	Min Resolution *	Max Resolution *	Audio *	PTZ *	I/O *	Firmware, tested with
AiP-K34N-A6Y2B	fixed bullet camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	3.1 MP (2048x1536)	in	n/a	n/s	supported by specification
AiP-K34N-A7Y2B	fixed bullet camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	3.1 MP (2048x1536)	in	n/a	n/s	supported by specification
AiP-J34F-G2Y2B	fixed bullet camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	3.1 MP (2048x1536)	in	n/a	n/s	supported by specification
AiP-J34F-G3Y2B	fixed bullet camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	3.1 MP (2048x1536)	in	n/a	n/s	supported by specification
AiP-M24K-45NOB	fixed bullet camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	2.1 MP (1920x1080)	n/a	n/a	n/a	supported by specification
AiP-M24E-45NOB	fixed bullet camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	2.1 MP (1920x1080)	n/a	n/a	n/a	supported by specification
AiP-M53K-45NOB	fixed bullet camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	2.1 MP (1920x1080)	n/a	n/a	n/a	supported by specification
AiP-M53E-45NOB	fixed bullet camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	2.1 MP (1920x1080)	n/a	n/a	n/a	supported by specification
AiP-L24N-66Y2B	fixed bullet camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	2.1 MP (1920x1080)	in	n/a	n/s	supported by specification
AiP-L24N-67Y2B	fixed bullet camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	2.1 MP (1920x1080)	in	n/a	n/s	supported by specification
AiP-L53N-66Y2B	fixed bullet camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	2.1 MP (1920x1080)	in	n/a	n/s	supported by specification
AiP-L53N-67Y2B	fixed bullet camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	2.1 MP (1920x1080)	in	n/a	n/s	supported by specification
AiP-M34N-45NOB	fixed bullet camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	3.1 MP (2048x1536)	in	n/a	n/a	supported by specification
AiP-M34K-45NOB	fixed bullet camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	3.1 MP (2048x1536)	in	n/a	n/a	supported by specification
AiP-M34E-45NOB	fixed bullet camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	3.1 MP (2048x1536)	in	n/a	n/a	supported by specification
AiP-M34E-45NOB	fixed bullet camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	2.1 MP (1920x1080)	in	n/a	n/a	supported by specification
AiP-T24N-55Y2B	fixed bullet camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	2.1 MP (1920x1080)	in	n/a	n/s	supported by specification
AiP-T53N-55Y2B	fixed bullet camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	2.1 MP (1920x1080)	in	n/a	n/s	supported by specification

[Contents](#)
[General list](#)

Model	Device type	Video channel	Compression types*	Min Resolution *	Max Resolution *	Audio *	PTZ *	I/O *	Firmware, tested with
AV10115	fixed box camera	1 ch.	H.264, MJPEG	2.5 MP (1824x1376)	10.0 MP (3648x2752)	n/a	n/a	n/s	ver.65210
AV10115AI	fixed box camera	1 ch.	H.264, MJPEG	2.5 MP (1824x1376)	10.0 MP (3648x2752)	n/a	n/a	n/s	supported by specification
AV10115DN	fixed box camera	1 ch.	H.264, MJPEG	2.5 MP (1824x1376)	10.0 MP (3648x2752)	n/a	n/a	n/s	supported by specification
AV10255	fixed dome camera	1 ch.	H.264, MJPEG	2.5 MP (1824x1376)	10 MP (3648x2752)	n/a	n/a	n/s	supported by specification
AV1115	fixed box camera	1 ch.	H.264, MJPEG	0.3 MP (640x512)	1.3 MP (1280x1024)	n/a	n/a	n/s	supported by specification
AV1125	fixed bullet camera	1 ch.	H.264, MJPEG	0.3 MP (640x512)	1.3 MP (1280x1024)	n/a	n/a	n/a	supported by specification
AV1145	fixed dome camera	1 ch.	H.264, MJPEG	0.3 MP (640x512)	1.3 MP (1280x1024)	n/a	n/a	n/a	ver.65225
AV12186	panoramic camera	4 ch.	H.264, MJPEG	0.8 MP (1024x768) x 4	3.1 MP (2048x1536) x 4	n/a	n/a	n/s	supported by specification
AV1255	fixed dome camera	1 ch.	H.264, MJPEG	0.3 MP (640x512)	1.3 MP (1280x1024)	n/a	n/a	n/s	supported by specification
AV1300-AI	fixed box camera	1 ch.	MJPEG	0.3 MP (640x512)	1.3 MP (1280x1024)	n/a	n/a	n/s	supported by specification
AV1300DN	fixed box camera	1 ch.	MJPEG	0.3 MP (640x512)	1.3 MP (1280x1024)	n/a	n/a	n/s	supported by specification
AV1300M	fixed box camera	1 ch.	MJPEG	0.3 MP (640x512)	1.3 MP (1280x1024)	n/a	n/a	n/s	ver.64328
AV1305	fixed box camera	1 ch.	H.264, MJPEG	0.3 MP (640x512)	1.3 MP (1280x1024)	n/a	n/a	n/s	supported by specification
AV1305-AI	fixed box camera	1 ch.	H.264, MJPEG	0.3 MP (640x512)	1.3 MP (1280x1024)	n/a	n/a	n/s	supported by specification
AV1305DN	fixed box camera	1 ch.	H.264, MJPEG	0.3 MP (640x512)	1.3 MP (1280x1024)	n/a	n/a	n/s	ver.65130
AV1310	fixed box camera	1 ch.	MJPEG	0.3 MP (640x512)	1.3 MP (1280x1024)	n/a	n/a	n/s	ver.65142
AV1310DN	fixed box camera	1 ch.	MJPEG	0.3 MP (640x512)	1.3 MP (1280x1024)	n/a	n/a	n/s	supported by specification
AV1355	fixed dome camera	1 ch.	H.264, MJPEG	0.3 MP (640x512)	1.3 MP (1280x1024)	n/a	n/a	n/s	supported by specification
AV1355-16	fixed dome camera	1 ch.	H.264, MJPEG	0.3 MP (640x512)	1.3 MP (1280x1024)	n/a	n/a	n/s	supported by specification
AV1355-16HK	fixed dome camera	1 ch.	H.264, MJPEG	0.3 MP (640x512)	1.3 MP (1280x1024)	n/a	n/a	n/s	supported by specification
AV1355-1HK	fixed dome camera	1 ch.	H.264, MJPEG	0.3 MP (640x512)	1.3 MP (1280x1024)	n/a	n/a	n/s	supported by specification
AV1355DN	fixed dome camera	1 ch.	H.264, MJPEG	0.3 MP (640x512)	1.3 MP (1280x1024)	n/a	n/a	n/s	supported by specification
AV1355DN-16	fixed dome camera	1 ch.	H.264, MJPEG	0.3 MP (640x512)	1.3 MP (1280x1024)	n/a	n/a	n/s	supported by specification
AV1355DN-16HK	fixed dome camera	1 ch.	H.264, MJPEG	0.3 MP (640x512)	1.3 MP (1280x1024)	n/a	n/a	n/s	supported by specification
AV1355DN-1HK	fixed dome camera	1 ch.	H.264, MJPEG	0.3 MP (640x512)	1.3 MP (1280x1024)	n/a	n/a	n/s	ver.65139
AV1455	fixed dome camera	1 ch.	H.264, MJPEG	0.3 MP (640x512)	1.3 MP (1280x1024)	n/a	n/a	n/s	supported by specification
AV20185	panoramic camera	4 ch.	H.264, MJPEG	1.2 MP (1280x960) x 4	5.0 MP (2560x1920) x 4	n/a	n/a	n/s	supported by specification
AV20185DN	panoramic camera	4 ch.	H.264, MJPEG	1.2 MP (1280x960) x 4	4.9 MP (2560x1920) x 4	n/a	n/a	n/s	ver.65187
AV20365	panoramic camera	4 ch.	H.264, MJPEG	1.2 MP (1280x960) x 4	5.0 MP (2560x1920) x 4	n/a	n/a	n/s	supported by specification
AV2100-AI	fixed box camera	1 ch.	MJPEG	0.5 MP (800x608)	1.9 MP (1600x1200)	n/a	n/a	n/s	supported by specification
AV2100DN	fixed box camera	1 ch.	MJPEG	0.5 MP (800x608)	1.9 MP (1600x1200)	n/a	n/a	n/s	supported by specification
AV2100M	fixed box camera	1 ch.	MJPEG	0.5 MP (800x608)	1.9 MP (1600x1200)	n/a	n/a	n/s	ver.64328
AV2105	fixed box camera	1 ch.	H.264, MJPEG	0.5 MP (800x608)	1.9 MP (1600x1200)	n/a	n/a	n/s	ver.65009
AV2105-AI	fixed box camera	1 ch.	H.264, MJPEG	0.5 MP (800x608)	1.9 MP (1600x1200)	n/a	n/a	n/s	supported by specification
AV2105DN	fixed box camera	1 ch.	H.264, MJPEG	0.5 MP (800x608)	1.9 MP (1600x1200)	n/a	n/a	n/s	supported by specification
AV2110	fixed box camera	1 ch.	MJPEG	0.5 MP (800x600)	1.9 MP (1600x1200)	n/a	n/a	n/s	ver.65141
AV2110DN	fixed box camera	1 ch.	MJPEG	0.5 MP (800x608)	1.9 MP (1600x1200)	n/a	n/a	n/s	supported by specification

Model	Device type	Video channel	Compression types*	Min Resolution *	Max Resolution *	Audio *	PTZ *	I/O *	Firmware, tested with
AV2115	fixed box camera	1 ch.	H.264, MJPEG	0.5 MP (960x540)	2.1 MP (1920x1080)	n/a	n/a	n/s	supported by specification
AV2116	fixed box camera	1 ch.	H.264, MJPEG	0.5 MP (960x540)	2.1 MP (1920x1080)	n/a	n/a	n/s	supported by specification
AV2125	fixed bullet camera	1 ch.	H.264, MJPEG	0.5 MP (960x540)	2.1 MP (1920x1080)	n/a	n/a	n/a	supported by specification
AV2145	fixed dome camera	1 ch.	H.264, MJPEG	0.5 MP (960x540)	2.1 MP (1920x1080)	n/a	n/a	n/a	supported by specification
AV2146	fixed dome camera	1 ch.	H.264, MJPEG	0.5 MP (960x540)	2.1 MP (1920x1080)	n/a	n/a	n/a	supported by specification
AV2155	fixed dome camera	1 ch.	H.264, MJPEG	0.5 MP (800x608)	1.9 MP (1600x1216)	n/a	n/a	n/s	supported by specification
AV2155-16	fixed dome camera	1 ch.	H.264, MJPEG	0.5 MP (800x608)	1.9 MP (1600x1216)	n/a	n/a	n/s	supported by specification
AV2155-16HK	fixed dome camera	1 ch.	H.264, MJPEG	0.5 MP (800x608)	1.9 MP (1600x1216)	n/a	n/a	n/s	supported by specification
AV2155-1HK	fixed dome camera	1 ch.	H.264, MJPEG	0.5 MP (800x608)	1.9 MP (1600x1216)	n/a	n/a	n/s	supported by specification
AV2155DN	fixed dome camera	1 ch.	H.264, MJPEG	0.5 MP (800x608)	1.9 MP (1600x1216)	n/a	n/a	n/s	ver.65130, ver.65140
AV2155DN-16	fixed dome camera	1 ch.	H.264, MJPEG	0.5 MP (800x608)	1.9 MP (1600x1216)	n/a	n/a	n/s	supported by specification
AV2155DN-16HK	fixed dome camera	1 ch.	H.264, MJPEG	0.5 MP (800x608)	1.9 MP (1600x1216)	n/a	n/a	n/s	supported by specification
AV2155DN-1HK	fixed dome camera	1 ch.	H.264, MJPEG	0.5 MP (800x608)	1.9 MP (1600x1216)	n/a	n/a	n/s	supported by specification
AV2225	fixed bullet camera	1 ch.	H.264, MJPEG	0.5 MP (960x540)	2.1 MP (1920x1080)	n/a	n/a	n/s	supported by specification
AV2226	fixed bullet camera	1 ch.	H.264, MJPEG	0.5 MP (960x540)	2.1 MP (1920x1080)	n/a	n/a	n/s	supported by specification
AV2245	fixed dome camera	1 ch.	H.264, MJPEG	0.5 MP (960x540)	2.1 MP (1920x1080)	n/a	n/a	n/s	supported by specification
AV2246	fixed dome camera	1 ch.	H.264, MJPEG	0.5 MP (960x540)	2.1 MP (1920x1080)	n/a	n/a	n/s	supported by specification
AV2255	fixed dome camera	1 ch.	H.264, MJPEG	0.5 MP (960x540)	2.1 MP (1920x1080)	n/a	n/a	n/s	supported by specification
AV2256	fixed dome camera	1 ch.	H.264, MJPEG	0.5 MP (960x540)	2.1 MP (1920x1080)	n/a	n/a	n/s	supported by specification
AV2455	fixed dome camera	1 ch.	H.264, MJPEG	0.5 MP (960x540)	2.1 MP (1920x1080)	n/a	n/a	n/s	supported by specification
AV2456	fixed dome camera	1 ch.	H.264, MJPEG	0.5 MP (960x540)	2.1 MP (1920x1080)	n/a	n/a	n/s	supported by specification
AV2805	fixed box camera	1 ch.	H.264, MJPEG	0.5 MP (960x540)	2.1 MP (1920x1080)	n/a	n/a	n/s	ver.65192
AV2805-Ai	fixed box camera	1 ch.	H.264, MJPEG	0.5 MP (960x540)	2.1 MP (1920x1080)	n/a	n/a	n/s	supported by specification
AV2805DN	fixed box camera	1 ch.	H.264, MJPEG	0.5 MP (960x540)	2.1 MP (1920x1080)	n/a	n/a	n/s	ver.65192
AV3100-Ai	fixed box camera	1 ch.	MJPEG	0.8 MP (1024x768)	3.1 MP (2048x1536)	n/a	n/a	n/s	supported by specification
AV3100DN	fixed box camera	1 ch.	MJPEG	0.8 MP (1024x768)	3.1 MP (2048x1536)	n/a	n/a	n/s	supported by specification
AV3100M	fixed box camera	1 ch.	MJPEG	0.8 MP (1024x768)	3.1 MP (2048x1536)	n/a	n/a	n/s	ver.64328
AV3105	fixed box camera	1 ch.	H.264, MJPEG	0.8 MP (1024x768)	3.1 MP (2048x1536)	n/a	n/a	n/s	supported by specification
AV3105-Ai	fixed box camera	1 ch.	H.264, MJPEG	0.8 MP (1024x768)	3.1 MP (2048x1536)	n/a	n/a	n/s	supported by specification
AV3105DN	fixed box camera	1 ch.	H.264, MJPEG	0.8 MP (1024x768)	3.1 MP (2048x1536)	n/a	n/a	n/s	ver.65009
AV3110	fixed box camera	1 ch.	MJPEG	0.8 MP (1024x768)	3.1 MP (2048x1536)	n/a	n/a	n/s	tested by customer
AV3110	fixed box camera	1 ch.	MJPEG	0.8 MP (1024x768)	3.1 MP (2048x1536)	n/a	n/a	n/s	supported by specification
AV3110DN	fixed box camera	1 ch.	MJPEG	0.8 MP (1024x768)	3.1 MP (2048x1536)	n/a	n/a	n/s	supported by specification
AV3115	fixed box camera	1 ch.	H.264, MJPEG	0.8 MP (1024x768)	3.1 MP (2048x1536)	n/a	n/a	n/s	supported by specification
AV3116	fixed box camera	1 ch.	H.264, MJPEG	0.8 MP (1024x768)	3.1 MP (2048x1536)	n/a	n/a	n/s	supported by specification
AV3125	fixed bullet camera	1 ch.	H.264, MJPEG	0.8 MP (1024x768)	3.1 MP (2048x1536)	n/a	n/a	n/a	supported by specification
AV3130	fixed box camera	1 ch.	MJPEG	0.8 MP (1024x768)	3.1 MP (2048x1536)	n/a	n/a	n/s	ver.62603
AV3130M	fixed box camera	1 ch.	MJPEG	0.8 MP (1024x768)	3.1 MP (2048x1536)	n/a	n/a	n/s	ver.62603

Model	Device type	Video channel	Compression types*	Min Resolution *	Max Resolution *	Audio *	PTZ *	I/O *	Firmware, tested with
AV3135	fixed box camera	1 ch.	H.264, MJPEG	0.8 MP (1024x768)	3.1 MP (2048x1536)	n/a	n/a	n/s	supported by specification
AV3145	fixed dome camera	1 ch.	H.264, MJPEG	0.8 MP (1024x768)	3.1 MP (2048x1536)	n/a	n/a	n/a	ver.65225
AV3146	fixed dome camera	1 ch.	H.264, MJPEG	0.8 MP (1024x768)	3.1 MP (2048x1536)	n/a	n/a	n/a	supported by specification
AV3155	fixed dome camera	1 ch.	H.264, MJPEG	0.8 MP (1024x768)	3.1 MP (2048x1536)	n/a	n/a	n/s	supported by specification
AV3155	fixed dome camera	1 ch.	H.264, MJPEG	0.8 MP (1024x768)	3.1 MP (2048x1536)	n/a	n/a	n/s	supported by specification
AV3155-16	fixed dome camera	1 ch.	H.264, MJPEG	0.8 MP (1024x768)	3.1 MP (2048x1536)	n/a	n/a	n/s	supported by specification
AV3155-16HK	fixed dome camera	1 ch.	H.264, MJPEG	0.8 MP (1024x768)	3.1 MP (2048x1536)	n/a	n/a	n/s	supported by specification
AV3155-1HK	fixed dome camera	1 ch.	H.264, MJPEG	0.8 MP (1024x768)	3.1 MP (2048x1536)	n/a	n/a	n/s	supported by specification
AV3155DN	fixed dome camera	1 ch.	H.264, MJPEG	0.8 MP (1024x768)	3.1 MP (2048x1536)	n/a	n/a	n/s	supported by specification
AV3155DN-16	fixed dome camera	1 ch.	H.264, MJPEG	0.8 MP (1024x768)	3.1 MP (2048x1536)	n/a	n/a	n/s	supported by specification
AV3155DN-16HK	fixed dome camera	1 ch.	H.264, MJPEG	0.8 MP (1024x768)	3.1 MP (2048x1536)	n/a	n/a	n/s	supported by specification
AV3155DN-1HK	fixed dome camera	1 ch.	H.264, MJPEG	0.8 MP (1024x768)	3.1 MP (2048x1536)	n/a	n/a	n/s	ver.65139, ver.65140
AV3225	fixed bullet camera	1 ch.	H.264, MJPEG	0.8 MP (1024x768)	3.1 MP (2048x1536)	n/a	n/a	n/s	supported by specification
AV3226	fixed bullet camera	1 ch.	H.264, MJPEG	0.8 MP (1024x768)	3.1 MP (2048x1536)	n/a	n/a	n/s	supported by specification
AV3245	fixed dome camera	1 ch.	H.264, MJPEG	0.8 MP (1024x768)	3.1 MP (2048x1536)	n/a	n/a	n/s	supported by specification
AV3246	fixed dome camera	1 ch.	H.264, MJPEG	0.8 MP (1024x768)	3.1 MP (2048x1536)	n/a	n/a	n/s	supported by specification
AV3255	fixed dome camera	1 ch.	H.264, MJPEG	0.8 MP (1024x768)	3.1 MP (2048x1536)	n/a	n/a	n/s	supported by specification
AV3256	fixed dome camera	1 ch.	H.264, MJPEG	0.8 MP (1024x768)	3.1 MP (2048x1536)	n/a	n/a	n/s	supported by specification
AV3455	fixed dome camera	1 ch.	H.264, MJPEG	0.8 MP (1024x768)	3.1 MP (2048x1536)	n/a	n/a	n/s	supported by specification
AV3456	fixed dome camera	1 ch.	H.264, MJPEG	0.8 MP (1024x768)	3.1 MP (2048x1536)	n/a	n/a	n/s	supported by specification
AV40185	panoramic camera	4 ch.	H.264, MJPEG	2.5 MP (1824x1376) x 4	6.4 MP (3648x2752) x 4	n/a	n/a	n/s	supported by specification
AV5105	fixed box camera	1 ch.	H.264, MJPEG	1.2 MP (1296x968)	5.0 MP (2592x1944)	n/a	n/a	n/s	supported by specification
AV5105-Ai	fixed box camera	1 ch.	H.264, MJPEG	1.2 MP (1296x968)	5.0 MP (2592x1944)	n/a	n/a	n/s	supported by specification
AV5105DN	fixed box camera	1 ch.	H.264, MJPEG	1.2 MP (1296x968)	5.0 MP (2592x1944)	n/a	n/a	n/s	ver.65140
AV5110	fixed box camera	1 ch.	MJPEG	1.2 MP (1296x968)	5.0 MP (2592x1944)	n/a	n/a	n/s	supported by specification
AV5115	fixed box camera	1 ch.	H.264, MJPEG	1.2 MP (1296x968)	5.0 MP (2592x1944)	n/a	n/a	n/s	supported by specification
AV5125	fixed bullet camera	1 ch.	H.264, MJPEG	1.2 MP (1296x968)	5.0 MP (2592x1944)	n/a	n/a	n/a	supported by specification
AV5145	fixed dome camera	1 ch.	H.264, MJPEG	1.2 MP (1296x968)	5.0 MP (2592x1944)	n/a	n/a	n/a	supported by specification
AV5155	fixed dome camera	1 ch.	H.264, MJPEG	1.2 MP (1296x968)	5.0 MP (2592x1944)	n/a	n/a	n/s	supported by specification
AV5155	fixed dome camera	1 ch.	H.264, MJPEG	1.2 MP (1296x968)	5.0 MP (2592x1944)	n/a	n/a	n/s	supported by specification
AV5155-16	fixed dome camera	1 ch.	H.264, MJPEG	1.2 MP (1296x968)	5.0 MP (2592x1944)	n/a	n/a	n/s	supported by specification
AV5155-16HK	fixed dome camera	1 ch.	H.264, MJPEG	1.2 MP (1296x968)	5.0 MP (2592x1944)	n/a	n/a	n/s	supported by specification
AV5155-1HK	fixed dome camera	1 ch.	H.264, MJPEG	1.2 MP (1296x968)	5.0 MP (2592x1944)	n/a	n/a	n/s	supported by specification
AV5155DN	fixed dome camera	1 ch.	H.264, MJPEG	1.2 MP (1296x968)	5.0 MP (2592x1944)	n/a	n/a	n/s	supported by specification
AV5155DN-16	fixed dome camera	1 ch.	H.264, MJPEG	1.2 MP (1296x968)	5.0 MP (2592x1944)	n/a	n/a	n/s	supported by specification
AV5155DN-16HK	fixed dome camera	1 ch.	H.264, MJPEG	1.2 MP (1296x968)	5.0 MP (2592x1944)	n/a	n/a	n/s	supported by specification
AV5155DN-1HK	fixed dome camera	1 ch.	H.264, MJPEG	1.2 MP (1296x968)	5.0 MP (2592x1944)	n/a	n/a	n/s	ver.65140
AV5225	fixed bullet camera	1 ch.	H.264, MJPEG	1.2 MP (1296x972)	5.0 MP (2592x1944)	n/a	n/a	n/s	supported by specification

Model	Device type	Video channel	Compression types*	Min Resolution *	Max Resolution *	Audio *	PTZ *	I/O *	Firmware, tested with
AV5245	fixed dome camera	1 ch.	H.264, MJPEG	1.2 MP (1296x968)	5.0 MP (2592x1944)	n/a	n/a	n/s	supported by specification
AV5255	fixed dome camera	1 ch.	H.264, MJPEG	1.2 MP (1296x972)	5.0 MP (2592x1944)	n/a	n/a	n/s	supported by specification
AV5455	fixed dome camera	1 ch.	H.264, MJPEG	1.2 MP (1296x972)	5.0 MP (2592x1944)	n/a	n/a	n/s	supported by specification
AV8180	panoramic camera	4 ch.	MJPEG	0.5 MP (800x608)x4	1.9 MP (1600x1216)x4	n/a	n/a	n/s	ver.64328
AV8185	panoramic camera	4 ch.	H.264, MJPEG	0.5 MP (800x600)x4	1.9 MP (1600x1200)x4	n/a	n/a	n/s	ver.65031
AV8365	panoramic camera	4 ch.	H.264, MJPEG	0.5 MP (800x600)x4	1.9 MP (1600x1200)x4	n/a	n/a	n/s	supported by specification

[Contents](#)
[General list](#)

Model	Device type	Video channel	Compression types*	Min Resolution *	Max Resolution *	Audio *	PTZ *	I/O *	Firmware, tested with
LC-7411	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	1.3 MP (1280x1024)	in	n/a	n/s	tested by partner
LC-7421	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	1.3 MP (1280x1024)	in	n/a	n/s	supported by specification
LC-7421AF	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	1.3 MP (1280x1024)	in	n/s	n/s	supported by specification
LC-7431	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	1.3 MP (1280x1024)	in	n/a	n/s	supported by specification
LC-7431AF	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	1.3 MP (1280x1024)	in	n/s	n/s	supported by specification
LC-7451	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	1.3 MP (1280x1024)	in	n/a	n/s	supported by specification
LC-7451AF	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	1.3 MP (1280x1024)	in	n/s	n/s	supported by specification
LC-7513	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	2.1 MP (1920x1080)	in	n/a	n/s	supported by specification
LC-7516	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	3.1 MP (2048x1536)	in	n/a	n/s	supported by specification
LC-7523	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	2.1 MP (1920x1080)	in	n/a	n/s	supported by specification
LC-7523M	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	2.1 MP (1920x1080)	in	n/a	n/s	supported by specification
LC-7526	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	3.1 MP (2048x1536)	in	n/a	n/s	supported by specification
LC-7533	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	2.1 MP (1920x1080)	in	n/a	n/s	supported by specification
LC-7533M	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	2.1 MP (1920x1080)	in	n/a	n/s	supported by specification
LC-7536	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	3.1 MP (2048x1536)	in	n/a	n/s	supported by specification
LC-7553	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	2.1 MP (1920x1080)	in	n/a	n/s	supported by specification
LC-7553F	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	2.1 MP (1920x1080)	in	n/a	n/s	supported by specification
LC-7553M	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	2.1 MP (1920x1080)	in	n/a	n/s	supported by specification
LC-7556	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	3.1 MP (2048x1536)	in	n/a	n/s	supported by specification

Contents

[General list](#)

Model	Device type	Video channel	Compression types*	Min Resolution *	Max Resolution *	Audio *	PTZ *	I/O *	Firmware, tested with
2.OMP-HD-H264-B1	fixed box camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	2.1 MP (1920x1080)	in	n/a	n/s	supported by specification
2.OMP-HD-H264-B2	fixed box camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	2.1 MP (1920x1080)	in	n/a	n/s	supported by specification
1.OMP-HD-H264-B1	fixed box camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	0.9 MP (1280x720)	in	n/a	n/s	supported by specification
1.OMP-HD-H264-B2	fixed box camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	0.9 MP (1280x720)	in	n/a	n/s	supported by specification
2.OMP-HD-H264-D1	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	2.1 MP (1920x1080)	in	n/a	n/s	supported by specification
2.OMP-HD-H264-DO1	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	2.1 MP (1920x1080)	in	n/a	n/s	supported by specification
2.OMP-HD-H264-DP1	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	2.1 MP (1920x1080)	in	n/a	n/s	supported by specification
2.OMP-HD-H264-DC1	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	2.1 MP (1920x1080)	in	n/a	n/s	supported by specification
1.OMP-HD-H264-D1	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	0.9 MP (1280x720)	in	n/a	n/s	tested by partner
1.OMP-HD-H264-DO1	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	0.9 MP (1280x720)	in	n/a	n/s	supported by specification
1.OMP-HD-H264-DP1	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	0.9 MP (1280x720)	in	n/a	n/s	supported by specification
1.OMP-HD-H264-DC1	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	0.9 MP (1280x720)	in	n/a	n/s	supported by specification

[Contents](#)
[General list](#)

Model	Device type	Video channel	Compression types *	Min Resolution *	Max Resolution *	Audio *	PTZ *	I/O *	Firmware, tested with
AVM217	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.3 MP (704x480)	0.4 MP (720x576)	in	n/a	n/s	supported by specification
AVM265	fixed bullet camera	1 ch.	H.264, MPEG-4, MJPEG	0.3 MP (704x480)	0.4 MP (720x576)	n/a	n/a	n/s	supported by specification
AVM301	fixed cube camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	1.3 MP (1280x1024)	in	n/a	n/s	supported by specification
AVM302A	fixed cube camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	1.3 MP (1280x1024)	in	n/a	n/s	supported by specification
AVM311	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	1.3 MP (1280x1024)	n/a	n/a	n/s	supported by specification
AVM317B	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	in	n/a	n/s	supported by specification
AVM317ZA	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	in	n/a	n/s	ver. 1050-1027-1034-1008
AVM328B	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	1.3 MP (1280x1024)	n/a	n/a	n/s	supported by specification
AVM357A	fixed bullet camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	1.3 MP (1280x1024)	n/a	n/a	n/s	supported by specification
AVM357ZAP	fixed bullet camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	1.3 MP (1280x1024)	n/a	n/a	n/s	ver. 1050-1027-1034-1008
AVM359A	fixed bullet camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	1.3 MP (1280x1024)	n/a	n/a	n/s	supported by specification
AVM365A	fixed bullet camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	1.3 MP (1280x1024)	n/a	n/a	n/s	supported by specification
AVM400B	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	in	n/a	n/s	supported by specification
AVM411	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	n/a	n/a	n/s	supported by specification
AVM417A	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	in	n/a	n/s	supported by specification
AVM428B	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	in	n/a	n/s	supported by specification
AVM457A	fixed bullet camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	n/a	n/a	n/s	supported by specification
AVM459A	fixed bullet camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	n/a	n/a	n/s	supported by specification
AVM500	fixed box camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	in	n/a	n/s	supported by specification
AVM511	fixed dome camera	1 ch.	H.264, MJPEG	0.1 MP (352x288)	2.1 MP (1920x1080)	n/a	n/a	n/s	supported by specification
AVM521A	fixed dome camera	1 ch.	H.264, MJPEG	0.1 MP (352x288)	2.1 MP (1920x1080)	in	n/a	n/s	supported by specification
AVM542A	fixed dome camera	1 ch.	H.264, MJPEG	0.1 MP (352x288)	2.1 MP (1920x1080)	n/a	n/a	n/s	supported by specification
AVM552A	fixed bullet camera	1 ch.	H.264, MJPEG	0.1 MP (352x288)	2.1 MP (1920x1080)	n/a	n/a	n/s	supported by specification
AVM561	fixed bullet camera	1 ch.	H.264, MJPEG	0.1 MP (352x288)	2.1 MP (1920x1080)	n/a	n/a	n/s	supported by specification
AVM565A	fixed bullet camera	1 ch.	H.264, MJPEG	0.1 MP (352x288)	2.1 MP (1920x1080)	n/a	n/a	n/s	supported by specification
AVN216	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.3 MP (704x480)	0.4 MP (720x576)	n/a	n/a	n/s	supported by specification
AVN257	fixed bullet camera	1 ch.	H.264, MPEG-4, MJPEG	0.3 MP (704x480)	0.4 MP (720x576)	n/a	n/a	n/s	supported by specification
AVN362V	fixed bullet camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	1.3 MP (1280x1024)	n/a	n/a	n/s	supported by specification
AVN363V	fixed bullet camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	1.3 MP (1280x1024)	n/a	n/a	n/s	supported by specification
AVN701EZ	fixed cube camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	0.4 MP (720x576)	in	n/a	n/s	supported by specification
AVN801	fixed cube camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	1.3 MP (1280x1024)	in	n/a	n/s	supported by specification
AVN805	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	1.3 MP (1280x1024)	n/a	n/a	n/s	supported by specification
AVN806	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	1.3 MP (1280x1024)	in	n/a	n/s	supported by specification
AVN807A	fixed bullet camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	1.3 MP (1280x1024)	n/a	n/a	n/s	supported by specification
AVN808	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	1.3 MP (1280x1024)	n/a	n/a	n/s	supported by specification
AVN80X	fixed cube camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	1.3 MP (1280x1024)	in	n/a	n/s	supported by specification
AVN812	fixed cube camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	1.3 MP (1280x1024)	in	n/a	n/s	supported by specification

Model	Device type	Video channel	Compression types *	Min Resolution *	Max Resolution *	Audio *	PTZ *	I/O *	Firmware, tested with
AVN812Z	fixed cube camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	1.3 MP (1280x1024)	in	n/a	n/s	ver.1050-1027-1034-1008
AVN813	fixed cube camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	1.3 MP (1280x1024)	in	n/a	n/s	supported by specification
AVO401	fixed cube camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	1.3 MP (1280x1024)	in	n/a	n/s	supported by specification
AVO402	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.3 MP (704x480)	0.4 MP (720x576)	in	n/a	n/s	supported by specification
AVO403	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	1.3 MP (1280x1024)	in	n/a	n/s	supported by specification

[Contents](#)
[General list](#)

Model	Device type	Video channel	Compression types*	Min Resolution *	Max Resolution *	Audio *	PTZ *	I/O *	Firmware, tested with
AXIS 206	fixed box camera	1 ch.	MJPEG	0.02 MP (160x120)	0.3 MP (640x480)	n/a	n/a	n/a	tested by partner
AXIS 206M	fixed box camera	1 ch.	MJPEG	0.08 MP (320x240)	1.3 MP (1280x1024)	n/a	n/a	n/a	supported by specification
AXIS 206W	fixed box camera	1 ch.	MJPEG	0.02 MP (160x120)	0.3 MP (640x480)	n/a	n/a	n/a	supported by specification
AXIS 207	fixed box camera	1 ch.	MPEG-4, MJPEG	0.02 MP (160x120)	0.3 MP (640x480)	in	n/a	in/out	supported by specification
AXIS 207MW	fixed box camera	1 ch.	MPEG-4, MJPEG	0.08 MP (320x240)	1.3 MP (1280x1024)	in	n/a	in/out	supported by specification
AXIS 207W	fixed box camera	1 ch.	MPEG-4, MJPEG	0.02 MP (160x120)	0.3 MP (640x480)	in	n/a	in/out	ver. 4.40.1
AXIS 209FD	fixed dome camera	1 ch.	MPEG-4, MJPEG	0.02 MP (160x120)	0.3 MP (640x480)	n/a	n/a	n/a	supported by specification
AXIS 209FD-R	fixed dome camera	1 ch.	MPEG-4, MJPEG	0.02 MP (160x120)	0.3 MP (640x480)	n/a	n/a	n/a	tested by partner
AXIS 209MFD	fixed dome camera	1 ch.	MPEG-4, MJPEG	0.01 MP (160x90)	1.3 MP (1280x1024)	n/a	n/a	n/a	supported by specification
AXIS 209MFD-R	fixed dome camera	1 ch.	MPEG-4, MJPEG	0.01 MP (160x90)	1.3 MP (1280x1024)	n/a	n/a	n/a	supported by specification
AXIS 210	fixed box camera	1 ch.	MPEG-4, MJPEG	0.02 MP (160x120)	0.3 MP (640x480)	n/a	n/a	in/out	ver. 4.30
AXIS 2100	fixed box camera	1 ch.	MJPEG	0.02 MP (160x120)	0.3 MP (640x480)	n/a	n/a	in/out	ver. 2.12
AXIS 210A	fixed box camera	1 ch.	MPEG-4, MJPEG	0.02 MP (160x120)	0.3 MP (640x480)	in	n/a	in/out	supported by specification
AXIS 211	fixed box camera	1 ch.	MPEG-4, MJPEG	0.02 MP (160x120)	0.3 MP (640x480)	n/a	n/a	in/out	ver. 4.30
AXIS 2110	fixed box camera	1 ch.	MJPEG	0.02 MP (160x120)	0.3 MP (640x480)	n/a	n/a	in/out	supported by specification
AXIS 211A	fixed box camera	1 ch.	MPEG-4, MJPEG	0.02 MP (160x120)	0.3 MP (640x480)	in	n/a	in/out	supported by specification
AXIS 211M	fixed box camera	1 ch.	MPEG-4, MJPEG	0.01 MP (160x90)	1.3 MP (1280x1024)	in	n/a	in/out	tested by partner
AXIS 211W	fixed box camera	1 ch.	MPEG-4, MJPEG	0.02 MP (160x120)	0.3 MP (640x480)	in	n/a	in/out	supported by specification
AXIS 212 PTZ	PTZ camera	1 ch.	MPEG-4, MJPEG	0.02 MP (160x120)	0.3 MP (640x480)	in	PTZ, presets, tour	in/out	ver. 4.30
AXIS 212 PTZ-V	PTZ camera	1 ch.	MPEG-4, MJPEG	0.02 MP (160x120)	0.3 MP (640x480)	in	PTZ, presets, tour	in/out	supported by specification
AXIS 213 PTZ: 50 Hz (PAL)	PTZ camera	1 ch.	MPEG-4, MJPEG	0.01 MP (160x90)	0.4 MP (704x576)	in	PTZ, presets, tour	in/out	supported by specification
AXIS 213 PTZ: 60 Hz (NTSC)	PTZ camera	1 ch.	MPEG-4, MJPEG	0.01 MP (160x90)	0.3 MP (704x480)	in	PTZ, presets, tour	in/out	supported by specification
AXIS 214 PTZ: 50 Hz (PAL)	PTZ camera	1 ch.	MPEG-4, MJPEG	0.01 MP (160x90)	0.4 MP (704x576)	in	PTZ, presets, tour	in/out	supported by specification
AXIS 214 PTZ: 60 Hz (NTSC)	PTZ camera	1 ch.	MPEG-4, MJPEG	0.01 MP (160x90)	0.3 MP (704x480)	in	PTZ, presets, tour	in/out	supported by specification
AXIS 215 PTZ: 50 Hz (PAL)	PTZ dome camera	1 ch.	MPEG-4, MJPEG	0.02 MP (176x144)	0.4 MP (704x576)	in	PTZ, presets, tour	in/out	tested by partner
AXIS 215 PTZ: 60 Hz (NTSC)	PTZ dome camera	1 ch.	MPEG-4, MJPEG	0.02 MP (176x120)	0.3 MP (704x480)	in	PTZ, presets, tour	in/out	supported by specification
AXIS 215 PTZ-E: 50 Hz (PAL)	PTZ dome camera	1 ch.	MPEG-4, MJPEG	0.02 MP (176x144)	0.4 MP (704x576)	n/a	PTZ, presets, tour	n/a	supported by specification
AXIS 215 PTZ-E: 60 Hz (NTSC)	PTZ dome camera	1 ch.	MPEG-4, MJPEG	0.02 MP (176x120)	0.3 MP (704x480)	n/a	PTZ, presets, tour	n/a	supported by specification
AXIS 216FD	fixed dome camera	1 ch.	MPEG-4, MJPEG	0.02 MP (160x120)	0.3 MP (640x480)	in	n/a	in/out	supported by specification
AXIS 216FD-V	fixed dome camera	1 ch.	MPEG-4, MJPEG	0.02 MP (160x120)	0.3 MP (640x480)	in	n/a	in/out	supported by specification
AXIS 216MFD	fixed dome camera	1 ch.	MPEG-4, MJPEG	0.01 MP (160x90)	1.3 MP (1280x1024)	in	n/a	in/out	supported by specification
AXIS 216MFD-V	fixed dome camera	1 ch.	MPEG-4, MJPEG	0.01 MP (160x90)	1.3 MP (1280x1024)	in	n/a	in/out	supported by specification
AXIS 221	fixed box camera	1 ch.	MPEG-4, MJPEG	0.02 MP (160x120)	0.3 MP (640x480)	n/a	n/a	in/out	ver. 4.30
AXIS 223M	fixed box camera	1 ch.	MPEG-4, MJPEG	0.02 MP (160x120)	1.9 MP (1600x1200)	in	n/a	in/out	ver. 4.45
AXIS 225FD	fixed dome camera	1 ch.	MPEG-4, MJPEG	0.02 MP (160x120)	0.3 MP (640x480)	n/a	n/a	in/out	ver. 4.31
AXIS 231D 50 Hz/PAL	PTZ dome camera	1 ch.	MPEG-4, MJPEG	0.02 MP (176x144)	0.4 MP (704x576)	n/a	PTZ, presets, tour	in/out	supported by specification
AXIS 231D 60 Hz/NTSC	PTZ dome camera	1 ch.	MPEG-4, MJPEG	0.02 MP (176x120)	0.3 MP (704x480)	n/a	PTZ, presets, tour	in/out	supported by specification

Model	Device type	Video channel	Compression types*	Min Resolution *	Max Resolution *	Audio *	PTZ *	I/O *	Firmware, tested with
AXIS 231D+ 50HZ	PTZ dome camera	1 ch.	MPEG-4, MJPEG	0.02 MP (176x144)	0.4 MP (704x576)	n/a	PTZ, presets, tour	in/out	ver. 4.35
AXIS 231D+ 60HZ	PTZ dome camera	1 ch.	MPEG-4, MJPEG	0.02 MP (176x120)	0.3 MP (704x480)	n/a	PTZ, presets, tour	in/out	supported by specification
AXIS 232D 50 Hz/PAL	PTZ dome camera	1 ch.	MPEG-4, MJPEG	0.02 MP (176x144)	0.4 MP (704x576)	n/a	PTZ, presets, tour	in/out	supported by specification
AXIS 232D 60 Hz/NTSC	PTZ dome camera	1 ch.	MPEG-4, MJPEG	0.02 MP (176x120)	0.3 MP (704x480)	n/a	PTZ, presets, tour	in/out	supported by specification
AXIS 232D+ 50 Hz	PTZ dome camera	1 ch.	MPEG-4, MJPEG	0.02 MP (176x144)	0.4 MP (704x576)	n/a	PTZ, presets, tour	in/out	supported by specification
AXIS 232D+ 60 Hz	PTZ dome camera	1 ch.	MPEG-4, MJPEG	0.02 MP (176x120)	0.3 MP (704x480)	n/a	PTZ, presets, tour	in/out	supported by specification
AXIS 233D 50 Hz	PTZ dome camera	1 ch.	MPEG-4, MJPEG	0.02 MP (176x144)	0.4 MP (704x576)	in	PTZ, presets, tour	in/out	supported by specification
AXIS 233D 60 Hz	PTZ dome camera	1 ch.	MPEG-4, MJPEG	0.02 MP (176x120)	0.3 MP (704x480)	in	PTZ, presets, tour	in/out	tested by partner
AXIS 2400+	encoder	4 ch.	MJPEG	0.02 MP (176x120) in NTSC 0.02 MP (176x144) in PAL	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	n/a	PTZ, presets, tour	in/out	ver. 4.40.1
AXIS 240Q/240Q Blade	encoder	4 ch.	MJPEG	0.02 MP (176x120) in NTSC 0.02 MP (176x144) in PAL	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	n/a	PTZ, presets, tour	in/out	tested by partner
AXIS 241Q/241Q Blade	encoder	4 ch.	MPEG-4, MJPEG	0.08 MP (352x240) in NTSC 0.1 MP (352x288) in PAL	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	n/a	PTZ, presets, tour	in/out	supported by specification
AXIS 241QA	encoder	4 ch.	MPEG-4, MJPEG	0.08 MP (352x240) in NTSC 0.1 MP (352x288) in PAL	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	in	PTZ, presets, tour	in/out	ver. 4.30
AXIS 241S/241S Blade	encoder	1 ch.	MPEG-4, MJPEG	0.08 MP (352x240) in NTSC 0.1 MP (352x288) in PAL	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	n/a	PTZ, presets, tour	in/out	supported by specification
AXIS 241SA	encoder	1 ch.	MPEG-4, MJPEG	0.08 MP (352x240) in NTSC 0.1 MP (352x288) in PAL	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	in	PTZ, presets, tour	in/out	ver. 4.30
AXIS 243Q/243Q Blade	encoder	4 ch.	MPEG-4, MJPEG	0.02 MP (176x120) in NTSC 0.02 MP (176x144) in PAL	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	n/a	PTZ, presets, tour	in/out	ver. 4.41
AXIS 243SA	encoder	1 ch.	MPEG-4, MJPEG	0.02 MP (176x120) in NTSC 0.02 MP (176x144) in PAL	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	in	PTZ, presets, tour	in/out	ver. 4.41
AXIS 247S	encoder	1 ch.	MPEG-4, MJPEG	0.02 MP (176x120) in NTSC 0.02 MP (176x144) in PAL	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	in	n/a	in/out	ver. 4.42
AXIS M1011	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	0.3 MP (640x480)	n/a	n/a	n/a	supported by specification
AXIS M1011-W	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	0.3 MP (640x480)	n/a	n/a	n/a	supported by specification
AXIS M1013	fixed box camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	0.5 MP (800x600)	n/a	n/a	n/a	supported by specification
AXIS M1014	fixed box camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	1.0 MP (1280x800)	n/a	n/a	n/a	supported by specification
AXIS M1025	fixed cube camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	in	n/a	in/out	ver. 5.40.5
AXIS M1031-W	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	0.3 MP (640x480)	in	n/a	n/a	ver. 5.16
AXIS M1033-W	fixed box camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	0.5 MP (800x600)	in	n/a	in/out	supported by specification
AXIS M1034-W	fixed box camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	1.0 MP (1280x800)	in	n/a	in/out	supported by specification
AXIS M1054	fixed box camera	1 ch.	H.264, MJPEG	0.01 MP (160x90)	1.0 MP (1280x800)	in	n/a	in/out	ver. 5.16
AXIS M1103	fixed box camera	1 ch.	H.264, MJPEG	0.01 MP (160x90)	0.5 MP (800x600)	n/a	n/a	n/a	supported by specification
AXIS M1104	fixed box camera	1 ch.	H.264, MJPEG	0.01 MP (160x90)	1.0 MP (1280x800)	n/a	n/a	n/a	supported by specification
AXIS M1113	fixed box camera	1 ch.	H.264, MJPEG	0.01 MP (160x90)	0.5 MP (800x600)	n/a	n/a	n/a	tested by partner
AXIS M1113-E	fixed box camera	1 ch.	H.264, MJPEG	0.01 MP (160x90)	0.5 MP (800x600)	n/a	n/a	n/a	supported by specification
AXIS M1114	fixed box camera	1 ch.	H.264, MJPEG	0.01 MP (160x90)	1.0 MP (1280x800)	n/a	n/a	n/a	supported by specification
AXIS M1114-E	fixed box camera	1 ch.	H.264, MJPEG	0.01 MP (160x90)	1.0 MP (1280x800)	n/a	n/a	n/a	supported by specification
AXIS M1143-L	fixed box camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	0.5 MP (800x600)	n/a	n/a	in/out	supported by specification

Model	Device type	Video channel	Compression types*	Min Resolution *	Max Resolution *	Audio *	PTZ *	I/O *	Firmware, tested with
AXIS M1144-L	fixed box camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	1.0 MP (1280x800)	n/a	n/a	in/out	supported by specification
AXIS M1145-L	fixed box camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	2.1 MP (1920x1080)	n/a	n/a	in/out	ver.5.55.3.1
AXIS M3004-V	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	1.0 MP (1280x800)	n/a	n/a	n/a	supported by specification
AXIS M3005-V	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	2.1 MP (1920x1080)	n/a	n/a	n/a	supported by specification
AXIS M3006-V	fixed dome camera	1 ch.	H.264, MJPEG	0.01 MP (160x90)	3.1 MP (2048x1536)	n/a	n/a	n/a	ver.5.40.13
AXIS M3007-P	fixed dome camera	1 ch.	H.264, MJPEG	0.01 MP (160x90)	5.0 MP (2592x1944)	n/a	n/a	n/a	supported by specification
AXIS M3007-PV	fixed dome camera	1 ch.	H.264, MJPEG	0.01 MP (160x90)	5.0 MP (2592x1944)	n/a	n/a	n/a	ver.5.40.13.1
AXIS M3011	fixed dome camera	1 ch.	H.264, MJPEG	0.02 MP (160x120)	0.3 MP (640x480)	n/a	n/a	n/a	supported by specification
AXIS M3014	fixed dome camera	1 ch.	H.264, MJPEG	0.01 MP (160x90)	1.0 MP (1280x800)	n/a	n/a	n/a	supported by specification
Axis M3024-LVE	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	1.0 MP (1280x800)	n/a	n/a	in/out	supported by specification
Axis M3025-VE	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	n/a	n/a	in/out	supported by specification
Axis M3026-VE	fixed dome camera	1 ch.	H.264, MJPEG	0.02 MP (160x120)	3.1 MP (2048x1536)	n/a	n/a	in/out	supported by specification
Axis M3027-PVE	fixed dome camera	1 ch.	H.264, MJPEG	0.02 MP (160x120)	5.0 MP (2592x1944)	n/a	ePTZ, presets, tour	In/out	ver.5.55.1.2
AXIS M3113-R	fixed dome camera	1 ch.	H.264, MJPEG	0.01 MP (160x90)	0.5 MP (800x600)	n/a	n/a	n/a	supported by specification
AXIS M3113-VE	fixed dome camera	1 ch.	H.264, MJPEG	0.01 MP (160x90)	0.5 MP (800x600)	n/a	n/a	n/a	supported by specification
AXIS M3114-R	fixed dome camera	1 ch.	H.264, MJPEG	0.01 MP (160x90)	1.0 MP (1280x800)	n/a	n/a	n/a	supported by specification
AXIS M3114-VE	fixed dome camera	1 ch.	H.264, MJPEG	0.01 MP (160x90)	1.0 MP (1280x800)	n/a	n/a	n/a	supported by specification
AXIS M3203	fixed dome camera	1 ch.	H.264, MJPEG	0.01 MP (160x90)	0.5 MP (800x600)	n/a	n/a	n/a	ver.5.12
AXIS M3203-V	fixed dome camera	1 ch.	H.264, MJPEG	0.01 MP (160x90)	0.5 MP (800x600)	n/a	n/a	n/a	supported by specification
AXIS M3204	fixed dome camera	1 ch.	H.264, MJPEG	0.01 MP (160x90)	1.0 MP (1280x800)	n/a	n/a	n/a	supported by specification
AXIS M3204-V	fixed dome camera	1 ch.	H.264, MJPEG	0.01 MP (160x90)	1.0 MP (1280x800)	n/a	n/a	n/a	supported by specification
AXIS M5013	PTZ dome camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	0.5 MP (800x600)	in	PTZ, presets, tour	n/a	supported by specification
AXIS M5014	PTZ dome camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	0.9 MP (1280x720)	in	PTZ, presets, tour	n/a	supported by specification
AXIS M5014	PTZ dome camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	0.9 MP (1280x720)	n/a	n/s	n/a	ver.5.25.2
AXIS M7001	encoder	1 ch.	H.264, MJPEG	0.02 MP (176x120) in NTSC 0.02 MP (176x144) in PAL	0.3 MP (720x480) in NTSC 0.4 MP (720x576) in PAL	n/a	n/a	n/a	ver.5.01
AXIS M7014	encoder	4 ch.	H.264, MJPEG	0.02 MP (176x120) in NTSC 0.02 MP (176x144) in PAL	0.3 MP (720x480) in NTSC 0.4 MP (720x576) in PAL	n/a	PTZ, presets, tour	n/a	ver.5.40.6
AXIS M7016	encoder	16 ch.	H.264, MJPEG	0.02 MP (176x120) in NTSC 0.02 MP (176x144) in PAL	0.3 MP (720x480) in NTSC 0.4 MP (720x576) in PAL	n/a	PTZ, presets, tour	n/a	supported by specification
AXIS P1311	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	0.3 MP (640x480)	in	n/a	in/out	supported by specification
AXIS P1343	fixed box camera	1 ch.	H.264, MJPEG	0.01 MP (160x90)	0.5 MP (800x600)	in	n/a	in/out	tested by partner
AXIS P1343-E	fixed box camera	1 ch.	H.264, MJPEG	0.01 MP (160x90)	0.5 MP (800x600)	in	n/a	in/out	supported by specification
AXIS P1344	fixed box camera	1 ch.	H.264, MJPEG	0.01 MP (160x90)	1.0 MP (1280x800)	in	n/a	in/out	tested by partner
AXIS P1344-E	fixed box camera	1 ch.	H.264, MJPEG	0.01 MP (160x90)	1.0 MP (1280x800)	in	n/a	in/out	supported by specification
AXIS P1346	fixed box camera	1 ch.	H.264, MJPEG	0.01 MP (160x90)	3.1 MP (2048x1536)	in	n/a	in/out	tested by partner
AXIS P1346-E	fixed box camera	1 ch.	H.264, MJPEG	0.01 MP (160x90)	3.1 MP (2048x1536)	in	n/a	in/out	supported by specification
AXIS P1347	fixed box camera	1 ch.	H.264, MJPEG	0.01 MP (160x90)	4.9 MP (2560x1920)	in	n/a	in/out	supported by specification

Model	Device type	Video channel	Compression types*	Min Resolution *	Max Resolution *	Audio *	PTZ *	I/O *	Firmware, tested with
AXIS P1347-E	fixed box camera	1 ch.	H.264, MJPEG	0.01 MP (160x90)	4.9 MP (2560x1920)	in	n/a	in/out	supported by specification
AXIS P1353	fixed box camera	1 ch.	H.264, MJPEG	0.01 MP (160x90)	0.5 MP (800x600)	in	n/a	in/out	supported by specification
AXIS P1353-E	fixed box camera	1 ch.	H.264, MJPEG	0.01 MP (160x90)	0.5 MP (800x600)	in	n/a	in/out	supported by specification
AXIS P1354	fixed box camera	1 ch.	H.264, MJPEG	0.01 MP (160x90)	1.2 MP (1280x960)	in	n/a	in/out	supported by specification
AXIS P1354-E	fixed box camera	1 ch.	H.264, MJPEG	0.01 MP (160x90)	1.2 MP (1280x960)	in	n/a	in/out	supported by specification
AXIS P3301	fixed dome camera	1 ch.	H.264, MJPEG	0.02 MP (160x120)	0.3 MP (640x480)	in	n/a	in/out	ver. 5.01
AXIS P3301-V	fixed dome camera	1 ch.	H.264, MJPEG	0.02 MP (160x120)	0.3 MP (640x480)	in	n/a	in/out	supported by specification
AXIS P3304	fixed dome camera	1 ch.	H.264, MJPEG	0.01 MP (160x90)	1.0 MP (1280x800)	in	n/a	in/out	supported by specification
AXIS P3304-V	fixed dome camera	1 ch.	H.264, MJPEG	0.01 MP (160x90)	1.0 MP (1280x800)	in	n/a	in/out	supported by specification
AXIS P3343	fixed dome camera	1 ch.	H.264, MJPEG	0.01 MP (160x90)	0.5 MP (800x600)	in	n/a	in/out	ver. 5.2.0
AXIS P3343-V	fixed dome camera	1 ch.	H.264, MJPEG	0.01 MP (160x90)	0.5 MP (800x600)	in	n/a	in/out	supported by specification
AXIS P3343-VE	fixed dome camera	1 ch.	H.264, MJPEG	0.01 MP (160x90)	0.5 MP (800x600)	in	n/a	in/out	supported by specification
AXIS P3344	fixed dome camera	1 ch.	H.264, MJPEG	0.01 MP (160x90)	1.0 MP (1280x800)	in	n/a	in/out	supported by specification
AXIS P3344-V	fixed dome camera	1 ch.	H.264, MJPEG	0.01 MP (160x90)	1.0 MP (1280x800)	in	n/a	in/out	supported by specification
AXIS P3344-VE	fixed dome camera	1 ch.	H.264, MJPEG	0.01 MP (160x90)	1.0 MP (1280x800)	in	n/a	in/out	supported by specification
AXIS P3346	fixed dome camera	1 ch.	H.264, MJPEG	0.01 MP (160x90)	3.1 MP (2048x1536)	in	n/a	in/out	supported by specification
AXIS P3346-V	fixed dome camera	1 ch.	H.264, MJPEG	0.01 MP (160x90)	3.1 MP (2048x1536)	in	n/a	in/out	supported by specification
AXIS P3346-VE	fixed dome camera	1 ch.	H.264, MJPEG	0.01 MP (160x90)	3.1 MP (2048x1536)	in	n/a	in/out	supported by specification
AXIS P3353	fixed dome camera	1 ch.	H.264, MJPEG	0.01 MP (160x90)	0.5 MP (800x600)	n/a	n/a	n/a	supported by specification
AXIS P3354	fixed dome camera	1 ch.	H.264, MJPEG	0.01 MP (160x90)	1.2 MP (1280x960)	n/a	n/a	n/a	supported by specification
AXIS P3363-V	fixed dome camera	1 ch.	H.264, MJPEG	0.01 MP (160x90)	0.5 MP (800x600)	in	n/a	in/out	supported by specification
AXIS P3363-VE	fixed dome camera	1 ch.	H.264, MJPEG	0.01 MP (160x90)	0.5 MP (800x600)	in	n/a	in/out	supported by specification
AXIS P3364-LV	fixed dome camera	1 ch.	H.264, MJPEG	0.01 MP (160x90)	1.2 MP (1280x960)	in	n/a	in/out	supported by specification
AXIS P3364-LVE	fixed dome camera	1 ch.	H.264, MJPEG	0.01 MP (160x90)	1.2 MP (1280x960)	in	n/a	in/out	supported by specification
AXIS P3364-V	fixed dome camera	1 ch.	H.264, MJPEG	0.01 MP (160x90)	1.2 MP (1280x960)	in	n/a	in/out	supported by specification
AXIS P3364-VE	fixed dome camera	1 ch.	H.264, MJPEG	0.01 MP (160x90)	1.2 MP (1280x960)	in	n/a	in/out	supported by specification
AXIS P3365-V	fixed dome camera	1 ch.	H.264, MJPEG	0.01 MP (160x90)	2.1 MP (1920x1080)	in	n/a	in/out	ver. 5.55.3.1
AXIS P3367-V	fixed dome camera	1 ch.	H.264, MJPEG	0.01 MP (160x90)	5.0 MP (2592x1944)	in	n/a	in/out	supported by specification
AXIS P3367-VE	fixed dome camera	1 ch.	H.264, MJPEG	0.01 MP (160x90)	5.0 MP (2592x1944)	in	n/a	in/out	supported by specification
AXIS P3384-V	fixed dome camera	1 ch.	H.264, MJPEG	0.01 MP (160x90)	1.2 MP (1280x960)	in	n/a	in/out	supported by specification
AXIS P3384-VE	fixed dome camera	1 ch.	H.264, MJPEG	0.01 MP (160x90)	1.2 MP (1280x960)	in	n/a	in/out	supported by specification
AXIS P3915-R	fixed dome camera	1 ch.	H.264, MJPEG	0.01 MP (160x90)	2.1 MP (1920x1080)	in	n/a	in/out	ver. 5.55.3
Axis P5414-E	PTZ dome camera	1 ch.	H.264, MJPEG	0.03 MP (240x135)	0.9 MP (1280x720)	in	PTZ, presets, tour	in/out	supported by specification
Axis P5415-E	PTZ dome camera	1 ch.	H.264, MJPEG	0.03 MP (240x135)	2.1 MP (1920x1080)	in	PTZ, presets, tour	in/out	supported by specification
AXIS P5512 50 Hz	PTZ dome camera	1 ch.	H.264, MJPEG	0.02 MP (176x144)	0.4 MP (704x576)	in	PTZ, presets, tour	in/out	supported by specification
AXIS P5512 60 Hz	PTZ dome camera	1 ch.	H.264, MJPEG	0.02 MP (176x120)	0.3 MP (704x480)	in	PTZ, presets, tour	in/out	supported by specification
AXIS P5512-E 50 Hz	PTZ dome camera	1 ch.	H.264, MJPEG	0.02 MP (176x144)	0.4 MP (704x576)	n/a	PTZ, presets, tour	n/a	supported by specification
AXIS P5512-E 60 Hz	PTZ dome camera	1 ch.	H.264, MJPEG	0.02 MP (176x120)	0.3 MP (704x480)	n/a	PTZ, presets, tour	n/a	supported by specification

Model	Device type	Video channel	Compression types*	Min Resolution *	Max Resolution *	Audio *	PTZ *	I/O *	Firmware, tested with
AXIS P5522 50 Hz	PTZ dome camera	1 ch.	H.264, MJPEG	0.02 MP (176x144)	0.4 MP (704x576)	in	PTZ, presets, tour	in/out	supported by specification
AXIS P5522 60 Hz	PTZ dome camera	1 ch.	H.264, MJPEG	0.02 MP (176x120)	0.3 MP (704x480)	in	PTZ, presets, tour	in/out	supported by specification
AXIS P5522-E 50 Hz	PTZ dome camera	1 ch.	H.264, MJPEG	0.02 MP (176x144)	0.4 MP (704x576)	n/a	PTZ, presets, tour	n/a	supported by specification
AXIS P5522-E 60 Hz	PTZ dome camera	1 ch.	H.264, MJPEG	0.02 MP (176x120)	0.3 MP (704x480)	n/a	PTZ, presets, tour	n/a	supported by specification
AXIS P5532 50 Hz	PTZ dome camera	1 ch.	H.264, MJPEG	0.02 MP (176x144)	0.4 MP (704x576)	in	PTZ, presets, tour	in/out	supported by specification
AXIS P5532 60 Hz	PTZ dome camera	1 ch.	H.264, MJPEG	0.02 MP (176x120)	0.3 MP (704x480)	in	PTZ, presets, tour	in/out	supported by specification
AXIS P5532-E 50 Hz	PTZ dome camera	1 ch.	H.264, MJPEG	0.02 MP (176x144)	0.4 MP (704x576)	n/a	PTZ, presets, tour	n/a	supported by specification
AXIS P5532-E 60 Hz	PTZ dome camera	1 ch.	H.264, MJPEG	0.02 MP (176x120)	0.3 MP (704x480)	n/a	PTZ, presets, tour	n/a	supported by specification
AXIS P5534 50 Hz	PTZ dome camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	0.9 MP (1280x720)	in	PTZ, presets, tour	in/out	supported by specification
AXIS P5534 60 Hz	PTZ dome camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	0.9 MP (1280x720)	in	PTZ, presets, tour	in/out	supported by specification
AXIS P5534-E 50 Hz	PTZ dome camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	0.9 MP (1280x720)	n/a	PTZ, presets, tour	n/a	supported by specification
AXIS P5534-E 60 Hz	PTZ dome camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	0.9 MP (1280x720)	n/a	PTZ, presets, tour	n/a	supported by specification
AXIS Q1602	fixed box camera	1 ch.	H.264, MJPEG	0.01 MP (160x90)	0.4 MP (768x576)	in	n/a	in/out	supported by specification
AXIS Q1602-E	fixed box camera	1 ch.	H.264, MJPEG	0.01 MP (160x90)	0.4 MP (768x576)	in	n/a	in/out	supported by specification
AXIS Q1604	fixed box camera	1 ch.	H.264, MJPEG	0.01 MP (160x90)	1.2 MP (1280x960)	in	n/a	in/out	supported by specification
AXIS Q1604-E	fixed box camera	1 ch.	H.264, MJPEG	0.01 MP (160x90)	1.2 MP (1280x960)	in	n/a	in/out	supported by specification
AXIS Q1614	fixed box camera	1 ch.	H.264, MJPEG	0.01 MP (160x90)	1.2 MP (1280x960)	in	n/a	in/out	supported by specification
AXIS Q1614-E	fixed box camera	1 ch.	H.264, MJPEG	0.01 MP (160x90)	1.2 MP (1280x960)	in	n/a	in/out	supported by specification
AXIS Q1615	fixed box camera	1 ch.	H.264, MJPEG	0.01 MP (160x90)	2.1 MP (1920x1080)	in	n/a	in/out	ver. 5.55.3.2
AXIS Q1755 50 Hz	fixed box camera	1 ch.	H.264, MJPEG	0.02 MP (160x120)	2.1 MP (1920x1080)	in	n/a	in/out	tested by partner
AXIS Q1755 60 Hz	fixed box camera	1 ch.	H.264, MJPEG	0.02 MP (160x120)	2.1 MP (1920x1080)	in	n/a	in/out	supported by specification
AXIS Q1755-E 50 Hz	fixed box camera	1 ch.	H.264, MJPEG	0.02 MP (160x120)	2.1 MP (1920x1080)	n/a	n/a	in/out	supported by specification
AXIS Q1755-E 60 Hz	fixed box camera	1 ch.	H.264, MJPEG	0.02 MP (160x120)	2.1 MP (1920x1080)	n/a	n/a	in/out	supported by specification
AXIS Q1765-LE	fixed bullet camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	2.1 MP (1920x1080)	in	n/a	in/out	ver. 5.55.2.2
AXIS Q6032 50 Hz	PTZ dome camera	1 ch.	H.264, MJPEG	0.02 MP (176x144)	0.4 MP (736x576)	in	PTZ, presets, tour	in/out	supported by specification
AXIS Q6032 60 Hz	PTZ dome camera	1 ch.	H.264, MJPEG	0.02 MP (176x120)	0.3 MP (752x480)	in	PTZ, presets, tour	in/out	supported by specification
AXIS Q6032-C 50 Hz	PTZ dome camera	1 ch.	H.264, MJPEG	0.02 MP (176x144)	0.4 MP (736x576)	n/a	PTZ, presets, tour	in/out	supported by specification
AXIS Q6032-C 60 Hz	PTZ dome camera	1 ch.	H.264, MJPEG	0.02 MP (176x120)	0.3 MP (752x480)	n/a	PTZ, presets, tour	in/out	supported by specification
AXIS Q6032-E 50 Hz	PTZ dome camera	1 ch.	H.264, MJPEG	0.02 MP (176x144)	0.4 MP (704x576)	n/a	PTZ, presets, tour	n/a	supported by specification
AXIS Q6032-E 60 Hz	PTZ dome camera	1 ch.	H.264, MJPEG	0.02 MP (176x120)	0.3 MP (704x480)	n/a	PTZ, presets, tour	n/a	supported by specification
AXIS Q6034 50 Hz	PTZ dome camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	0.9 MP (1280x720)	in	PTZ, presets, tour	in/out	supported by specification
AXIS Q6034 60 Hz	PTZ dome camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	0.9 MP (1280x720)	in	PTZ, presets, tour	in/out	supported by specification
AXIS Q6034-C 50 Hz	PTZ dome camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	0.9 MP (1280x720)	n/a	PTZ, presets, tour	in/out	supported by specification
AXIS Q6034-C 60 Hz	PTZ dome camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	0.9 MP (1280x720)	n/a	PTZ, presets, tour	in/out	supported by specification
AXIS Q6034-E 50 Hz	PTZ dome camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	0.9 MP (1280x720)	n/a	PTZ, presets, tour	n/a	ver. 5.06.1
AXIS Q6034-E 60 Hz	PTZ dome camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	0.9 MP (1280x720)	n/a	PTZ, presets, tour	n/a	supported by specification
AXIS Q6035 50 Hz	PTZ dome camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	2.1 MP (1920x1080)	in	PTZ, presets, tour	in/out	supported by specification
AXIS Q6035 60 Hz	PTZ dome camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	2.1 MP (1920x1080)	in	PTZ, presets, tour	in/out	supported by specification

Model	Device type	Video channel	Compression types *	Min Resolution *	Max Resolution *	Audio *	PTZ *	I/O *	Firmware, tested with
AXIS Q6035-C 50 Hz	PTZ dome camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	2.1 MP (1920x1080)	n/a	PTZ, presets, tour	in/out	supported by specification
AXIS Q6035-C 60 Hz	PTZ dome camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	2.1 MP (1920x1080)	n/a	PTZ, presets, tour	in/out	supported by specification
AXIS Q6035-E 50 Hz	PTZ dome camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	2.1 MP (1920x1080)	n/a	PTZ, presets, tour	n/a	supported by specification
AXIS Q6035-E 60 Hz	PTZ dome camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	2.1 MP (1920x1080)	n/a	PTZ, presets, tour	n/a	supported by specification
Axis Q6042	PTZ dome camera	1 ch.	H.264, MJPEG	0.02 MP (176x120)	0.4 MP (736x576)	n/a	PTZ, presets, tour	in/out	supported by specification
Axis Q6044	PTZ dome camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	0.9 MP (1280x720)	n/a	PTZ, presets, tour	in/out	supported by specification
Axis Q6045	PTZ dome camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	2.1 MP (1920x1080)	n/a	PTZ, presets, tour	in/out	supported by specification
Axis Q6042-C	PTZ dome camera	1 ch.	H.264, MJPEG	0.02 MP (176x120)	0.4 MP (736x576)	n/a	PTZ, presets, tour	in/out	supported by specification
Axis Q6044-C	PTZ dome camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	0.9 MP (1280x720)	n/a	PTZ, presets, tour	in/out	supported by specification
Axis Q6045-C	PTZ dome camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	2.1 MP (1920x1080)	n/a	PTZ, presets, tour	in/out	supported by specification
Axis Q6042-E	PTZ dome camera	1 ch.	H.264, MJPEG	0.02 MP (176x120)	0.4 MP (736x576)	n/a	PTZ, presets, tour	in/out	supported by specification
Axis Q6044-E	PTZ dome camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	0.9 MP (1280x720)	n/a	PTZ, presets, tour	in/out	supported by specification
Axis Q6045-E	PTZ dome camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	2.1 MP (1920x1080)	n/a	PTZ, presets, tour	in/out	supported by specification
AXIS Q7401	encoder	1 ch.	H.264, MJPEG	0.02 MP (176x120) in NTSC 0.02 MP (176x144) in PAL	0.3 MP (720x480) in NTSC 0.4 MP (720x576) in PAL	in	PTZ, presets, tour	in/out	ver 5.01
AXIS Q7404	encoder	4 ch.	H.264, MJPEG	0.02 MP (176x120) in NTSC 0.02 MP (176x144) in PAL	0.3 MP (720x480) in NTSC 0.4 MP (720x576) in PAL	in	PTZ, presets, tour	in/out	ver.5.20.1
AXIS Q7406	encoder	6 ch.	H.264, MJPEG	0.02 MP (176x120) in NTSC 0.02 MP (176x144) in PAL	0.3 MP (720x480) in NTSC 0.4 MP (720x576) in PAL	n/a	PTZ, presets, tour	in/out	supported by specification
AXIS Q7411	encoder	1 ch.	H.264, MJPEG	0.02 MP (176x120) in NTSC 0.02 MP (176x144) in PAL	0.3 MP (720x480) in NTSC 0.4 MP (720x576) in PAL	in	PTZ, presets, tour	in/out	supported by specification
AXIS Q7414	encoder	4 ch.	H.264, MJPEG	0.02 MP (176x120) in NTSC 0.02 MP (176x144) in PAL	0.3 MP (720x480) in NTSC 0.4 MP (720x576) in PAL	in	PTZ, presets, tour	in/out	supported by specification
AXIS Q7424-R	encoder	4 ch.	H.264, MJPEG	0.02 MP (176x120) in NTSC 0.02 MP (176x144) in PAL	0.3 MP (720x480) in NTSC 0.4 MP (720x576) in PAL	in	PTZ, presets, tour	in/out	supported by specification
AXIS Q7436	encoder	6 ch.	H.264, MJPEG	0.02 MP (176x120) in NTSC 0.02 MP (176x144) in PAL	0.3 MP (720x480) in NTSC 0.4 MP (720x576) in PAL	n/a	PTZ, presets, tour	in/out	supported by specification

[Contents](#)
[General list](#)

Model	Device type	Video channel	Compression types *	Min Resolution *	Max Resolution *	Audio *	PTZ *	I/O *	Firmware, tested with
BIP2-1000c	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	0.8 MP (1024x768)	n/a	n/a	in/out	ver. 3.6.0
BIP2-1000c-dn	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	0.8 MP (1024x768)	n/a	n/a	in/out	ver. 3.6.0
BIP2-1280c	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	0.9 MP (1280x720)	n/a	n/a	in/out	ver. 3.6.0
BIP2-1280c-dn	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	0.9 MP (1280x720)	n/a	n/a	in/out	ver. 3.6.0
BIP2-1300c	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	1.2 MP (1280x960)	n/a	n/a	in/out	ver. 3.6.0
BIP2-1300c-dn	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	1.2 MP (1280x960)	n/a	n/a	in/out	ver. 3.6.0
BIP2-1600-25c	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	1.9 MP (1600x1200)	n/a	n/a	in/out	ver. 3.8.0
BIP2-1600-25c-dn	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	1.9 MP (1600x1200)	n/a	n/a	in/out	ver. 3.8.0
BIP2-1600c	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	1.9 MP (1600x1200)	n/a	n/a	in/out	ver. 3.6.0
BIP2-1600c-dn	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	1.9 MP (1600x1200)	n/a	n/a	in/out	ver. 3.6.0
BIP2-1920c	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	2.1 MP (1920x1080)	n/a	n/a	in/out	ver. 3.6.0
BIP2-1920c-dn	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	2.1 MP (1920x1080)	n/a	n/a	in/out	ver. 3.6.0
BIP2-2500c	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	5.1 MP (2560x1980)	n/a	n/a	in/out	ver. 3.6.0
BIP2-2500c-dn	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	5.1 MP (2560x1980)	n/a	n/a	in/out	ver. 3.6.0
BIP2-640c	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	0.3 MP (640x480)	n/a	n/a	in/out	ver. 3.6.0
BIP2-640c-dn	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	0.3 MP (640x480)	n/a	n/a	in/out	ver. 3.6.0
BIP2-D1000c-dn	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	0.8 MP (1024x768)	n/s	n/a	in/out	ver. 3.6.0
BIP2-D1300c-dn	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	1.2 MP (1280x960)	n/s	n/a	in/out	ver. 3.6.0
BIP2-D1920c-dn	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	2.7 MP (1920x1440)	n/s	n/a	in/out	supported by specification
BIP2-D1920c-dn-af	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	2.7 MP (1920x1440)	n/s	n/a	in/out	supported by specification

[Contents](#)
[General list](#)

Contents	Device type	Video channel	Compression types*	Min Resolution *	Max Resolution *	Audio *	PTZ *	I/O *	Firmware, tested with
BC1009-PTZ3GIP	PTZ dome camera	1 ch.	H.264	0.02 MP (176x120)	0.3 MP (704x480)	n/a	PTZ	n/s	supported by specification
BN1009M-PTZ-18	PTZ dome camera	1 ch.	H.264	0.3 MP (640x480)	1.2 MP (1280x960)	in	PTZ	n/s	supported by specification
BN1009-PTZWDRIP	PTZ dome camera	1 ch.	H.264	0.02 MP (176x120)	0.3 MP (704x480)	n/a	PTZ	n/s	supported by specification
BN2002IP	fixed dome camera	1 ch.	H.264	0.08 MP (320x240)	0.3 MP (704x480)	in	n/a	n/s	supported by specification
BN2002WDRIP	fixed box camera	1 ch.	H.264	0.08 MP (320x240)	0.3 MP (704x480)	in	n/a	n/s	supported by specification
BN2009AVAIRIP	fixed dome camera	1 ch.	H.264	0.08 MP (320x240)	0.3 MP (704x480)	in	n/a	n/s	supported by specification
BN2009IRIP	fixed dome camera	1 ch.	H.264	0.08 MP (320x240)	0.3 MP (704x480)	in	n/a	n/s	supported by specification
BN2009WDRVAIRIP	fixed dome camera	1 ch.	H.264	0.08 MP (320x240)	0.3 MP (704x480)	in	n/a	n/s	supported by specification
BN2035IRIP	fixed box camera	1 ch.	H.264	0.08 MP (320x240)	0.3 MP (704x480)	in	n/a	n/s	supported by specification
BN5002M	fixed camera	1 ch.	H.264	0.3 MP (640x480)	1.2 MP (1280x960)	in	n/a	n/s	tested by partner
BN5009M	fixed dome camera	1 ch.	H.264	0.3 MP (640x480)	1.2 MP (1280x960)	in	n/a	n/s	supported by specification
BN5009M-I	fixed dome camera	1 ch.	H.264	0.3 MP (640x480)	1.2 MP (1280x960)	in	n/a	n/s	supported by specification
BN5035M	fixed box camera	1 ch.	H.264	0.3 MP (640x480)	1.2 MP (1280x960)	in	n/a	n/s	supported by specification

[Contents](#)
[General list](#)

Model	Device type	Video channel	Compression types *	Min Resolution *	Max Resolution *	Audio *	PTZ *	I/O *	Firmware, tested with
B1001	encoder	1 ch.	H.264, MJPEG	0.02 MP (176x120)	0.4 MP (704x576)	in	n/a	in/out	tested by partner
B1001P	encoder	1 ch.	H.264, MJPEG	0.02 MP (176x120)	0.4 MP (704x576)	in	n/a	in/out	tested by partner
B1001W	encoder	1 ch.	H.264, MJPEG	0.02 MP (176x120)	0.4 MP (704x576)	in	n/a	in/out	tested by partner
B1012	encoder	2 ch.	H.264, MJPEG	0.1 MP (352x288)	0.4 MP (704x576)	in	n/a	in/out	tested by partner
B1014	encoder	4 ch.	H.264, MJPEG	0.1 MP (352x288)	0.4 MP (704x576)	in	n/a	in/out	tested by partner
B1014H	encoder	4 ch.	H.264, MJPEG	0.1 MP (352x288)	0.4 MP (704x576)	in	n/a	in/out	supported by specification
B1018	encoder	8 ch.	H.264, MJPEG	0.1 MP (352x288)	0.5 MP (960x576)	in	n/a	in/out	ver.2.1.0.0.52.21
B1055	fixed box camera	1 ch.	H.264, MJPEG	0.02 MP (176x120)	0.4 MP (704x576)	in	n/a	in/out	supported by specification
B1055D	fixed dome camera	1 ch.	H.264, MJPEG	0.02 MP (176x120)	0.4 MP (704x576)	in	n/a	n/a	ver.2.2.1.8
B1062	fixed box camera	1 ch.	H.264, MJPEG	0.03 MP (176x144)	0.4 MP (704x576)	in	n/a	in/out	ver.2.2.1.8
B1062DX	fixed dome camera	1 ch.	H.264, MJPEG	0.03 MP (176x144)	0.4 MP (704x576)	in	n/a	in/out	ver.2.3.1.2.0.6
B1070	fixed boxcamera	1 ch.	H.264, MJPEG	0.02 MP (176x120)	0.4 MP (704x576)	in	n/a	in/out	supported by specification
B1070D	fixed dome camera	1 ch.	H.264, MJPEG	0.02 MP (176x120)	0.4 MP (704x576)	in	n/a	n/a	supported by specification
B1072	fixed box camera	1 ch.	H.264, MJPEG	0.02 MP (176x120)	0.4 MP (704x576)	in	n/a	in/out	ver.2.2.1.8
B1072D	fixed dome camera	1 ch.	H.264, MJPEG	0.02 MP (176x120)	0.4 MP (704x576)	in	n/a	in/out	ver.2.2.1.8
B1073	fixed box camera	1 ch.	H.264, MJPEG	0.02 MP (176x120)	0.4 MP (704x576)	in	n/s	in/out	ver.2.2.1.8
B1073DX	fixed dome camera	1 ch.	H.264, MJPEG	0.02 MP (176x120)	0.4 MP (704x576)	in	n/s	in/out	ver.2.3.1.2.0.6
B1076FRV	fixed bullet camera	1 ch.	H.264, MJPEG	0.03 MP (176x144)	0.4 MP (704x576)	in	n/s	in/out	tested by partner
B130	PTZ dome camera	1 ch.	H.264, MJPEG	0.1 MP (352x288)	1.2 MP (1280x960)	in	PTZ, presets, tour	in/out	ver.2.3.0.9
B1710DM	fixed dome camera	1 ch.	H.264, MJPEG	0.05 MP (320x160)	1.3 MP (1280x1024)	n/a	n/a	n/a	ver.2.0.0.2.51.18
B1710DV	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	1.3 MP (1280x1024)	n/a	n/a	n/a	ver.2.0.0.2.51.18
B1720	fixed box camera	1 ch.	H.264, MJPEG	0.03 MP (176x144)	0.9 MP (1280x720)	in	n/a	in/out	ver.2.3.1.2.0.8
B2.920	fixed box camera	1 ch.	H.264, MJPEG	0.02 MP (160x112)	1.9 MP (1600x1200)	in	n/a	in/out	supported by specification
B2.920D	fixed dome camera	1 ch.	H.264, MJPEG	0.02 MP (160x112)	1.9 MP (1600x1200)	in	n/a	in/out	ver.2.3.1.2.0.6
B2.920DX	fixed dome camera	1 ch.	H.264, MJPEG	0.02 MP (160x112)	1.9 MP (1600x1200)	in	n/a	in/out	ver.2.3.1.3.0.1
B2.920F	fixed box camera	1 ch.	H.264, MJPEG	0.02 MP (160x112)	1.9 MP (1600x1200)	in	n/a	in/out	ver.2.3.0.9
B2.970	fixed box camera	1 ch.	H.264, MJPEG	0.02 MP (160x112)	1.2 MP (1280x960)	in	n/a	in/out	supported by specification
B2.970F	fixed box camera	1 ch.	H.264, MJPEG	0.02 MP (160x112)	1.2 MP (1280x960)	in	n/a	in/out	ver.2.3.1.2.0.160
B2.980F	fixed box camera	1 ch.	H.264, MJPEG	0.02 MP (160x112)	2.1 MP (1920x1080)	in	n/a	in/out	ver.2.3.1.3.0.227
B54-1-IP2	PTZ dome camera	1 ch.	H.264, MJPEG	0.1 MP (352x288)	0.4 MP (704x576)	n/a	PTZ, presets, tour	n/a	ver.2.2.1.8
B85-2-IP2	PTZ dome camera	1 ch.	H.264, MJPEG	0.1 MP (352x288)	0.4 MP (704x576)	n/a	PTZ, presets, tour	n/a	ver.2.2.1.8
B85-3-IP2	PTZ dome camera	1 ch.	H.264, MJPEG	0.1 MP (352x288)	0.4 MP (704x576)	n/a	PTZ, presets, tour	n/a	ver.2.2.1.8
B85-5-IP2	PTZ dome camera	1 ch.	H.264, MJPEG	0.1 MP (352x288)	0.4 MP (704x576)	n/a	PTZ, presets, tour	n/a	ver.2.2.1.8
B85-6-IP2	PTZ dome camera	1 ch.	H.264, MJPEG	0.1 MP (352x288)	0.4 MP (704x576)	n/a	PTZ, presets, tour	n/a	ver.2.2.1.8
B85-7-IP2	PTZ dome camera	1 ch.	H.264, MJPEG	0.1 MP (352x288)	0.4 MP (704x576)	n/a	PTZ, presets, tour	n/a	ver.2.2.1.8
B87L-7-IP	PTZ dome camera	1 ch.	H.264, MJPEG	0.03 MP (176x144)	0.4 MP (704x576)	n/a	PTZ, presets, tour	n/a	tested by partner
BD133	PTZ dome camera	1 ch.	H.264, MJPEG	0.1 MP (352x288)	2.1 MP (1920x1080)	in	PTZ, presets	n/a	ver.bw20131205NSA

Model	Device type	Video channel	Compression types *	Min Resolution *	Max Resolution *	Audio *	PTZ *	I/O *	Firmware, tested with
BD135	PTZ dome camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	in	PTZ, presets	in/out	ver.bw20131205NSA
BD2070DV	fixed dome camera	1 ch.	H.264, MJPEG	0.03 MP (176x144)	0.9 MP (1280x720)	in	n/a	in/out	ver.w20130117ANS
BD2070DVH	fixed dome camera	1 ch.	H.264, MJPEG	0.03 MP (176x144)	0.9 MP (1280x720)	in	n/a	in/out	ver.w20130117BNS
BD2570	fixed box camera	1 ch.	H.264, MJPEG	0.1 MP (352x288)	5 MP (2592x1944)	in	n/a	in/out	ver.bw20131205NSA
BD3070	fixed box camera	1 ch.	H.264, MJPEG	0.03 MP (176x144)	1.2 MP (1280x960)	in	n/a	in/out	ver.w20100722NS
BD3170	fixed box camera	1 ch.	H.264, MJPEG	0.03 MP (176x144)	1.3 MP (1280x1024)	in	n/a	in/out	supported by specification
BD3270	fixed box camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	in	n/a	in/out	supported by specification
BD3270Z	fixed box camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	in	n/a	in/out	ver.bw20131118NSX
BD3370	fixed box camera	1 ch.	H.264, MJPEG	0.3 MP (640x480)	2.1 MP (1920x1080)	in	n/a	in/out	ver.bw20131205NSA
BD3570	fixed box camera	1 ch.	H.264, MJPEG	0.1 MP (352x288)	3.1 MP (2048x1536)	in	n/a	in/out	ver.bw20131205NSA
BD3570RC	fixed bullet camera	1 ch.	H.264, MJPEG	0.1 MP (352x288)	3.1 MP (2048x1536)	n/a	n/a	n/a	ver.bw20131205NSA
BD3570RVZX	fixed bullet camera	1 ch.	H.264, MJPEG	0.1 MP (352x288)	3.1 MP (2048x1536)	in	n/a	in/out	ver.bw20131205NSA
BD4070	fixed box camera	1 ch.	H.264, MJPEG	0.03 MP (176x144)	2.1 MP (1920x1080)	in	n/a	in/out	ver.w20130117ANS
BD4070D	fixed dome camera	1 ch.	H.264, MJPEG	0.03 MP (176x144)	2.1 MP (1920x1080)	in	n/a	n/a	ver.w20130117ANS
BD4070DH	fixed dome camera	1 ch.	H.264, MJPEG	0.03 MP (176x144)	2.1 MP (1920x1080)	in	n/a	n/a	ver.w20130117BNS
BD4070DV	fixed box camera	1 ch.	H.264, MJPEG	0.03 MP (176x144)	2.1 MP (1920x1080)	in	n/a	in/out	ver.w20130117ANS
BD4070H	fixed box camera	1 ch.	H.264, MJPEG	0.03 MP (176x144)	2.1 MP (1920x1080)	in	n/a	in/out	ver.w20130117BNS
BD4070R	fixed bullet camera	1 ch.	H.264, MJPEG	0.03 MP (176x144)	2.1 MP (1920x1080)	in	n/a	in/out	ver.w20130117ANS
BD4330	fixed box camera	1 ch.	H.264, MJPEG	0.1 MP (352x288)	2.1 MP (1920x1080)	in	n/a	in/out	ver.bw20131205NSA
BD4330D	fixed dome camera	1 ch.	H.264, MJPEG	0.1 MP (352x288)	2.1 MP (1920x1080)	in	n/a	n/a	ver.bw20131205NSA
BD4330DS	fixed dome camera	1 ch.	H.264, MJPEG	0.1 MP (352x288)	2.1 MP (1920x1080)	in	n/a	n/a	supported by specification
BD4330DM	fixed dome camera	1 ch.	H.264, MJPEG	0.1 MP (352x288)	2.1 MP (1920x1080)	n/a	n/a	n/a	supported by specification
BD4330DH	fixed dome camera	1 ch.	H.264, MJPEG	0.1 MP (352x288)	2.1 MP (1920x1080)	in	n/a	n/a	ver.bw20131205NSA
BD4330DV	fixed dome camera	1 ch.	H.264, MJPEG	0.1 MP (352x288)	2.1 MP (1920x1080)	in	n/a	n/a	ver.bw20131205NSA
BD4330DVH	fixed dome camera	1 ch.	H.264, MJPEG	0.1 MP (352x288)	2.1 MP (1920x1080)	in	n/a	n/a	ver.bw20131205NSA
BD4330H	fixed box camera	1 ch.	H.264, MJPEG	0.1 MP (352x288)	2.1 MP (1920x1080)	in	n/a	in/out	ver.bw20131205NSA
BD4330R	fixed bullet camera	1 ch.	H.264, MJPEG	0.1 MP (352x288)	2.1 MP (1920x1080)	in	n/a	in/out	ver.bw20131205NSA
BD4330RH	fixed bullet camera	1 ch.	H.264, MJPEG	0.1 MP (352x288)	2.1 MP (1920x1080)	in	n/a	in/out	ver.bw20131205NSA
BD4330RV	fixed bullet camera	1 ch.	H.264, MJPEG	0.1 MP (352x288)	2.1 MP (1920x1080)	in	n/a	in/out	ver.bw20131205NSA
BD4330RVH	fixed bullet camera	1 ch.	H.264, MJPEG	0.1 MP (352x288)	2.1 MP (1920x1080)	in	n/a	in/out	ver.bw20131205NSA
BD4330RVZ	fixed bullet camera	1 ch.	H.264, MJPEG	0.1 MP (352x288)	2.1 MP (1920x1080)	in	Zoom	in/out	ver.bw20131205NSA
BD4330RVZH	fixed bullet camera	1 ch.	H.264, MJPEG	0.1 MP (352x288)	2.1 MP (1920x1080)	in	Zoom	in/out	ver.bw20131205NSA
BD4330RVZX	fixed bullet camera	1 ch.	H.264, MJPEG	0.1 MP (352x288)	2.1 MP (1920x1080)	in	Zoom	in/out	supported by specification
BD4370	fixed box camera	1 ch.	H.264, MJPEG	0.3 MP (640x480)	2.1 MP (1920x1080)	in	n/a	in/out	ver.bw20131205NSA
BD4570	fixed box camera	1 ch.	H.264, MJPEG	0.1 MP (352x288)	5 MP (2592x1944)	in	n/a	in/out	ver.bw20131205NSA
BD65-1	PTZ dome camera	1 ch.	H.264, MJPEG	0.1 MP (352x288)	0.4 MP (720x576)	in	PTZ, presets	in/out	ver.w20130117ANS
BD65-5	PTZ dome camera	1 ch.	H.264, MJPEG	0.1 MP (352x288)	0.4 MP (720x576)	in	PTZ, presets	in/out	ver.w20130117ANS
BD75-5	PTZ dome camera	1 ch.	H.264, MJPEG	0.1 MP (352x288)	0.4 MP (720x576)	in	PTZ, presets	in/out	ver.w20130117ANS

Model	Device type	Video channel	Compression types *	Min Resolution *	Max Resolution *	Audio *	PTZ *	I/O *	Firmware, tested with
N1000	fixed box camera	1 ch.	MPEG-4, MJPEG	0.02 MP (160x120)	0.3 MP (640x480)	n/s	n/a	n/a	ver.MG.1.6.03P7
N1250	fixed box camera	1 ch.	MPEG-4, MJPEG	0.02 MP (160x120)	0.3 MP (640x480)	n/s	n/a	n/a	ver.MG.1.6.03P7
N13100	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	1.3 MP (1280x1024)	n/s	n/a	n/a	ver.MG.1.6.03P7
N13101	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	1.3 MP (1280x1024)	n/s	n/a	n/a	supported by specification
N13102	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	1.3 MP (1280x1024)	n/s	n/a	n/a	ver.MG.1.6.03P10_sign1
N13103	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	1.3 MP (1280x1024)	n/s	n/a	n/a	ver.MG.1.6.03P10_sign1
N13200	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	n/s	n/a	n/a	ver.M2.1.6.03C025
N13201	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	n/s	n/a	n/a	ver.M2.1.6.03C025
N35110	fixed bullet camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	1.3 MP (1280x1024)	n/s	n/a	n/s	ver.MG.1.6.03P7
N37210	fixed bullet camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	n/s	n/a	n/s	ver.M2.1.6.03C025
N6601	fixed bullet camera	1 ch.	MPEG-4, MJPEG	0.02 MP (160x120)	0.3 MP (640x480)	n/s	n/a	n/s	ver.LM.1.6.18P9
N6603	fixed bullet camera	1 ch.	MPEG-4, MJPEG	0.02 MP (160x120)	0.3 MP (640x480)	n/s	n/a	n/s	ver.LM.1.6.18P10_sign5
N100	fixed cube camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	0.3 MP (640x480)	n/s	n/a	n/a	supported by specification
N120	fixed cube camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	0.3 MP (640x480)	n/s	n/a	n/a	supported by specification
N300	fixed cube camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	1.0 MP (1280x800)	n/s	n/a	n/a	supported by specification
N320	fixed cube camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	1.0 MP (1280x800)	n/s	n/a	n/s	supported by specification
N500	fixed cube camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	n/s	n/a	n/s	supported by specification
N600	fixed cube camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	0.3 MP (640x480)	n/a	n/a	n/a	supported by specification
N630	fixed cube camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	1.0 MP (1280x800)	n/a	n/a	n/a	supported by specification

[Contents](#)
[General list](#)

Model	Device type	Video channel	Compression types*	Min Resolution *	Max Resolution *	Audio *	PTZ *	I/O *	Firmware, tested with
NBC-255-P	fixed box camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	0.3 MP (640x480)	n/s	n/a	n/a	ver.35500570
NBC-255-W	fixed box camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	0.3 MP (640x480)	n/s	n/a	n/s	supported by specification
NBC-265-P	fixed box camera	1 ch.	H.264, MJPEG	0.03 MP (256x144)	0.9 MP (1280x720)	n/s	n/a	n/s	ver.35500570
NBC-265-W	fixed box camera	1 ch.	H.264, MJPEG	0.03 MP (256x144)	0.9 MP (1280x720)	n/s	n/a	n/s	supported by specification
NBC-455-11P	fixed box camera	1 ch.	H.264, MJPEG	0.1 MP (352x288)	0.4 MP (704x576)	n/s	n/a	n/s	supported by specification
NBC-455-12IP	fixed box camera	1 ch.	H.264, MJPEG	0.1 MP (352x288)	0.4 MP (704x576)	n/s	n/a	n/s	supported by specification
NBC-455-12P	fixed box camera	1 ch.	H.264, MJPEG	0.1 MP (352x288)	0.4 MP (704x576)	n/s	n/a	n/s	supported by specification
NBC-455-21P	fixed box camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	0.3 MP (704x480)	n/s	n/a	n/s	supported by specification
NBC-455-22IP	fixed box camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	0.3 MP (704x480)	n/s	n/a	n/s	supported by specification
NBC-455-22P	fixed box camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	0.3 MP (704x480)	n/s	n/a	n/s	supported by specification
NBN-498-11P	fixed box camera	1 ch.	H.264, MJPEG	0.1 MP (352x288)	0.4 MP (704x576)	n/s	n/a	n/s	supported by specification
NBN-498-12IP	fixed box camera	1 ch.	H.264, MJPEG	0.1 MP (352x288)	0.4 MP (704x576)	n/s	n/a	n/s	supported by specification
NBN-498-12P	fixed box camera	1 ch.	H.264, MJPEG	0.1 MP (352x288)	0.4 MP (704x576)	n/s	n/a	n/s	supported by specification
NBN-498-21P	fixed box camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	0.3 MP (704x480)	n/s	n/a	n/s	supported by specification
NBN-498-22IP	fixed box camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	0.3 MP (704x480)	n/s	n/a	n/s	supported by specification
NBN-498-22P	fixed box camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	0.3 MP (704x480)	n/s	n/a	n/s	supported by specification
NBN-733V-IP	fixed box camera	1 ch.	H.264, MJPEG	0.03 MP (256x144)	0.9 MP (1280x720)	n/s	n/a	n/s	supported by specification
NBN-733V-P	fixed box camera	1 ch.	H.264, MJPEG	0.03 MP (256x144)	0.9 MP (1280x720)	n/s	n/a	n/s	supported by specification
NBN-832V-IP	fixed box camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	2.1 MP (1920x1080)	n/s	n/a	n/s	supported by specification
NBN-832V-P	fixed box camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	2.1 MP (1920x1080)	n/s	n/a	n/s	supported by specification
NBN-921-2P	fixed box camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	0.9 MP (1280x720)	n/s	n/a	n/s	supported by specification
NBN-921-IP	fixed box camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	0.9 MP (1280x720)	n/s	n/a	n/s	supported by specification
NBN-921-P	fixed box camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	0.9 MP (1280x720)	n/s	n/a	n/s	supported by specification
NBN-932V-IP	fixed box camera	1 ch.	H.264, MJPEG	0.03 MP (256x144)	2.1 MP (1920x1080)	n/s	n/a	n/s	supported by specification
NDC-225-P	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	0.3 MP (640x480)	n/s	n/a	n/s	supported by specification
NDC-225-PI	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	0.3 MP (640x480)	n/s	n/a	n/s	supported by specification
NDC-265-P	fixed dome camera	1 ch.	H.264, MJPEG	0.03 MP (256x144)	0.9 MP (1280x720)	n/s	n/a	n/s	supported by specification
NDC-274-P	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	n/s	n/a	n/a	supported by specification
NDC-274-PM	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	n/a	n/a	n/a	supported by specification
NDC-274-PT	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	n/a	n/a	n/a	supported by specification
NDC-284-PT	fixed dome camera	1 ch.	H.264, MJPEG	0.3 MP (640x480)	5.0 MP (2592x1944)	n/a	n/a	n/a	supported by specification
NDC-455V03-11P	fixed dome camera	1 ch.	H.264, MJPEG	0.1 MP (352x288)	0.4 MP (704x576)	n/s	n/a	n/s	supported by specification
NDC-455V03-11PS	fixed dome camera	1 ch.	H.264, MJPEG	0.1 MP (352x288)	0.4 MP (704x576)	n/s	n/a	n/s	supported by specification

Model	Device type	Video channel	Compression types*	Min Resolution *	Max Resolution *	Audio *	PTZ *	I/O *	Firmware, tested with
NDN-498V09-21PS	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	0.3 MP (704x480)	n/s	n/a	n/s	supported by specification
NDN-498V09-22IP	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	0.3 MP (704x480)	n/s	n/a	n/s	supported by specification
NDN-498V09-22IPS	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	0.3 MP (704x480)	n/s	n/a	n/s	supported by specification
NDN-733V02-IP	fixed dome camera	1 ch.	H.264, MJPEG	0.03 MP (256x144)	0.9 MP (1280x720)	n/s	n/a	n/s	supported by specification
NDN-733V02-P	fixed dome camera	1 ch.	H.264, MJPEG	0.03 MP (256x144)	0.9 MP (1280x720)	n/s	n/a	n/s	supported by specification
NDN-733V03-IP	fixed dome camera	1 ch.	H.264, MJPEG	0.03 MP (256x144)	0.9 MP (1280x720)	n/s	n/a	n/s	supported by specification
NDN-733V03-P	fixed dome camera	1 ch.	H.264, MJPEG	0.03 MP (256x144)	0.9 MP (1280x720)	n/s	n/a	n/s	supported by specification
NDN-733V09-IP	fixed dome camera	1 ch.	H.264, MJPEG	0.03 MP (256x144)	0.9 MP (1280x720)	n/s	n/a	n/s	supported by specification
NDN-733V09-P	fixed dome camera	1 ch.	H.264, MJPEG	0.03 MP (256x144)	0.9 MP (1280x720)	n/s	n/a	n/s	supported by specification
NDN-832V02-IP	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	2.1 MP (1920x1080)	n/s	n/a	n/s	supported by specification
NDN-832V02-P	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	2.1 MP (1920x1080)	n/s	n/a	n/s	supported by specification
NDN-832V03-IP	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	2.1 MP (1920x1080)	n/s	n/a	n/s	supported by specification
NDN-832V03-P	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	2.1 MP (1920x1080)	n/s	n/a	n/s	supported by specification
NDN-832V09-IP	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	2.1 MP (1920x1080)	n/s	n/a	n/s	supported by specification
NDN-832V09-P	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	2.1 MP (1920x1080)	n/s	n/a	n/s	supported by specification
NDN-921V03-2P	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	0.9 MP (1280x720)	n/s	n/a	n/s	supported by specification
NDN-921V03-2PS	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	0.9 MP (1280x720)	n/s	n/a	n/s	supported by specification
NDN-921V03-IP	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	0.9 MP (1280x720)	n/s	n/a	n/s	supported by specification
NDN-921V03-IPS	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	0.9 MP (1280x720)	n/s	n/a	n/s	supported by specification
NDN-921V03-P	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	0.9 MP (1280x720)	n/s	n/a	n/s	supported by specification
NDN-921V03-PS	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	0.9 MP (1280x720)	n/s	n/a	n/s	supported by specification
NDN-932V02-IP	fixed dome camera	1 ch.	H.264, MJPEG	0.03 MP (256x144)	2.1 MP (1920x1080)	n/s	n/a	n/s	supported by specification
NDN-932V03-IP	fixed dome camera	1 ch.	H.264, MJPEG	0.03 MP (256x144)	2.1 MP (1920x1080)	n/s	n/a	n/s	ver.35500570
NDN-932V09-IP	fixed dome camera	1 ch.	H.264, MJPEG	0.03 MP (256x144)	2.1 MP (1920x1080)	n/s	n/a	n/s	supported by specification
NEI-308V05-12WE	fixed infrared camera	1 ch.	H.264, MJPEG	0.1 MP (352x288)	0.4 MP (704x576)	n/a	n/a	n/s	supported by specification
NEI-308V05-13WE	fixed infrared camera	1 ch.	H.264, MJPEG	0.1 MP (352x288)	0.4 MP (704x576)	n/a	n/a	n/s	supported by specification
NEI-308V05-22WE	fixed infrared camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	0.3 MP (704x480)	n/a	n/a	n/s	supported by specification
NEI-308V05-23WE	fixed infrared camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	0.3 MP (704x480)	n/a	n/a	n/s	supported by specification
NEI-309V05-12WE	fixed infrared camera	1 ch.	H.264, MJPEG	0.1 MP (352x288)	0.4 MP (704x576)	n/a	n/a	n/s	supported by specification
NEI-309V05-13WE	fixed infrared camera	1 ch.	H.264, MJPEG	0.1 MP (352x288)	0.4 MP (704x576)	n/a	n/a	n/s	supported by specification
NEI-309V05-22WE	fixed infrared camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	0.3 MP (704x480)	n/a	n/a	n/s	supported by specification
NEI-309V05-23WE	fixed infrared camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	0.3 MP (704x480)	n/a	n/a	n/s	supported by specification
NEC-360F02-11W	fixed infrared camera	1 ch.	H.264, MJPEG	0.02 MP (176x144)	0.4 MP (704x576)	n/a	n/a	n/a	supported by specification
NEC-360F02-21W	fixed infrared camera	1 ch.	H.264, MJPEG	0.02 MP (176x120)	0.3 MP (704x480)	n/a	n/a	n/a	supported by specification
NEI-368F02-11W	fixed infrared camera	1 ch.	H.264, MJPEG	0.02 MP (176x144)	0.4 MP (704x576)	n/a	n/a	n/a	supported by specification
NEI-368F02-21W	fixed infrared camera	1 ch.	H.264, MJPEG	0.02 MP (176x120)	0.3 MP (704x480)	n/a	n/a	n/a	supported by specification
NEI-369F02-21W	fixed infrared camera	1 ch.	H.264, MJPEG	0.02 MP (176x120)	0.3 MP (704x480)	n/a	n/a	n/a	supported by specification
NEI-369F02-11W	fixed infrared camera	1 ch.	H.264, MJPEG	0.02 MP (176x144)	0.4 MP (704x576)	n/a	n/a	n/a	supported by specification

Model	Device type	Video channel	Compression types*	Min Resolution *	Max Resolution *	Audio *	PTZ *	I/O *	Firmware, tested with
NER-L2R1-1	fixed box camera	1 ch.	H.264, MJPEG	0.1 MP (352x288)	0.4 MP (704x576)	n/a	n/a	n/a	supported by specification
NER-L2R1-2	fixed box camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	0.3 MP (704x480)	n/a	n/a	n/a	supported by specification
NER-L2R2-1	fixed box camera	1 ch.	H.264, MJPEG	0.1 MP (352x288)	0.4 MP (704x576)	n/a	n/a	n/a	supported by specification
NER-L2R2-2	fixed box camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	0.3 MP (704x480)	n/a	n/a	n/a	supported by specification
NER-L2R3-1	fixed box camera	1 ch.	H.264, MJPEG	0.1 MP (352x288)	0.4 MP (704x576)	n/a	n/a	n/a	supported by specification
NER-L2R3-2	fixed box camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	0.3 MP (704x480)	n/a	n/a	n/a	supported by specification
NER-L2R4-1	fixed box camera	1 ch.	H.264, MJPEG	0.1 MP (352x288)	0.4 MP (704x576)	n/a	n/a	n/a	supported by specification
NER-L2R4-2	fixed box camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	0.3 MP (704x480)	n/a	n/a	n/a	supported by specification
NER-L2R5-1	fixed box camera	1 ch.	H.264, MJPEG	0.1 MP (352x288)	0.4 MP (704x576)	n/a	n/a	n/a	supported by specification
NER-L2R5-2	fixed box camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	0.3 MP (704x480)	n/a	n/a	n/a	supported by specification
NIN-733-V03IP	fixed dome camera	1 ch.	H.264, MJPEG	0.03 MP (256x144)	0.9 MP (1280x720)	n/s	n/a	n/s	supported by specification
NIN-733-V03IPS	fixed dome camera	1 ch.	H.264, MJPEG	0.03 MP (256x144)	0.9 MP (1280x720)	n/s	n/a	n/s	supported by specification
NIN-733-V03P	fixed dome camera	1 ch.	H.264, MJPEG	0.03 MP (256x144)	0.9 MP (1280x720)	n/s	n/a	n/s	supported by specification
NIN-733-V03PS	fixed dome camera	1 ch.	H.264, MJPEG	0.03 MP (256x144)	0.9 MP (1280x720)	n/s	n/a	n/s	supported by specification
NIN-733-V10IP	fixed dome camera	1 ch.	H.264, MJPEG	0.03 MP (256x144)	0.9 MP (1280x720)	n/s	n/a	n/s	supported by specification
NIN-733-V10IPS	fixed dome camera	1 ch.	H.264, MJPEG	0.03 MP (256x144)	0.9 MP (1280x720)	n/s	n/a	n/s	supported by specification
NIN-733-V10P	fixed dome camera	1 ch.	H.264, MJPEG	0.03 MP (256x144)	0.9 MP (1280x720)	n/s	n/a	n/s	supported by specification
NIN-733-V10PS	fixed dome camera	1 ch.	H.264, MJPEG	0.03 MP (256x144)	0.9 MP (1280x720)	n/s	n/a	n/s	supported by specification
NIN-832-V03IP	fixed dome camera	1 ch.	H.264, MJPEG	0.03 MP (256x144)	2.1 MP (1920x1080)	n/s	n/a	n/s	supported by specification
NIN-832-V03IPS	fixed dome camera	1 ch.	H.264, MJPEG	0.03 MP (256x144)	2.1 MP (1920x1080)	n/s	n/a	n/s	supported by specification
NIN-832-V03P	fixed dome camera	1 ch.	H.264, MJPEG	0.03 MP (256x144)	2.1 MP (1920x1080)	n/s	n/a	n/s	supported by specification
NIN-832-V03PS	fixed dome camera	1 ch.	H.264, MJPEG	0.03 MP (256x144)	2.1 MP (1920x1080)	n/s	n/a	n/s	supported by specification
NIN-832-V10IP	fixed dome camera	1 ch.	H.264, MJPEG	0.03 MP (256x144)	2.1 MP (1920x1080)	n/s	n/a	n/s	supported by specification
NIN-832-V10IPS	fixed dome camera	1 ch.	H.264, MJPEG	0.03 MP (256x144)	2.1 MP (1920x1080)	n/s	n/a	n/s	supported by specification
NIN-832-V10P	fixed dome camera	1 ch.	H.264, MJPEG	0.03 MP (256x144)	2.1 MP (1920x1080)	n/s	n/a	n/s	supported by specification
NIN-832-V10PS	fixed dome camera	1 ch.	H.264, MJPEG	0.03 MP (256x144)	2.1 MP (1920x1080)	n/s	n/a	n/s	supported by specification
NIN-932-V03IP	fixed dome camera	1 ch.	H.264, MJPEG	0.03 MP (256x144)	2.1 MP (1920x1080)	n/s	n/a	n/s	supported by specification
NIN-932-V03IPS	fixed dome camera	1 ch.	H.264, MJPEG	0.03 MP (256x144)	2.1 MP (1920x1080)	n/s	n/a	n/s	supported by specification
NIN-932-V10IP	fixed dome camera	1 ch.	H.264, MJPEG	0.03 MP (256x144)	2.1 MP (1920x1080)	n/s	n/a	n/s	supported by specification
NIN-932-V10IPS	fixed dome camera	1 ch.	H.264, MJPEG	0.03 MP (256x144)	2.1 MP (1920x1080)	n/s	n/a	n/s	supported by specification
NTC-255-PI	fixed bullet camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	0.3 MP (640x480)	n/s	n/a	n/s	supported by specification
NTC-265-PI	fixed bullet camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	0.9 MP (1280x720)	n/s	n/a	n/s	supported by specification
VEZ-211-ECCE	PTZ dome camera	1 ch.	H.264, MJPEG	0.1 MP (352x288)	0.4 MP (704x576)	n/s	PTZ, presets, tour	n/s	supported by specification
VEZ-211-ECCEIVA	PTZ dome camera	1 ch.	H.264, MJPEG	0.1 MP (352x288)	0.4 MP (704x576)	n/s	PTZ, presets, tour	n/s	supported by specification
VEZ-211-ECTE	PTZ dome camera	1 ch.	H.264, MJPEG	0.1 MP (352x288)	0.4 MP (704x576)	n/s	PTZ, presets, tour	n/s	supported by specification
VEZ-211-EWCE	PTZ dome camera	1 ch.	H.264, MJPEG	0.1 MP (352x288)	0.4 MP (704x576)	n/s	PTZ, presets, tour	n/s	supported by specification
VEZ-211-EWCEIVA	PTZ dome camera	1 ch.	H.264, MJPEG	0.1 MP (352x288)	0.4 MP (704x576)	n/s	PTZ, presets, tour	n/s	supported by specification
VEZ-211-EWTE	PTZ dome camera	1 ch.	H.264, MJPEG	0.1 MP (352x288)	0.4 MP (704x576)	n/s	PTZ, presets, tour	n/s	supported by specification

Model	Device type	Video channel	Compression types*	Min Resolution *	Max Resolution *	Audio *	PTZ *	I/O *	Firmware, tested with
VG5-836-CTE4	PTZ dome camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	n/s	PTZ, presets, tour	n/s	supported by specification
VG5-836-ECE4	PTZ dome camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	n/s	PTZ, presets, tour	n/s	supported by specification
VG5-836-ECEV	PTZ dome camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	n/s	PTZ, presets, tour	n/s	supported by specification
VIP X1XF	encoder	1 ch.	H.264, MJPEG	0.08 MP (352x240) in NTSC 0.1 MP (352x288) in PAL	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	n/s	PTZ, presets, tour	n/s	supported by specification
VIP X1XF-E	encoder	1 ch.	H.264, MJPEG	0.08 MP (352x240) in NTSC 0.1 MP (352x288) in PAL	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	n/s	PTZ, presets, tour	n/s	supported by specification
VIP X16XF-E	encoder	16 ch.	H.264, MJPEG	0.08 MP (352x240) in NTSC 0.1 MP (352x288) in PAL	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	n/s	PTZ, presets, tour	n/s	supported by specification
VIP-X1600-XFM4A	encoder	4 ch.	H.264, MJPEG	0.02 MP (176x120) in NTSC 0.02 MP (176x144) in PAL	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	n/s	PTZ, presets, tour	n/s	supported by specification
VIP-X1600-XFM4B	encoder	4 ch.	H.264, MJPEG	0.02 MP (176x120) in NTSC 0.02 MP (176x144) in PAL	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	n/s	PTZ, presets, tour	n/s	supported by specification
VJR-811-ICC	PTZ dome camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	n/s	PTZ, presets, tour	n/s	supported by specification
VJR-811-ICCV	PTZ dome camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	n/s	PTZ, presets, tour	n/s	supported by specification
VJR-811-ICT	PTZ dome camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	n/s	PTZ, presets, tour	n/s	supported by specification
VJR-811-ICTV	PTZ dome camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	n/s	PTZ, presets, tour	n/s	supported by specification
VJR-811-IWC	PTZ dome camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	n/s	PTZ, presets, tour	n/s	ver.39500570
VJR-811-IWCV	PTZ dome camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	n/s	PTZ, presets, tour	n/s	supported by specification
VJR-811-IWT	PTZ dome camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	n/s	PTZ, presets, tour	n/s	supported by specification
VJR-811-IWTV	PTZ dome camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	n/s	PTZ, presets, tour	n/s	supported by specification
VJR-821-ICC	PTZ dome camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	n/s	PTZ, presets, tour	n/s	supported by specification
VJR-821-ICCV	PTZ dome camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	n/s	PTZ, presets, tour	n/s	supported by specification
VJR-821-ICT	PTZ dome camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	n/s	PTZ, presets, tour	n/s	supported by specification
VJR-821-ICTV	PTZ dome camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	n/s	PTZ, presets, tour	n/s	supported by specification
VJR-821-IWC	PTZ dome camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	n/s	PTZ, presets, tour	n/s	supported by specification
VJR-821-IWCV	PTZ dome camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	n/s	PTZ, presets, tour	n/s	supported by specification
VJR-821-IWT	PTZ dome camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	n/s	PTZ, presets, tour	n/s	supported by specification
VJR-821-IWTV	PTZ dome camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	n/s	PTZ, presets, tour	n/s	supported by specification
VJR-831-EWCV	PTZ dome camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	n/s	PTZ, presets, tour	n/s	supported by specification
VJR-F801-ICCV	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	n/a	n/a	n/a	supported by specification
VJR-F801-ICTV	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	n/a	n/a	n/a	supported by specification
VJR-F801-IWCV	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	n/a	n/a	n/a	supported by specification
VJR-F801-IWTV	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	n/a	n/a	n/a	supported by specification
VJT X20 XF E	encoder	2 ch.	H.264, MJPEG	0.08 MP (352x240) in NTSC 0.1 MP (352x288) in PAL	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	n/s	PTZ, presets, tour	n/s	supported by specification
VJT X40 XF E	encoder	4 ch.	H.264, MJPEG	0.08 MP (352x240) in NTSC 0.1 MP (352x288) in PAL	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	n/s	PTZ, presets, tour	n/s	ver.54500560
VOT-320V009H	fixed thermal camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	0.08 MP (320x240)	n/a	n/a	n/s	supported by specification
VOT-320V009L	fixed thermal camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	0.08 MP (320x240)	n/a	n/a	n/s	supported by specification
VOT-320V013H	fixed thermal camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	0.08 MP (320x240)	n/a	n/a	n/s	supported by specification

Model	Device type	Video channel	Compression types*	Min Resolution *	Max Resolution *	Audio *	PTZ *	I/O *	Firmware, tested with
VOT-320V013L	fixed thermal camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	0.08 MP (320x240)	n/a	n/a	n/s	supported by specification
VOT-320V019H	fixed thermal camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	0.08 MP (320x240)	n/a	n/a	n/s	supported by specification
VOT-320V019L	fixed thermal camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	0.08 MP (320x240)	n/a	n/a	n/s	supported by specification
VOT-320V025H	fixed thermal camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	0.08 MP (320x240)	n/a	n/a	n/s	supported by specification
VOT-320V025L	fixed thermal camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	0.08 MP (320x240)	n/a	n/a	n/s	supported by specification
VOT-320V035H	fixed thermal camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	0.08 MP (320x240)	n/a	n/a	n/s	supported by specification
VOT-320V035L	fixed thermal camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	0.08 MP (320x240)	n/a	n/a	n/s	supported by specification
VOT-320V060H	fixed thermal camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	0.08 MP (320x240)	n/a	n/a	n/s	supported by specification
VOT-320V060L	fixed thermal camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	0.08 MP (320x240)	n/a	n/a	n/s	supported by specification

[Contents](#)
[General list](#)

Model	Device type	Video channel	Compression types*	Min Resolution *	Max Resolution *	Audio *	PTZ *	I/O *	Firmware, tested with
CB-100Ae	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x192)	1.0 MP (1280x800)	n/s	n/a	n/a	supported by specification
CB-100Ae(VGA)	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x192)	0.3 MP (640x400)	n/s	n/a	n/a	supported by specification
CB-100Ap	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x192)	1.0 MP (1280x800)	n/s	n/a	n/a	supported by specification
CB-101Ae	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.05 MP (320x176)	1.0 MP (1280x800)	n/s	n/a	n/s	supported by specification
CB-101Ap	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.05 MP (320x176)	1.0 MP (1280x800)	n/s	n/a	n/s	supported by specification
CB-101Ap v2.1	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.05 MP (320x176)	1.0 MP (1280x800)	n/s	n/a	n/s	supported by specification
CB-102Ae	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.05 MP (320x176)	1.0 MP (1280x800)	n/s	n/a	n/s	supported by specification
CB-102Ap	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.05 MP (320x176)	1.0 MP (1280x800)	n/s	n/a	n/s	supported by specification
CB-102Ap v2.1	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.05 MP (320x176)	1.0 MP (1280x800)	n/s	n/a	n/s	supported by specification
CB-200Ap	fixed cube camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x192)	2.1 MP (1920x1080)	n/s	n/a	n/s	supported be specification
CB-202Ap	fixed cube camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x192)	2.1 MP (1920x1080)	n/s	n/a	n/s	supported be specification
CB-300Ap	fixed cube camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x192)	3.1 MP (2048x1536)	n/s	n/a	n/s	supported be specification
CB-302Ap	fixed cube camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x192)	3.1 MP (2048x1536)	n/s	n/a	n/s	supported be specification
CB-500Ap	fixed cube camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x192)	5.0 MP (2592x1944)	n/s	n/a	n/s	supported be specification
CB-500Ap-360P	fixed cube camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x192)	5.0 MP (2592x1944)	n/s	n/a	n/s	supported be specification
CB-502Ap	fixed cube camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x192)	5.0 MP (2592x1944)	n/s	n/a	n/s	supported be specification
FB-100Ae	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.05 MP (320x176)	1.0 MP (1280x800)	n/s	n/a	n/s	supported by specification
FB-100Ap	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.05 MP (320x176)	1.0 MP (1280x800)	n/s	n/a	n/s	ver.3.0.6.13 (V2)
FB-130Ae	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x256)	1.3 MP (1280x1024)	n/s	n/a	n/s	supported by specification
FB-130Ap	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.05 MP (320x176)	1.3 MP (1280x1024)	n/s	n/a	n/s	ver.3.0.6.13 (V2)
FB-130N	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.05 MP (320x176)	1.3 MP (1280x1024)	n/s	n/a	n/s	supported by specification
FB-200Ap	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x192)	2.1 MP (1920x1080)	n/s	n/a	n/s	supported be specification
FB-200Np	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x192)	2.1 MP (1920x1080)	n/s	n/a	n/s	supported be specification
FB-300A	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.05 MP (320x176)	3.1 MP (2032x1536)	n/s	n/a	n/s	supported by specification
FB-300Ap	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x192)	3.1 MP (2048x1536)	n/s	n/a	n/s	supported be specification
FB-300Np	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x192)	3.1 MP (2048x1536)	n/s	n/a	n/s	supported be specification
FB-300Np-SE	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x192)	3.1 MP (2048x1536)	n/s	n/a	n/s	supported be specification
FB-500Ap	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x192)	2.1 MP (1920x1080)	n/s	n/a	n/s	supported be specification
FD-100Ae	fixed box camera	1 ch.	MPEG-4, MJPEG	0.05 MP (320x176)	1.0 MP (1280x800)	n/s	n/a	n/s	supported by specification
FD-100Ap	fixed box camera	1 ch.	H.264, MPEG-4	0.05 MP (320x176)	1.0 MP (1280x800)	n/s	n/a	n/s	ver.3.0.6.13 (V2)
FD-130Ae	fixed box camera	1 ch.	MPEG-4, MJPEG	0.08 MP (320x256)	1.3 MP (1280x1024)	n/s	n/a	n/s	supported by specification
FD-130Ap	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.05 MP (320x176)	1.3 MP (1280x1024)	n/s	n/a	n/s	ver.3.0.6.13 (V2)
FD-201Af	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x192)	2.1 MP (1920x1080)	n/s	n/a	n/s	supported by specification
FD-300Ap	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x192)	3.1 MP (2048x1536)	n/s	n/a	n/s	supported be specification
FD-300Ap-V5	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x192)	3.1 MP (2048x1536)	n/s	n/a	n/s	supported be specification
FD-301Af	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x192)	3.1 MP (2048x1536)	n/s	n/a	n/s	supported be specification
FD-302Ap	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x192)	3.1 MP (2048x1536)	n/s	n/a	n/s	supported be specification

Model	Device type	Video channel	Compression types *	Min Resolution *	Max Resolution *	Audio *	PTZ *	I/O *	Firmware, tested with
FD-302Ap-V5	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x192)	3.1 MP (2048x1536)	n/s	n/a	n/s	supported be specification
FD-302Np	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x192)	3.1 MP (2048x1536)	n/s	n/a	n/s	supported be specification
FD-500Ap	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x192)	5.0 MP (2592x1944)	n/s	n/a	n/s	supported be specification
FD-501Af	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x192)	5.0 MP (2592x1944)	n/s	n/a	n/s	supported be specification
FD-502Ap	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x192)	5.0 MP (2592x1944)	n/s	n/a	n/s	supported be specification
GOB-100Ap	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.05 MP (320x176)	1.0 MP (1280x800)	n/s	n/a	n/s	supported by specification
GOB-300Ap	fixed bullet camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x192)	3.1 MP (2048x1536)	n/s	n/a	n/s	supported be specification
GOB-300Np	fixed bullet camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x192)	3.1 MP (2048x1536)	n/s	n/a	n/s	supported be specification
GOB-500Ap	fixed bullet camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x192)	5.0 MP (2592x1944)	n/s	n/a	n/s	supported be specification
MB-300Ap	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x192)	3.1 MP (2048x1536)	n/s	n/a	n/s	supported be specification
MB-500Ap	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x192)	5.0 MP (2592x1944)	n/s	n/a	n/s	supported be specification
MD-100Ae	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.05 MP (320x176)	1.0 MP (1280x800)	n/s	n/a	n/a	ver.3.0.6.12 (V2)
MD-100Ap	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.05 MP (320x176)	1.0 MP (1280x800)	n/s	n/a	n/a	supported by specification
MD-200Ap	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x192)	2.1 MP (1920x1080)	n/s	n/a	n/s	supported be specification
MD-300Ap	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x192)	3.1 MP (2048x1536)	n/s	n/a	n/s	supported be specification
MD-300Ap-360P	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x192)	3.1 MP (2048x1536)	n/s	n/a	n/s	supported be specification
MD-300Np	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x192)	3.1 MP (2048x1536)	n/s	n/a	n/s	supported be specification
MD-300Np-360P	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x192)	3.1 MP (2048x1536)	n/s	n/a	n/s	supported be specification
MD-500Ap	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x192)	5.0 MP (2592x1944)	n/s	n/a	n/s	supported be specification
MD-500Ap-360P	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x192)	5.0 MP (2592x1944)	n/s	n/a	n/s	supported be specification
OB-100Ae	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.05 MP (320x176)	1.0 MP (1280x800)	n/s	n/a	n/s	supported by specification
OB-100Ap	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.05 MP (320x176)	1.0 MP (1280x800)	n/s	n/a	n/s	ver.3.0.6.27 (V2)
OB-130Af	fixed bullet camera	1 ch.	H.264, MPEG-4, MJPEG	0.05 MP (320x176)	1.0 MP (1280x800)	n/s	n/a	n/s	supported be specification
OB-200Ae	fixed bullet camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x192)	2.1 MP (1920x1080)	n/s	n/a	n/s	supported be specification
OB-200Af	fixed bullet camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x192)	2.1 MP (1920x1080)	n/s	n/a	n/s	supported be specification
OB-200Ne	fixed bullet camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x192)	2.1 MP (1920x1080)	n/s	n/a	n/s	supported be specification
OB-200Nf	fixed bullet camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x192)	2.1 MP (1920x1080)	n/s	n/a	n/s	supported be specification
OB-202Ae	fixed bullet camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x192)	2.1 MP (1920x1080)	n/s	n/a	n/s	supported be specification
OB-202Ne	fixed bullet camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x192)	2.1 MP (1920x1080)	n/s	n/a	n/s	supported be specification
OB-202Nf	fixed bullet camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x192)	2.1 MP (1920x1080)	n/s	n/a	n/s	supported be specification
OB-300Af	fixed bullet camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x192)	3.1 MP (2048x1536)	n/s	n/a	n/s	supported be specification
OB-300Ap	fixed bullet camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x192)	3.1 MP (2048x1536)	n/s	n/a	n/s	supported be specification
OB-300Np	fixed bullet camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x192)	3.1 MP (2048x1536)	n/s	n/a	n/s	supported be specification
OB-302Ae	fixed bullet camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x192)	3.1 MP (2048x1536)	n/s	n/a	n/s	supported be specification
OB-302Ap	fixed bullet camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x192)	3.1 MP (2048x1536)	n/s	n/a	n/s	supported be specification
OB-302Ne	fixed bullet camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x192)	3.1 MP (2048x1536)	n/s	n/a	n/s	supported be specification
OB-302Np	fixed bullet camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x192)	3.1 MP (2048x1536)	n/s	n/a	n/s	supported be specification
OB-500Af	fixed bullet camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x192)	5.0 MP (2592x1944)	n/a	n/a	n/s	supported be specification

Model	Device type	Video channel	Compression types *	Min Resolution *	Max Resolution *	Audio *	PTZ *	I/O *	Firmware, tested with
OB-500Ap	fixed bullet camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x192)	5.0 MP (2592x1944)	n/a	n/a	n/s	supported be specification
OB-502Ae	fixed bullet camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x192)	5.0 MP (2592x1944)	n/a	n/a	n/s	supported be specification
OB-502Ap	fixed bullet camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x192)	5.0 MP (2592x1944)	n/a	n/a	n/s	supported be specification
OSD-040D 36x: NTSC	PTZ dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (352x240)	0.3 MP (720x480)	n/s	PTZ, presets, tour	n/s	supported by specification
OSD-040E 36x: PAL	PTZ dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.11 MP (352x288)	0.4 MP (720x576)	n/s	PTZ, presets, tour	n/s	supported by specification
PZ-040D 12x: NTSC	PTZ camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (352x240)	0.3 MP (720x480)	n/s	PTZ, presets, tour	n/s	supported by specification
PZ-040E 12x: PAL	PTZ camera	1 ch.	H.264, MPEG-4, MJPEG	0.11 MP (352x288)	0.4 MP (720x576)	n/s	PTZ, presets, tour	n/s	v3.1.0.2
OSD-200A 20xp	PTZ camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (352x240)	2.1 MP (1920x1080)	n/s	PTZ, presets, tour	n/s	supported by specification
OSD-200A 20xp-SE	PTZ camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (352x240)	2.1 MP (1920x1080)	n/s	PTZ, presets, tour	n/s	supported by specification
VD-100Ae	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.05 MP (320x176)	1.0 MP (1280x800)	n/s	n/a	n/s	supported by specification
VD-100Ap	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.05 MP (320x176)	1.0 MP (1280x800)	n/s	n/a	n/s	ver. 3.0.6.13 (V2)
VD-101Af	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.05 MP (320x176)	1.0 MP (1280x800)	n/a	n/a	n/s	supported be specification
VD-130Ae	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.05 MP (320x176)	1.3 MP (1280x1024)	n/s	n/a	n/s	supported by specification
VD-130Af	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.05 MP (320x176)	1.0 MP (1280x800)	n/a	n/a	n/s	supported be specification
VD-130Ap	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.05 MP (320x176)	1.3 MP (1280x1024)	n/s	n/a	n/s	ver. 3.0.6.13 (V2)
VD-131Af	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.05 MP (320x176)	1.0 MP (1280x800)	n/s	n/a	n/s	supported be specification
VD-200Af	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x192)	2.1 MP (1920x1080)	n/a	n/a	n/s	supported be specification
VD-200Nf	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x192)	2.1 MP (1920x1080)	n/a	n/a	n/s	supported be specification
VD-200Np	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x192)	2.1 MP (1920x1080)	n/s	n/a	n/s	supported be specification
VD-201Af	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x192)	2.1 MP (1920x1080)	n/s	n/a	n/s	supported be specification
VD-300Af	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x192)	3.1 MP (2048x1536)	n/s	n/a	n/s	supported be specification
VD-300Af-360P	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x192)	3.1 MP (2048x1536)	n/a	n/a	n/a	supported be specification
VD-300Ap	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x192)	3.1 MP (2048x1536)	n/s	n/a	n/s	supported be specification
VD-300Nf	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x192)	3.1 MP (2048x1536)	n/s	n/a	n/s	supported be specification
VD-300Nf-360P	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x192)	3.1 MP (2048x1536)	n/a	n/a	n/a	supported be specification
VD-300Np	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x192)	3.1 MP (2048x1536)	n/s	n/a	n/s	supported be specification
VD-301Af	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x192)	3.1 MP (2048x1536)	n/s	n/a	n/s	supported be specification
VD-302Ap	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x192)	3.1 MP (2048x1536)	n/s	n/a	n/s	supported be specification
VD-302Np	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x192)	3.1 MP (2048x1536)	n/s	n/a	n/s	supported be specification
VD-500Af	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x192)	5.0 MP (2592x1944)	n/a	n/a	n/a	supported be specification
VD-500Af-360P	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x192)	5.0 MP (2592x1944)	n/a	n/a	n/a	supported be specification
VD-500Ap	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x192)	5.0 MP (2592x1944)	n/s	n/a	n/s	supported be specification
VD-501Af	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x192)	5.0 MP (2592x1944)	n/s	n/a	n/s	supported be specification
VD-502Ap	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x192)	5.0 MP (2592x1944)	n/s	n/a	n/s	supported be specification
VS-01Ae	encoder	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (352x240) in NTSC 0.1 MP (352x288) in PAL	0.3 MP (720x480) in NTSC 0.4 MP (720x576) in PAL	n/s	n/a	n/s	supported by specification
VS-01Ap	encoder	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (352x240) in NTSC 0.1 MP (352x288) in PAL	0.3 MP (720x480) in NTSC 0.4 MP (720x576) in PAL	n/s	n/a	n/s	ver.3.0.6.18 (V1)
WCB-100Ae	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x192)	1.0 MP (1280x800)	n/s	n/a	n/a	ver.3.0.6.12 (V1)

Model	Device type	Video channel	Compression types *	Min Resolution *	Max Resolution *	Audio *	PTZ *	I/O *	Firmware, tested with
WCB-100Ae(VGA)	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x192)	0.3 MP (640x400)	n/s	n/a	n/a	supported by specification
WCB-100Ap	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x192)	1.0 MP (1280x800)	n/s	n/a	n/a	supported by specification
WCB-200Ap	fixed cube camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x192)	2.1 MP (1920x1080)	n/s	n/a	n/s	supported be specification
WCB-202Ap	fixed cube camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x192)	2.1 MP (1920x1080)	n/s	n/a	n/s	supported be specification
WCB-300Ap	fixed cube camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x192)	3.1 MP (2048x1536)	n/s	n/a	n/s	supported be specification
WCB-302Ap	fixed cube camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x192)	3.1 MP (2048x1536)	n/s	n/a	n/s	supported be specification
WCB-500Ap	fixed cube camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x192)	5.0 MP (2592x1944)	n/s	n/a	n/s	supported be specification
WCB-502Ap	fixed cube camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x192)	5.0 MP (2592x1944)	n/s	n/a	n/s	supported be specification
WFB-100Ae	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.05 MP (320x176)	1.0 MP (1280x800)	n/s	n/a	n/s	supported by specification
WFB-100Ap	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.05 MP (320x176)	1.0 MP (1280x800)	n/s	n/a	n/s	supported by specification
WFB-130Ae	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x256)	1.3 MP (1280x1024)	n/s	n/a	n/s	supported by specification
WFB-130Ap	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.05 MP (320x176)	1.3 MP (1280x1024)	n/s	n/a	n/s	supported by specification
WFB-130N	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.05 MP (320x176)	1.3 MP (1280x1024)	n/s	n/a	n/s	supported by specification
WFB-300A	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.05 MP (320x176)	3.1 MP (2032x1536)	n/s	n/a	n/s	supported by specification
WFB-300Np	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x192)	3.1 MP (2048x1536)	n/s	n/a	n/s	supported be specification
WMB-300Ap	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x192)	3.1 MP (2048x1536)	n/s	n/a	n/s	supported be specification
WMB-500Ap	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x192)	5.0 MP (2592x1944)	n/s	n/a	n/s	supported be specification
WOB-100Ae	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.05 MP (320x176)	1.0 MP (1280x800)	n/s	n/a	n/s	supported by specification
WOB-100Ap	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.05 MP (320x176)	1.0 MP (1280x800)	n/s	n/a	n/s	ver.3.0.6.27 (V2)
WOB-200Ae	fixed bullet camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x192)	2.1 MP (1920x1080)	n/s	n/a	n/s	supported be specification
WOB-200Ne	fixed bullet camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x192)	2.1 MP (1920x1080)	n/s	n/a	n/s	supported be specification
WOB-300Ap	fixed bullet camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x192)	3.1 MP (2048x1536)	n/s	n/a	n/s	supported be specification
WOB-300Np	fixed bullet camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x192)	3.1 MP (2048x1536)	n/s	n/a	n/s	supported be specification
WOB-302Ae	fixed bullet camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x192)	3.1 MP (2048x1536)	n/a	n/a	n/s	supported be specification
WOB-302Ne	fixed bullet camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x192)	3.1 MP (2048x1536)	n/a	n/a	n/s	supported be specification
WOB-500Ap	fixed bullet camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x192)	5.0 MP (2592x1944)	n/a	n/a	n/s	supported be specification
WOB-502Ae	fixed bullet camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x192)	5.0 MP (2592x1944)	n/a	n/a	n/s	supported be specification
WVS-01Ap	encoder	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (352x240) in NTSC 0.1 MP (352x288) in PAL	0.3 MP (720x480) in NTSC 0.4 MP (720x576) in PAL	n/s	n/a	n/s	supported by specification

[Contents](#)

[General list](#)

Model	Device type	Video channel	Compression types*	Min Resolution *	Max Resolution *	Audio *	PTZ *	I/O *	Firmware, tested with
VB-H41	PTZ camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	in	PTZ, presets	n/a	ver.1.0.0
VB-H610D	fixed dome camera	1 ch.	H.264, MJPEG	0.02 MP (160x120)	1.2 MP (1280x960)	in	n/a	n/a	supported by specification
VB-H610VE	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	in	n/a	n/a	supported by specification
VB-H710F	fixed box camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	in	n/a	n/a	supported by specification
VB-M40	PTZ camera	1 ch.	H.264, MJPEG	0.02 MP (160x120)	1.2 MP (1280x960)	n/a	PTZ, presets	n/a	supported by specification
VB-M600D	fixed dome camera	1 ch.	H.264, MJPEG	0.02 MP (160x120)	1.2 MP (1280x960)	n/a	n/a	n/a	ver.1.0.0
VB-M600VE	fixed dome camera	1 ch.	H.264, MJPEG	0.02 MP (160x120)	1.2 MP (1280x960)	n/a	n/a	n/a	supported by specification
VB-M700F	fixed box camera	1 ch.	H.264, MJPEG	0.02 MP (160x120)	1.2 MP (1280x960)	in	n/a	n/a	supported by specification
VB-S30D	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	in	n/a	n/a	supported by specification
VB-S31D	fixed dome camera	1 ch.	H.264, MJPEG	0.05 MP (320x160)	2.1 MP (1920x1080)	in	n/a	n/a	supported by specification
VB-S800D	fixed dome camera	1 ch.	H.264, MJPEG	0.05 MP (320x180)	2.1 MP (1920x1080)	in	n/a	n/a	supported by specification
VB-S900F	fixed box camera	1 ch.	H.264, MJPEG	0.05 MP (320x180)	2.1 MP (1920x1080)	n/a	n/a	n/a	supported by specification

[Contents](#)

[General list](#)

Model	Device type	Video channel	Compression types*	Min Resolution *	Max Resolution *	Audio *	PTZ *	I/O *	Firmware, tested with
CVIS-IPC-2500	fixed box camera	1 ch.	MPEG-4	0.08 MP (352x240) in NTSC 0.1 MP (352x288) in PAL	0.3 MP (720x480) in NTSC 0.4 MP (720x576) in PAL	n/s	n/a	n/s	ver. 2.0
CVIS-IPC-2500W	fixed box camera	1 ch.	MPEG-4	0.08 MP (352x240) in NTSC 0.1 MP (352x288) in PAL	0.3 MP (720x480) in NTSC 0.4 MP (720x576) in PAL	n/s	n/a	n/s	supported by specification
CVIS-IPC-2600	fixed box camera	1 ch.	H.264, MJPEG	0.08 MP (352x240) in NTSC 0.1 MP (352x288) in PAL	0.3 MP (720x480) in NTSC 0.4 MP (720x576) in PAL	n/s	n/a	n/s	supported by specification
CVIS-IPC-2611	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240) in NTSC 0.1 MP (352x288) in PAL	0.3 MP (720x480) in NTSC 0.4 MP (720x576) in PAL	n/s	n/a	n/s	tested by partner
CVIS-IPC-2621V	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240) in NTSC 0.1 MP (352x288) in PAL	0.3 MP (720x480) in NTSC 0.4 MP (720x576) in PAL	n/s	n/a	n/s	supported by specification
CVIS-IPC-2630V	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240) in NTSC 0.1 MP (352x288) in PAL	0.3 MP (720x480) in NTSC 0.4 MP (720x576) in PAL	n/s	n/a	n/s	supported by specification
CVIS-IPC-2911	PTZ dome camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	0.3 MP (704x480)	n/s	PTZ, presets	n/s	supported by specification
CVIS-IPC-2916	PTZ dome camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	0.4 MP (704x576)	n/s	PTZ, presets	n/s	supported by specification
CVIS-IPC-2930	PTZ dome camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	0.3 MP (704x480)	n/s	PTZ, presets	n/s	ver. 1.6.18.2084-01.6086
CVIS-IPC-2935	PTZ dome camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	0.4 MP (704x576)	n/s	PTZ, presets	n/s	supported by specification
CVIS-IPC-4300	fixed box camera	1 ch.	H.264, MJPEG	0.08 MP (352x240) in NTSC 0.1 MP (352x288) in PAL	2.1 MP (1920x1080)	n/s	n/a	n/s	supported by specification
CVIS-IPC-4500	fixed box camera	1 ch.	H.264, MJPEG	0.08 MP (352x240) in NTSC 0.1 MP (352x288) in PAL	2.1 MP (1920x1080)	n/s	n/a	n/s	supported by specification
CVIS-IPC-5010	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	n/a	n/a	n/s	supported by specification
CVIS-IPC-5011	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	n/a	n/a	n/s	tested by partner

[Contents](#)
[General list](#)

Model	Device type	Video channel	Compression types*	Min Resolution *	Max Resolution *	Audio *	PTZ *	I/O *	Firmware, tested with
IBP5030CR	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	1.2 MP (1280x960)	n/s	n/a	n/a	supported by specification
IDB4110NVF	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (352x240)	0.3 MP (704x480)	n/s	n/a	n/s	supported by specification
IDB4110PVF	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.1 MP (352x288)	0.4 MP (704x576)	n/s	n/a	n/s	supported by specification
IDC4000T	fixed dome camera	1 ch.	MPEG-4, MJPEG	0.08 MP (320x240)	0.3 MP (640x480)	n/s	n/a	n/s	supported by specification
IDC4050F	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	2.1 MP (1920x1080)	n/s	n/a	n/s	ver.XNET.M1-2.20.12.0612b
IDC4050IR	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	2.1 MP (1920x1080)	n/s	n/a	n/s	supported by specification
IDC4050VF	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	2.1 MP (1920x1080)	n/s	n/a	n/s	supported by specification
IDC4050VR	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	2.1 MP (1920x1080)	n/s	n/a	n/s	supported by specification
IDP4000VD	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	0.3 MP (640x480)	n/s	n/a	n/s	supported by specification
IDP4000VR	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	0.3 MP (640x480)	n/s	n/a	n/s	supported by specification
IDP4030VR	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	1.2 MP (1280x960)	n/s	n/a	n/s	supported by specification
IDP5035VR	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	1.3 MP (1280x1024)	n/s	n/a	n/s	supported by specification
IGB1110NF	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (352x240)	0.3 MP (704x480)	n/s	n/a	n/s	supported by specification
IGB1110PF	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.1 MP (352x288)	0.4 MP (704x576)	n/s	n/a	n/s	supported by specification
IGC2050F	fixed box camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	2.1 MP (1920x1080)	n/s	n/a	n/s	ver.XNET.M1-2.20.12.0612b
IGP1000F	fixed box camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	0.3 MP (640x480)	n/s	n/a	n/s	supported by specification
IGP1030	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	1.2 MP (1280x960)	n/s	n/a	n/s	ver.XNET.A1-1.01.11.0228
IGP2035F	fixed box camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	1.3 MP (1280x1024)	n/s	n/a	n/s	supported by specification
IVB4110NVF	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (352x240)	0.3 MP (704x480)	n/s	n/a	n/s	supported by specification
IVB4110PVF	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.1 MP (352x288)	0.4 MP (704x576)	n/s	n/a	n/s	supported by specification
IVC5055VR	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	2.1 MP (1920x1080)	n/s	n/a	n/s	supported by specification
IVP4000VR	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	0.3 MP (640x480)	n/s	n/a	n/s	supported by specification
IVP4030VR	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	1.2 MP (1280x960)	n/s	n/a	n/s	supported by specification
IVP5035VR	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	1.3 MP (1280x1024)	n/s	n/a	n/s	supported by specification
IXC2050IR	fixed box camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	2.1 MP (1920x1080)	n/s	n/a	n/s	supported by specification
IXP3035VR	fixed box camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	1.3 MP (1280x1024)	n/s	n/a	n/s	supported by specification

[Contents](#)
[General list](#)

Model	Device type	Video channel	Compression types*	Min Resolution *	Max Resolution *	Audio *	PTZ *	I/O *	Firmware, tested with
CO-i03DY1	fixed dome camera	1 ch.	MPEG-4, MJPEG	0.03 MP (176x144)	0.3 MP (640x480)	n/a	n/a	n/a	supported by specification
CO-i03MY1	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	0.3 MP (640x480)	in	n/a	n/a	supported by specification
CO-i03MY1W	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	0.3 MP (640x480)	in	n/a	n/a	supported by specification
CO-i04DY2	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	0.4 MP (720x576)	in	n/a	n/s	supported by specification
CO-i04SY2IRP	fixed bullet camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	0.4 MP (720x576)	in	n/a	n/s	supported by specification
CO-i10DY1IR	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	1.0 MP (1280x800)	n/a	n/a	n/a	ver.1.0.24 HD
CO-i10DY1P	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	1.0 MP (1280x800)	n/a	n/a	n/a	ver.1.0.24 HD
CO-i10DY2P	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	1.0 MP (1280x800)	n/a	n/a	n/a	ver.1.0.24 HD
CO-i10MY1	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	1.0 MP (1280x800)	in	n/a	n/s	ver.1.0.24 HD
CO-i10SY2IRP	fixed bullet camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	1.0 MP (1280x800)	n/a	n/a	n/s	ver.1.0.24 HD
CO-i13DY2	fixed dome camera	1 ch.	MPEG-4, MJPEG	0.03 MP (176x144)	1.3 MP (1280x1024)	n/a	n/a	n/a	supported by specification
CO-i13DY2IRV	fixed dome camera	1 ch.	MPEG-4, MJPEG	0.03 MP (176x144)	1.3 MP (1280x1024)	in	n/a	n/a	supported by specification
CO-i13HY0	fixed box camera	1 ch.	MPEG-4, MJPEG	0.03 MP (176x144)	1.3 MP (1280x1024)	in	n/a	n/s	supported by specification
CO-i13MY1	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	1.3 MP (1280x1024)	in	n/a	n/a	ver.1.0.36
CO-i13MY1W	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	1.3 MP (1280x1024)	in	n/a	n/a	supported by specification
CO-i13SY2IRP	fixed bullet camera	1 ch.	MPEG-4, MJPEG	0.03 MP (176x144)	1.3 MP (1280x1024)	in	n/a	n/s	supported by specification
CO-i20DY1P(2P)	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	1.9 MP (1600x1200)	in	n/a	n/s	supported by specification
CO-i20DY2	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	1.9 MP (1600x1200)	in	n/a	n/s	supported by specification
CO-i20DY2IRPV	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	1.9 MP (1600x1200)	in	n/a	n/s	ver.1.0.36
CO-i20DY2IRPV(HD)	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	2.1 MP (1920x1080)	in	n/a	n/s	ver.1.0.24 HD
CO-i20DY2P	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	1.9 MP (1600x1200)	in	n/a	n/s	ver.1.0.36
CO-i20HY0	fixed box camera	1 ch.	H.264, MJPEG	0.03 MP (176x144)	1.9 MP (1600x1200)	in	n/a	n/s	supported by specification
CO-i20HY0DNP	fixed box camera	1 ch.	H.264, MJPEG	0.03 MP (176x144)	1.9 MP (1600x1200)	in	n/a	n/s	supported by specification
CO-i20HY0DNW	fixed box camera	1 ch.	H.264, MJPEG	0.03 MP (176x144)	1.9 MP (1600x1200)	in	n/a	n/s	supported by specification
CO-i20HY0P	fixed box camera	1 ch.	H.264, MJPEG	0.03 MP (176x144)	1.9 MP (1600x1200)	in	n/a	n/s	supported by specification
CO-i20MY1	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	1.9 MP (1600x1200)	in	n/a	n/a	ver.1.0.36
CO-i20SY2IR	fixed bullet camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	1.9 MP (1600x1200)	in	n/a	n/s	supported by specification
CO-i20SY2IRP	fixed bullet camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	1.9 MP (1600x1200)	in	n/a	n/s	ver.1.0.36
CO-i20SY2IRW	fixed bullet camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	1.9 MP (1600x1200)	in	n/a	n/s	supported by specification

[Contents](#)
[General list](#)

Model	Device type	Video channel	Compression types*	Min Resolution *	Max Resolution *	Audio *	PTZ *	I/O *	Firmware, tested with
CS-190-IO	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.07 MP (320x240)	1.9 MP (1600x1200)	in	n/a	n/s	tested by partner
CS-190-IP	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.07 MP (320x240)	1.9 MP (1600x1200)	in	n/a	n/s	supported by specification
CS-190-IW	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.07 MP (320x240)	1.9 MP (1600x1200)	in	n/a	n/s	supported by specification
CS-410-IP	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.07 MP (320x240)	1.3 MP (1280x1024)	in	n/a	n/s	supported by specification
CS-410-IW	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.07 MP (320x240)	1.3 MP (1280x1024)	in	n/a	n/s	supported by specification
CS-415-IP	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.07 MP (320x240)	1.3 MP (1280x1024)	in	n/a	n/s	supported by specification
CS-415-IW	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.07 MP (320x240)	1.3 MP (1280x1024)	in	n/a	n/s	supported by specification
CS-265-IO	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.07 MP (320x240)	1.9 MP (1600x1200)	n/a	n/a	n/s	supported by specification
CS-265-IP	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.07 MP (320x240)	1.9 MP (1600x1200)	n/a	n/a	n/s	supported by specification
CS-265-IW	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.07 MP (320x240)	1.9 MP (1600x1200)	n/a	n/a	n/s	supported by specification
CS-285-IP	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.07 MP (320x240)	1.9 MP (1600x1200)	in	n/a	n/s	supported by specification
CS-285-IW	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.07 MP (320x240)	1.9 MP (1600x1200)	in	n/a	n/s	supported by specification
CS-325-IO	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.07 MP (320x240)	1.9 MP (1600x1200)	n/a	n/a	n/s	supported by specification
CS-325-IP	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.07 MP (320x240)	1.9 MP (1600x1200)	n/a	n/a	n/s	supported by specification
CS-385-IO	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.07 MP (320x240)	1.9 MP (1600x1200)	n/a	n/a	n/s	supported by specification
CS-385-IP	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.07 MP (320x240)	1.9 MP (1600x1200)	n/a	n/a	n/s	supported by specification
CS-395-IO	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.07 MP (320x240)	1.9 MP (1600x1200)	in	n/a	n/s	supported by specification
CS-395-IP	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.07 MP (320x240)	1.9 MP (1600x1200)	in	n/a	n/s	supported by specification

[Contents](#)

[General list](#)

Model	Device type	Video channel	Compression types*	Min Resolution *	Max Resolution *	Audio *	PTZ *	I/O *	Firmware, tested with
DCS-2132L	fixed cube camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176×144)	1.0 MP (1280×800)	in	n/a	n/a	ver.1.01.10
DCS-2310L	fixed cube camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176×144)	1.0 MP (1280×800)	in	n/a	n/a	ver.1.01.10
DCS-2332L	fixed cube camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176×144)	1.0 MP (1280×800)	in	n/a	n/a	ver.1.01.03
DCS-3010	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176×144)	1.0 MP (1280×800)	in	n/a	n/a	ver.1.00.05
DCS-6010L	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.1 MP (400×300)	1.9 MP (1600×1200)	in	n/a	n/a	ver.1.00.04
DCS-6210	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176×144)	2.1 MP (1920×1080)	in	n/a	n/a	ver.1.00.06
DCS-6314	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176×144)	2.1 MP (1920×1080)	in	n/a	n/s	ver.1.00.00
DCS-6513	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176×144)	3.1 MP (2048×1536)	in	n/a	n/s	ver.1.01.01
DCS-7010L	fixed bullet camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176×144)	1.0 MP (1280×800)	in	n/a	n/s	ver.1.02.00
DCS-7413	fixed bullet camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176×144)	2.1 MP (1920×1080)	in	n/a	n/a	ver.1.00.02
DCS-7513	fixed bullet camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176×144)	2.1 MP (1920×1080)	in	n/a	n/a	ver.1.01.03
DCS-942L	fixed cube camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160×120)	0.3 MP (640×480)	in	n/a	n/a	ver.1.22.00

[Contents](#)
[General list](#)

Model	Device type	Video channel	Compression types*	Min Resolution *	Max Resolution *	Audio *	PTZ *	I/O *	Firmware, tested with
DDF4010HDV	PTZ speed camera	1 ch.	H.264, MJPEG	0.02 MP (192x128)	0.9 MP (1280x720)	in	PTZ, presetes, tour	n/a	supported by specification
DDF4220HDV	fixed dome camera	1 ch.	H.264, MJPEG	0.02 MP (192x128)	1.2 MP (1280x960)	n/a	n/a	n/a	supported by specification
DDF4320HD-DN	fixed dome camera	1 ch.	H.264, MJPEG	0.02 MP (192x128)	1.2 MP (1280x960)	in	n/a	n/a	supported by specification
DDF4510HDV	fixed dome camera	1 ch.	H.264, MJPEG	0.02 MP (192x128)	0.9 MP (1280x720)	in	n/a	n/a	supported by specification
DDF4520HDV-DN	fixed dome camera	1 ch.	H.264, MJPEG	0.02 MP (192x128)	1.2 MP (1280x960)	n/a	n/a	n/a	supported by specification
DDF4820HDV-DN	fixed dome camera	1 ch.	H.264, MJPEG	0.02 MP (192x128)	3.1 MP (2048x1536)	n/a	n/a	n/a	supported by specification
DDF4920HDV-DN	fixed dome camera	1 ch.	H.264, MJPEG	0.02 MP (192x128)	4.9 MP (2592x1920)	in	n/a	n/a	supported by specification
DDZ4010	PTZ speed camera	1 ch.	H.264, MJPEG	0.03 MP (176x144)	2.1 MP (1920x1080)	n/a	PTZ, presetes, tour	n/s	supported by specification
DDZ4020	PTZ speed camera	1 ch.	H.264, MJPEG	0.03 MP (176x144)	2.1 MP (1920x1080)	in	PTZ, presetes, tour	n/s	tested by partner (ONIVF)
DF4500HD	fixed box camera	1 ch.	H.264, MJPEG	0.02 MP (160x128)	0.9 MP (1280x720)	n/s	n/a	n/a	supported by specification
DF4510HD	fixed box camera	1 ch.	H.264, MJPEG	0.02 MP (192x128)	0.9 MP (1280x720)	in	n/a	n/a	supported by specification
DF4900HD	fixed box camera	1 ch.	H.264, MJPEG	0.02 MP (192x128)	3.1 MP (2048x1536)	n/s	n/a	n/a	supported by specification
DF4900HD-DN/IR	fixed box camera	1 ch.	H.264, MJPEG	0.02 MP (192x128)	3.1 MP (2048x1536)	n/a	n/a	n/a	supported by specification
DF4910HD	fixed box camera	1 ch.	H.264, MJPEG	0.02 MP (160x128)	4.9 MP (2592x1920)	in	n/a	n/a	supported by specification
DF4910HD-DN	fixed box camera	1 ch.	H.264, MJPEG	0.02 MP (160x128)	4.9 MP (2592x1920)	in	n/a	n/a	supported by specification
DF4910HD-DN/IR	fixed box camera	1 ch.	H.264, MJPEG	0.02 MP (192x128)	4.9 MP (2592x1920)	in	n/a	n/a	ver.6.1.2.9 (ONVIF)
DF4920HD-DN	fixed box camera	1 ch.	H.264, MJPEG	0.02 MP (192x128)	4.9 MP (2592x1920)	in	n/a	n/a	supported by specification
DF4920HD-DN/IR	fixed box camera	1 ch.	H.264, MJPEG	0.02 MP (192x128)	3.1 MP (2048x1536)	n/a	n/a	n/a	supported by specification
MDF4220HD	camera kit	1 ch.	H.264, MJPEG	0.02 MP (192x128)	1.2 MP (1280x960)	n/a	n/a	n/a	supported by specification

[Contents](#)

[General list](#)

Model	Device type	Video channel	Compression types *	Min Resolution *	Max Resolution *	Audio *	PTZ *	I/O *	Firmware, tested with
EV8180A	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	1.3 MP (1280x1024)	in	n/a	n/s	tested by partner
EV8180A-XD	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	1.3 MP (1280x1024)	in	n/a	n/s	supported by spetification
EV8180F	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	4.9 MP (2592x1920)	in	n/a	n/s	tested by partner
EV8180Q	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	3.1 MP (2048x1536)	in	n/a	n/s	supported by spetification
EV8180Q-XD	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	3.1 MP (2048x1536)	in	n/a	n/s	supported by spetification
EV8180U	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	2.1 MP (1920x1080)	in	n/a	n/s	supported by spetification
EV8280U-MD	PTZ dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	2.1 MP (1920x1080)	in	PTZ	n/s	tested by partner
EV8286Q-MD	PTZ dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	3.1 MP (2048x1536)	in	PTZ	n/s	supported by spetification
EV8383F	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	4.9 MP (2592x1920)	in	n/a	n/s	supported by spetification
EV8580A	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	1.3 MP (1280x1024)	in	n/a	n/s	supported by spetification
EV8580A-BD	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	3.1 MP (2048x1536)	in	n/a	n/s	supported by spetification
EV8580A-CD	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	3.1 MP (2048x1536)	in	n/a	n/s	supported by spetification
EV8580F	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	4.9 MP (2592x1920)	in	n/a	n/s	supported by spetification
EV8580Q	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	3.1 MP (2048x1536)	in	n/a	n/s	supported by spetification
EV8580Q-BD	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	3.1 MP (2048x1536)	in	n/a	n/s	supported by spetification
EV8580Q-CD	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	3.1 MP (2048x1536)	in	n/a	n/s	supported by spetification
EV8580Q-MD	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	3.1 MP (2048x1536)	in	n/a	n/s	supported by spetification
EV8580U	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	2.1 MP (1920x1080)	in	n/a	n/s	supported by spetification
EV8581A	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	1.3 MP (1280x1024)	in	n/a	n/s	supported by spetification
EV8581A-CD	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	1.3 MP (1280x1024)	in	n/a	n/s	supported by spetification
EV8581Q	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	3.1 MP (2048x1536)	in	n/a	n/s	supported by spetification
EV8581Q-BD	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	3.1 MP (2048x1536)	in	n/a	n/s	supported by spetification
EV8581Q-CD	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	3.1 MP (2048x1536)	in	n/a	n/s	supported by spetification
EV8581Q-MD	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	3.1 MP (2048x1536)	in	n/a	n/s	supported by spetification
EV8581U	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	2.1 MP (1920x1080)	in	n/a	n/s	supported by spetification
EV8582A	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	1.3 MP (1280x1024)	in	n/a	n/a	supported by spetification
EV8780A	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	1.3 MP (1280x1024)	in	n/a	n/a	supported by spetification
EV8780U	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	2.1 MP (1920x1080)	in	n/a	n/a	supported by spetification
EV8781A	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	1.3 MP (1280x1024)	in	n/a	n/s	supported by spetification
EV8781A-CD	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	1.3 MP (1280x1024)	in	n/a	n/s	supported by spetification
EV8781A-DD	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	1.3 MP (1280x1024)	in	n/a	n/s	supported by spetification
EV8781F	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	4.9 MP (2592x1920)	in	n/a	n/s	supported by spetification
EV8781Q	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	3.1 MP (2048x1536)	in	n/a	n/s	supported by spetification
EV8781Q-CD	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	3.1 MP (2048x1536)	in	n/a	n/s	supported by spetification
EV8781Q-DD	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	3.1 MP (2048x1536)	in	n/a	n/s	supported by spetification
EV8781Q-MD	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	3.1 MP (2048x1536)	in	n/a	n/s	supported by spetification
EV8781U	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	2.1 MP (1920x1080)	in	n/a	n/s	supported by spetification

Model	Device type	Video channel	Compression types *	Min Resolution *	Max Resolution *	Audio *	PTZ *	I/O *	Firmware, tested with
EV8782A	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	1.3 MP (1280x1024)	n/a	n/a	n/a	supported by specification
EV8782A-BD	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	1.3 MP (1280x1024)	n/a	n/a	n/s	supported by specification
EV8782Q	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	3.1 MP (2048x1536)	n/a	n/a	n/a	supported by specification
EV8782Q-BD	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	3.1 MP (2048x1536)	n/a	n/a	n/s	supported by specification
EV8782U	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	2.1 MP (1920x1080)	n/a	n/a	n/a	supported by specification

[Contents](#)
[General list](#)

Model	Device type	Video channel	Compression types*	Min Resolution *	Max Resolution *	Audio *	PTZ *	I/O *	Firmware, tested with
APIX-10ZBox / M1	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	1.2 MP (1280x960)	n/s	n/s	in/out	supported by specification
APIX-12ZDome / D1	PTZ dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (176x144)	0.4 MP (720x576)	n/s	PTZ, presets, tour	in/out	supported by specification
APIX-12ZDome / D1 Ext	PTZ dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (176x144)	0.4 MP (720x576)	n/s	PTZ, presets, tour	in/out	supported by specification
APIX-18ZBox / M2	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (176x144)	2.1 MP (1920x1080)	n/s	n/a	in/out	supported by specification
APIX-18ZDome / M2	PTZ dome camera	1 ch.	H.264, MJPEG	0.3 MP (640x480)	2.1 MP (1920x1080)	n/s	PTZ, presets, tour	in/out	supported by specification
APIX-18ZDome / M2 Ext	PTZ dome camera	1 ch.	H.264, MJPEG	0.3 MP (640x480)	2.1 MP (1920x1080)	n/s	PTZ, presets, tour	in/out	supported by specification
APIX-36ZDome / D1	PTZ dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (176x144)	0.4 MP (720x576)	n/s	PTZ, presets, tour	in/out	supported by specification
APIX-36ZDome / D1 Ext	PTZ dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (176x144)	0.4 MP (720x576)	n/s	PTZ, presets, tour	in/out	supported by specification
APIX-Box / M1	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	1.2 MP (1280x960)	n/s	n/a	in/out	supported by specification
APIX-Box / M2	fixed box camera	1 ch.	H.264, MJPEG	0.1 MP (352x240)	2.1 MP (1920x1080)	n/s	n/a	in/out	supported by specification
APIX-Box / M2 Lite	fixed box camera	1 ch.	H.264, MJPEG	0.1 MP (352x240)	2.1 MP (1920x1080)	n/s	n/a	in/out	ver.p20100621NS
APIX-Box / M3	fixed box camera	1 ch.	H.264, MJPEG	0.1 MP (352x240)	3.1 MP (2048x1536)	n/s	n/a	in/out	supported by specification
APIX-Box / M5	fixed box camera	1 ch.	H.264, MJPEG	0.1 MP (352x240)	5.0 MP (2592x1944)	n/s	n/a	in/out	supported by specification
APIX-Bullet / M1	fixed bullet camera	1 ch.	H.264, MJPEG	0.02 MP (176x144)	1.0 MP (1280x800)	n/s	n/a	in/out	supported by specification
APIX-Bullet / M2	fixed bullet camera	1 ch.	H.264, MJPEG	0.1 MP (352x240)	2.1 MP (1920x1080)	n/s	n/a	in/out	supported by specification
APIX-Bullet / M2 Lite	fixed bullet camera	1 ch.	H.264, MJPEG	0.1 MP (352x240)	2.1 MP (1920x1080)	n/s	n/a	in/out	supported by specification
APIX-Compact / M1	fixed bullet camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (176x144)	1.0 MP (1280x800)	n/s	n/a	in/out	supported by specification
APIX-Dome / M2 Led	fixed dome camera	1 ch.	H.264, MJPEG	0.03 MP (176x144)	1.9 MP (1600x1200)	n/s	n/a	in/out	supported by specification
APIX-Dome / M2 Lite	fixed dome camera	1 ch.	H.264, MJPEG	0.03 MP (176x144)	1.9 MP (1600x1200)	n/s	n/a	in/out	supported by specification
APIX-MiniDome / M1	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	1.2 MP (1280x960)	n/s	n/a	n/a	ver.p20100317NS
APIX-MiniDome / M2 Lite	fixed dome camera	1 ch.	H.264, MJPEG	0.1 MP (352x240)	2.1 MP (1920x1080)	n/s	n/a	n/a	supported by specification
APIX-Vdome / M1	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	1.2 MP (1280x960)	n/s	n/a	in/out	supported by specification
APIX-VDome / M1 Ext	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (176x144)	2.1 MP (1920x1080)	n/s	n/a	in/out	supported by specification
APIX-VDome / M2 Led Ext	fixed dome camera	1 ch.	H.264, MJPEG	0.02 MP (176x144)	2.1 MP (1920x1080)	n/s	n/a	in/out	supported by specification
APIX-VDome / M2 Lite Led	fixed dome camera	1 ch.	H.264, MJPEG	0.02 MP (176x144)	2.1 MP (1920x1080)	n/s	n/a	in/out	supported by specification

[Contents](#)

[General list](#)

Model	Device type	Video channel	Compression types*	Min Resolution *	Max Resolution *	Audio *	PTZ *	I/O *	Firmware, tested with
FW1170-VO	fixed box camera	1 ch.	H.264, MJPEG	0.02 MP (176x112)	0.3 MP (640x480)	in	n/a	n/s	supported by specification
FW1173-DS	fixed box camera	1 ch.	H.264, MJPEG	0.02 MP (176x112)	0.3 MP (720x480)	in	n/a	n/s	supported by specification
FW1173-FS	fixed box camera	1 ch.	H.264, MJPEG	0.01 MP (160x96)	2.1 MP (1920x1080)	in	n/a	n/s	supported by specification
FW1173-MS	fixed box camera	1 ch.	H.264, MJPEG	0.01 MP (160x96)	1.3 MP (1280x1024)	in	n/a	n/s	ver. 4.12-06-ds
FW1174-MC	fixed dome camera	1 ch.	H.264, MJPEG	0.01 MP (160x96)	1.3 MP (1280x1024)	n/a	n/a	n/a	supported by specification
FW1174-VC	fixed dome camera	1 ch.	H.264, MJPEG	0.02 MP (160x112)	0.3 MP (640x480)	n/a	n/a	n/a	supported by specification
FW1175-DS	fixed dome camera	1 ch.	H.264, MJPEG	0.02 MP (176x112)	0.3 MP (720x480)	in	n/a	n/s	supported by specification
FW1175-FS	fixed dome camera	1 ch.	H.264, MJPEG	0.01 MP (160x96)	2.1 MP (1920x1080)	in	n/a	n/s	supported by specification
FW1175-MS	fixed dome camera	1 ch.	H.264, MJPEG	0.01 MP (160x96)	1.3 MP (1280x1024)	in	n/a	n/s	supported by specification
FW1176-DS	fixed dome camera	1 ch.	H.264, MJPEG	0.02 MP (176x112)	0.3 MP (720x480)	in	n/a	n/s	supported by specification
FW1176-FS	fixed dome camera	1 ch.	H.264, MJPEG	0.01 MP (160x96)	2.1 MP (1920x1080)	in	n/a	n/s	supported by specification
FW1176-MS	fixed dome camera	1 ch.	H.264, MJPEG	0.01 MP (160x96)	1.3 MP (1280x1024)	in	n/a	n/s	supported by specification
FW1177-DE	PTZ dome camera	1 ch.	H.264, MJPEG	0.02 MP (176x112)	0.3 MP (720x480)	in	PTZ, presets	n/s	supported by specification
FW1178-DP	PTZ dome camera	1 ch.	H.264, MJPEG	0.02 MP (176x112)	0.3 MP (720x480)	in	PTZ, presets	n/s	supported by specification
FW1179-MS	fixed box camera	1 ch.	H.264, MJPEG	0.01 MP (160x96)	1.3 MP (1280x1024)	n/a	n/a	n/a	supported by specification

[Contents](#)
[General list](#)

Model	Device type	Video channel	Compression types*	Min Resolution *	Max Resolution *	Audio *	PTZ *	I/O *	Firmware, tested with
F-124	fixed bullet camera	1 ch.	H.264, MPEG-4	0.005 MP (80x60)	0.02 MP (160x120)	n/a	n/a	n/a	supported by specification
F-117	fixed bullet camera	1 ch.	H.264, MPEG-4	0.005 MP (80x60)	0.02 MP (160x120)	n/a	n/a	n/a	supported by specification
F-112	fixed bullet camera	1 ch.	H.264, MPEG-4	0.005 MP (80x60)	0.02 MP (160x120)	n/a	n/a	n/a	supported by specification
F-348	fixed bullet camera	1 ch.	H.264, MPEG-4	0.005 MP (80x60)	0.08 MP (320x240)	n/a	n/a	n/a	tested by partner
F-334	fixed bullet camera	1 ch.	H.264, MPEG-4	0.005 MP (80x60)	0.08 MP (320x240)	n/a	n/a	n/a	supported by specification
F-324	fixed bullet camera	1 ch.	H.264, MPEG-4	0.005 MP (80x60)	0.08 MP (320x240)	n/a	n/a	n/a	supported by specification
F-313	fixed bullet camera	1 ch.	H.264, MPEG-4	0.005 MP (80x60)	0.08 MP (320x240)	n/a	n/a	n/a	supported by specification
F-307	fixed bullet camera	1 ch.	H.264, MPEG-4	0.005 MP (80x60)	0.08 MP (320x240)	n/a	n/a	n/a	supported by specification
F-304	fixed bullet camera	1 ch.	H.264, MPEG-4	0.005 MP (80x60)	0.08 MP (320x240)	n/a	n/a	n/a	supported by specification
F-645	fixed bullet camera	1 ch.	H.264, MPEG-4	0.02 MP (160x120)	0.3 MP (640x480)	n/a	n/a	n/a	supported by specification
F-625	fixed bullet camera	1 ch.	H.264, MPEG-4	0.02 MP (160x120)	0.3 MP (640x480)	n/a	n/a	n/a	supported by specification
F-618	fixed bullet camera	1 ch.	H.264, MPEG-4	0.02 MP (160x120)	0.3 MP (640x480)	n/a	n/a	n/a	supported by specification
F-612	fixed bullet camera	1 ch.	H.264, MPEG-4	0.02 MP (160x120)	0.3 MP (640x480)	n/a	n/a	n/a	supported by specification
F-610	fixed bullet camera	1 ch.	H.264, MPEG-4	0.02 MP (160x120)	0.3 MP (640x480)	n/a	n/a	n/a	supported by specification
F-606	fixed bullet camera	1 ch.	H.264, MPEG-4	0.02 MP (160x120)	0.3 MP (640x480)	n/a	n/a	n/a	supported by specification
PT-124	PTZ camera	1 ch.+1 ch.	H.264, MPEG-4	0.005 MP (80x60)	0.02 MP (160x120)	n/a	n/s	n/a	supported by specification
PT-117	PTZ camera	1 ch.+1 ch.	H.264, MPEG-4	0.005 MP (80x60)	0.02 MP (160x120)	n/a	n/s	n/a	supported by specification
PT-112	PTZ camera	1 ch.+1 ch.	H.264, MPEG-4	0.005 MP (80x60)	0.02 MP (160x120)	n/a	n/s	n/a	supported by specification
PT-348	PTZ camera	1 ch.+1 ch.	H.264, MPEG-4	0.005 MP (80x60)	0.08 MP (320x240)	n/a	n/s	n/a	tested by partner
PT-334	PTZ camera	1 ch.+1 ch.	H.264, MPEG-4	0.005 MP (80x60)	0.08 MP (320x240)	n/a	n/s	n/a	supported by specification
PT-324	PTZ camera	1 ch.+1 ch.	H.264, MPEG-4	0.005 MP (80x60)	0.08 MP (320x240)	n/a	n/s	n/a	supported by specification
PT-313	PTZ camera	1 ch.+1 ch.	H.264, MPEG-4	0.005 MP (80x60)	0.08 MP (320x240)	n/a	n/s	n/a	supported by specification
PT-307	PTZ camera	1 ch.+1 ch.	H.264, MPEG-4	0.005 MP (80x60)	0.08 MP (320x240)	n/a	n/s	n/a	supported by specification
PT-304	PTZ camera	1 ch.+1 ch.	H.264, MPEG-4	0.005 MP (80x60)	0.08 MP (320x240)	n/a	n/s	n/a	supported by specification
PT-645	PTZ camera	1 ch.+1 ch.	H.264, MPEG-4	0.02 MP (160x120)	0.3 MP (640x480)	n/a	n/s	n/a	supported by specification
PT-625	PTZ camera	1 ch.+1 ch.	H.264, MPEG-4	0.02 MP (160x120)	0.3 MP (640x480)	n/a	n/s	n/a	supported by specification
PT-618	PTZ camera	1 ch.+1 ch.	H.264, MPEG-4	0.02 MP (160x120)	0.3 MP (640x480)	n/a	n/s	n/a	supported by specification
PT-612	PTZ camera	1 ch.+1 ch.	H.264, MPEG-4	0.02 MP (160x120)	0.3 MP (640x480)	n/a	n/s	n/a	supported by specification
PT-610	PTZ camera	1 ch.+1 ch.	H.264, MPEG-4	0.02 MP (160x120)	0.3 MP (640x480)	n/a	n/s	n/a	supported by specification
PT-606	PTZ camera	1 ch.+1 ch.	H.264, MPEG-4	0.02 MP (160x120)	0.3 MP (640x480)	n/a	n/s	n/a	tested by partner
D-348	PTZ speed camera	1 ch.+1 ch.	H.264, MPEG-4	0.005 MP (80x60)	0.08 MP (320x240)	n/a	n/s	n/a	supported by specification
D-334	PTZ speed camera	1 ch.+1 ch.	H.264, MPEG-4	0.005 MP (80x60)	0.08 MP (320x240)	n/a	n/s	n/a	supported by specification
D-324	PTZ speed camera	1 ch.+1 ch.	H.264, MPEG-4	0.005 MP (80x60)	0.08 MP (320x240)	n/a	n/s	n/a	supported by specification
D-313	PTZ speed camera	1 ch.+1 ch.	H.264, MPEG-4	0.005 MP (80x60)	0.08 MP (320x240)	n/a	n/s	n/a	supported by specification
D-645	PTZ speed camera	1 ch.+1 ch.	H.264, MPEG-4	0.02 MP (160x120)	0.3 MP (640x480)	n/a	n/s	n/a	supported by specification
D-625	PTZ speed camera	1 ch.+1 ch.	H.264, MPEG-4	0.02 MP (160x120)	0.3 MP (640x480)	n/a	n/s	n/a	supported by specification
D-618	PTZ speed camera	1 ch.+1 ch.	H.264, MPEG-4	0.02 MP (160x120)	0.3 MP (640x480)	n/a	n/s	n/a	supported by specification

[Contents](#)

[General list](#)

Model	Device type	Video channel	Compression types*	Min Resolution *	Max Resolution *	Audio *	PTZ *	I/O *	Firmware, tested with
FUM-T10 III	encoder	1 ch.	MPEG-4	0.02 MP (176x120) in NTSC 0.02 MP (176x144) in PAL	0.3 MP (720x480) in NTSC 0.4 MP (720x576) in PAL	n/s	PTZ, presets	n/s	ver. 2.00.00.M

[Contents](#)

[General list](#)

Model	Device type	Video channel	Compression types*	Min Resolution *	Max Resolution *	Audio *	PTZ *	I/O *	Firmware, tested with
GXV3651_FHD	fixed box camera	1 ch.	H.264, MJPEG	0.03 MP (256x144)	3.1 MP (2048x1536)	in	n/a	n/s	supported by specification
GXV3601_N	fixed box camera	1 ch.	H.264, MJPEG	0.02 MP (176x112)	0.4 MP (720x576)	in	n/a	n/s	ver.1.0.3.9
GXV3601_LL	fixed box camera	1 ch.	H.264, MJPEG	0.02 MP (176x112)	0.4 MP (720x576)	in	n/a	n/s	supported by specification
GXV3601_HD	fixed box camera	1 ch.	H.264, MJPEG	0.05 MP (320x180)	1.9 MP (1600x1200)	in	n/a	n/s	supported by specification
GXV3611_LL	fixed dome camera	1 ch.	H.264, MJPEG	0.05 MP (320x180)	0.4 MP (720x576)	in	n/a	n/s	supported by specification
GXV3611_HD	fixed dome camera	1 ch.	H.264, MJPEG	0.05 MP (320x180)	1.9 MP (1600x1200)	in	n/a	n/s	ver.1.0.4.34
GXV3615WP_HD	fixed box camera	1 ch.	H.264, MJPEG	0.02 MP (160x112)	1.9 MP (1600x1200)	in	n/a	n/s	ver.1.0.1.60
GXV3615	fixed box camera	1 ch.	H.264, MJPEG	0.02 MP (176x112)	0.3 MP (640x480)	in	n/a	n/a	supported by specification
GXV3615W	fixed box camera	1 ch.	H.264, MJPEG	0.02 MP (176x112)	0.3 MP (640x480)	in	n/a	n/a	supported by specification
GXV3662	fixed dome camera	1 ch.	H.264, MJPEG	0.03 MP (256x144)	1.2 MP (1280x960)	in	n/a	n/s	supported by specification
GXV3501	encoder	1 ch.	H.264, MJPEG	0.02 MP (176x120) in NTSC 0.02 MP (176x144) in PAL	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	in	n/a	n/s	supported by specification
GXV3504	encoder	4 ch.	H.264, MJPEG	0.02 MP (176x120) in NTSC 0.02 MP (176x144) in PAL	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	in	n/a	n/s	supported by specification
GXV3500	encoder	1 ch.	H.264, MJPEG	0.02 MP (176x120) in NTSC 0.02 MP (176x144) in PAL	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	in	n/a	n/s	ver.1.0.1.60

[Contents](#)
[General list](#)

Model	Device type	Video channel	Compression types*	Min Resolution *	Max Resolution *	Audio *	PTZ *	I/O *	Firmware, tested with
DS-2CD702NF-E	fixed dome camera	1 ch.	H.264, MPEG-4	0.02 MP (176x120)	0.3 MP (704x480)	in	n/a	n/s	supported by specification
DS-2CD702PF-E	fixed dome camera	1 ch.	H.264, MPEG-4	0.03 MP (176x144)	0.4 MP (704x576)	in	n/a	n/s	supported by specification
DS-2CD712NF-E	fixed dome camera	1 ch.	H.264, MPEG-4	0.02 MP (176x120)	0.3 MP (704x480)	in	n/a	n/s	supported by specification
DS-2CD712PF-E	fixed dome camera	1 ch.	H.264, MPEG-4	0.03 MP (176x144)	0.4 MP (704x576)	in	n/a	n/s	supported by specification
DS-2CD7133-E	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	0.3 MP (640x480)	n/a	n/a	n/a	tested by partner
DS-2CD7153-E	fixed dome camera	1 ch.	H.264, MJPEG	0.02 MP (160x120)	1.9 MP (1600x1200)	n/a	n/a	n/a	supported by specification
DS-2CD732F	fixed dome camera	1 ch.	H.264, MPEG-4	0.03 MP (176x144)	0.4 MP (704x576)	in	n/a	n/s	supported by specification
DS-2CD732F-E	fixed dome camera	1 ch.	H.264, MPEG-4	0.03 MP (176x144)	0.4 MP (704x576)	in	n/a	n/s	supported by specification
DS-2CD733F-E	fixed dome camera	1 ch.	H.264, MJPEG	0.02 MP (160x120)	0.3 MP (640x480)	in	n/a	n/s	supported by specification
DS-2CD733F-EI	fixed dome camera	1 ch.	H.264, MJPEG	0.02 MP (160x120)	0.3 MP (640x480)	in	n/a	n/s	supported by specification
DS-2CD752MF-E	fixed dome camera	1 ch.	H.264, MPEG-4	0.1 MP (320x240)	1.9 MP (1600x1200)	in	n/a	n/s	supported by specification
DS-2CD752MF-FB	fixed dome camera	1 ch.	H.264, MPEG-4	0.1 MP (320x240)	1.9 MP (1600x1200)	in	n/a	n/s	supported by specification
DS-2CD752MF-FBH	fixed dome camera	1 ch.	H.264, MPEG-4	0.1 MP (320x240)	1.9 MP (1600x1200)	in	n/a	n/s	supported by specification
DS-2CD752MF-IFB	fixed dome camera	1 ch.	H.264, MPEG-4	0.1 MP (320x240)	1.9 MP (1600x1200)	in	n/a	n/s	supported by specification
DS-2CD752MF-IFBH	fixed dome camera	1 ch.	H.264, MPEG-4	0.1 MP (320x240)	1.9 MP (1600x1200)	in	n/a	n/s	supported by specification
DS-2CD753F-E	fixed dome camera	1 ch.	H.264, MPEG-4	0.1 MP (320x240)	1.9 MP (1600x1200)	in	n/a	n/s	supported by specification
DS-2CD753F-EI	fixed dome camera	1 ch.	H.264, MPEG-4	0.1 MP (320x240)	1.9 MP (1600x1200)	in	n/a	n/s	supported by specification
DS-2CD754F-E	fixed dome camera	1 ch.	H.264, MPEG-4	0.1 MP (320x240)	3.1 MP (2048x1536)	in	n/a	n/s	tested by partner
DS-2CD754F-EI	fixed dome camera	1 ch.	H.264, MPEG-4	0.1 MP (320x240)	3.1 MP (2048x1536)	in	n/a	n/s	supported by specification
DS-2CD754FWD-E	fixed dome camera	1 ch.	H.264, MPEG-4	0.1 MP (320x240)	3.1 MP (2048x1536)	in	n/a	n/s	supported by specification
DS-2CD754FWD-EI	fixed dome camera	1 ch.	H.264, MPEG-4	0.1 MP (320x240)	3.1 MP (2048x1536)	in	n/a	n/s	supported by specification
DS-2CD762MF-FB	fixed dome camera	1 ch.	H.264, MPEG-4	0.1 MP (320x240)	1.2 MP (1280x960)	in	n/a	n/s	supported by specification
DS-2CD762MF-FBH	fixed dome camera	1 ch.	H.264, MPEG-4	0.1 MP (320x240)	1.2 MP (1280x960)	in	n/a	n/s	supported by specification
DS-2CD762MF-IFB	fixed dome camera	1 ch.	H.264, MPEG-4	0.1 MP (320x240)	1.2 MP (1280x960)	in	n/a	n/s	supported by specification
DS-2CD762MF-IFBH	fixed dome camera	1 ch.	H.264, MPEG-4	0.1 MP (320x240)	1.2 MP (1280x960)	in	n/a	n/s	supported by specification
DS-2CD763NF-E	fixed dome camera	1 ch.	H.264, MJPEG	0.1 MP (320x240)	1.2 MP (1280x960)	in	n/a	n/s	supported by specification
DS-2CD763NF-EI	fixed dome camera	1 ch.	H.264, MJPEG	0.1 MP (320x240)	1.2 MP (1280x960)	in	n/a	n/s	supported by specification
DS-2CD763PF-E	fixed dome camera	1 ch.	H.264, MJPEG	0.1 MP (320x240)	1.2 MP (1280x960)	in	n/a	n/s	supported by specification
DS-2CD763PF-EI	fixed dome camera	1 ch.	H.264, MJPEG	0.1 MP (320x240)	1.2 MP (1280x960)	in	n/a	n/s	supported by specification
DS-2CD792NF-E	fixed dome camera	1 ch.	H.264, MPEG-4	0.02 MP (176x120)	0.3 MP (704x480)	in	n/a	n/s	supported by specification
DS-2CD792PF-E	fixed dome camera	1 ch.	H.264, MPEG-4	0.03 MP (176x144)	0.4 MP (704x576)	in	n/a	n/s	supported by specification
DS-2CD793NF-E	fixed dome camera	1 ch.	H.264, MJPEG	0.02 MP (176x120)	0.3 MP (704x480)	in	n/a	n/s	supported by specification
DS-2CD793NF-EI	fixed dome camera	1 ch.	H.264, MJPEG	0.02 MP (176x120)	0.3 MP (704x480)	in	n/a	n/s	supported by specification
DS-2CD793NFWD-E	fixed dome camera	1 ch.	H.264, MJPEG	0.02 MP (176x120)	0.3 MP (704x480)	in	n/a	n/s	supported by specification
DS-2CD793NFWD-EI	fixed dome camera	1 ch.	H.264, MJPEG	0.02 MP (176x120)	0.3 MP (704x480)	in	n/a	n/s	supported by specification
DS-2CD793PF-E	fixed dome camera	1 ch.	H.264, MJPEG	0.03 MP (176x144)	0.4 MP (704x576)	in	n/a	n/s	supported by specification
DS-2CD793PF-EI	fixed dome camera	1 ch.	H.264, MJPEG	0.03 MP (176x144)	0.4 MP (704x576)	in	n/a	n/s	supported by specification

Model	Device type	Video channel	Compression types*	Min Resolution *	Max Resolution *	Audio *	PTZ *	I/O *	Firmware, tested with
DS-2CD793PFWD-E	fixed dome camera	1 ch.	H.264, MJPEG	0.03 MP (176x144)	0.4 MP (704x576)	in	n/a	n/s	supported by specification
DS-2CD793PFWD-EI	fixed dome camera	1 ch.	H.264, MJPEG	0.03 MP (176x144)	0.4 MP (704x576)	in	n/a	n/s	supported by specification
DS-2CD802NF-E	fixed box camera	1 ch.	H.264, MPEG-4	0.02 MP (176x120)	0.3 MP (704x480)	in	n/a	n/s	supported by specification
DS-2CD802NF-W	fixed box camera	1 ch.	H.264, MPEG-4	0.02 MP (176x120)	0.3 MP (704x480)	in	n/a	n/s	supported by specification
DS-2CD802N-IR1	fixed box camera	1 ch.	H.264, MPEG-4	0.02 MP (176x120)	0.3 MP (704x480)	in	n/a	n/s	supported by specification
DS-2CD802N-IR3	fixed box camera	1 ch.	H.264, MPEG-4	0.02 MP (176x120)	0.3 MP (704x480)	in	n/a	n/s	supported by specification
DS-2CD802N-IR5	fixed box camera	1 ch.	H.264, MPEG-4	0.02 MP (176x120)	0.3 MP (704x480)	in	n/a	n/s	supported by specification
DS-2CD802PF-E	fixed box camera	1 ch.	H.264, MPEG-4	0.03 MP (176x144)	0.4 MP (704x576)	in	n/a	n/s	supported by specification
DS-2CD802PF-W	fixed box camera	1 ch.	H.264, MPEG-4	0.03 MP (176x144)	0.4 MP (704x576)	in	n/a	n/s	supported by specification
DS-2CD802P-IR1	fixed box camera	1 ch.	H.264, MPEG-4	0.03 MP (176x144)	0.4 MP (704x576)	in	n/a	n/s	supported by specification
DS-2CD802P-IR3	fixed box camera	1 ch.	H.264, MPEG-4	0.03 MP (176x144)	0.4 MP (704x576)	in	n/a	n/s	supported by specification
DS-2CD802P-IR5	fixed box camera	1 ch.	H.264, MPEG-4	0.03 MP (176x144)	0.4 MP (704x576)	in	n/a	n/s	supported by specification
DS-2CD812NF-E	fixed box camera	1 ch.	H.264, MPEG-4	0.02 MP (176x120)	0.3 MP (704x480)	in	n/a	n/s	supported by specification
DS-2CD812NF-W	fixed box camera	1 ch.	H.264, MPEG-4	0.02 MP (176x120)	0.3 MP (704x480)	in	n/a	n/s	supported by specification
DS-2CD812N-IR1	fixed box camera	1 ch.	H.264, MPEG-4	0.02 MP (176x120)	0.3 MP (704x480)	in	n/a	n/s	supported by specification
DS-2CD812N-IR3	fixed box camera	1 ch.	H.264, MPEG-4	0.02 MP (176x120)	0.3 MP (704x480)	in	n/a	n/s	supported by specification
DS-2CD812N-IR5	fixed box camera	1 ch.	H.264, MPEG-4	0.02 MP (176x120)	0.3 MP (704x480)	in	n/a	n/s	supported by specification
DS-2CD812PF-E	fixed box camera	1 ch.	H.264, MPEG-4	0.03 MP (176x144)	0.4 MP (704x576)	in	n/a	n/s	supported by specification
DS-2CD812PF-W	fixed box camera	1 ch.	H.264, MPEG-4	0.03 MP (176x144)	0.4 MP (704x576)	in	n/a	n/s	supported by specification
DS-2CD812P-IR1	fixed box camera	1 ch.	H.264, MPEG-4	0.03 MP (176x144)	0.4 MP (704x576)	in	n/a	n/s	supported by specification
DS-2CD812P-IR3	fixed box camera	1 ch.	H.264, MPEG-4	0.03 MP (176x144)	0.4 MP (704x576)	in	n/a	n/s	supported by specification
DS-2CD812P-IR5	fixed box camera	1 ch.	H.264, MPEG-4	0.03 MP (176x144)	0.4 MP (704x576)	in	n/a	n/s	supported by specification
DS-2CD8133F-E	fixed box camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	0.3 MP (640x480)	n/a	n/a	n/a	tested by partner
DS-2CD8133F-EI	fixed box camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	0.3 MP (640x480)	n/a	n/a	n/a	supported by specification
DS-2CD8133F-EW	fixed box camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	0.3 MP (640x480)	n/a	n/a	n/a	supported by specification
DS-2CD8153F-E	fixed box camera	1 ch.	H.264, MJPEG	0.02 MP (160x120)	1.9 MP (1600x1200)	in	n/a	n/a	supported by specification
DS-2CD8153F-EI	fixed box camera	1 ch.	H.264, MJPEG	0.02 MP (160x120)	1.9 MP (1600x1200)	in	n/a	n/a	supported by specification
DS-2CD8153F-EW	fixed box camera	1 ch.	H.264, MJPEG	0.02 MP (160x120)	1.9 MP (1600x1200)	in	n/a	n/a	supported by specification
DS-2CD8253F-E	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.1 MP (320x240)	1.9 MP (1600x1200)	n/a	n/a	n/a	supported by specification
DS-2CD8253F-EI	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.1 MP (320x240)	1.9 MP (1600x1200)	n/a	n/a	n/a	supported by specification
DS-2CD8253F-EIS	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.1 MP (320x240)	1.9 MP (1600x1200)	in	n/a	n/s	ver.V4.0.1
DS-2CD8253F-ES	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.1 MP (320x240)	1.9 MP (1600x1200)	in	n/a	n/s	supported by specification
DS-2CD8254F-E	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.1 MP (320x240)	3.1 MP (2048x1536)	n/a	n/a	n/a	supported by specification
DS-2CD8254F-EI	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.1 MP (320x240)	3.1 MP (2048x1536)	n/a	n/a	n/a	supported by specification
DS-2CD8254F-EIS	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.1 MP (320x240)	3.1 MP (2048x1536)	in	n/a	n/s	supported by specification
DS-2CD8254F-ES	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.1 MP (320x240)	3.1 MP (2048x1536)	in	n/a	n/s	supported by specification
DS-2CD832F (NTSC)	fixed box camera	1 ch.	H.264, MPEG-4	0.02 MP (176x120)	0.3 MP (704x480)	in	n/a	n/s	supported by specification
DS-2CD832F (PAL)	fixed box camera	1 ch.	H.264, MPEG-4	0.03 MP (176x144)	0.4 MP (704x576)	in	n/a	n/s	supported by specification

Model	Device type	Video channel	Compression types*	Min Resolution *	Max Resolution *	Audio *	PTZ *	I/O *	Firmware, tested with
DS-2CD832F-E (NTSC)	fixed box camera	1 ch.	H.264, MPEG-4	0.02 MP (176x120)	0.3 MP (704x480)	in	n/a	n/s	supported by specification
DS-2CD832F-E (PAL)	fixed box camera	1 ch.	H.264, MPEG-4	0.03 MP (176x144)	0.4 MP (704x576)	in	n/a	n/s	supported by specification
DS-2CD833F-E	fixed box camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	0.3 MP (640x480)	in	n/a	n/s	supported by specification
DS-2CD833F-EW	fixed box camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	0.3 MP (640x480)	in	n/a	n/s	supported by specification
DS-2CD853F-E	fixed box camera	1 ch.	H.264, MJPEG	0.1 MP (320x240)	1.9 MP (1600x1200)	n/a	n/a	n/a	supported by specification
DS-2CD853F-EW	fixed box camera	1 ch.	H.264, MJPEG	0.1 MP (320x240)	1.9 MP (1600x1200)	n/a	n/a	n/a	supported by specification
DS-2CD854F-E	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.1 MP (320x240)	3.1 MP (2048x1536)	in	n/a	n/s	supported by specification
DS-2CD854F-EW	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.1 MP (320x240)	3.1 MP (2048x1536)	in	n/a	n/s	supported by specification
DS-2CD863NF-E	fixed box camera	1 ch.	H.264, MJPEG	0.1 MP (320x240)	1.2 MP (1280x960)	in	n/a	n/s	supported by specification
DS-2CD863NF-EW	fixed box camera	1 ch.	H.264, MJPEG	0.1 MP (320x240)	1.2 MP (1280x960)	in	n/a	n/s	supported by specification
DS-2CD863PF-E	fixed box camera	1 ch.	H.264, MJPEG	0.1 MP (320x240)	1.2 MP (1280x960)	in	n/a	n/s	supported by specification
DS-2CD863PF-EW	fixed box camera	1 ch.	H.264, MJPEG	0.1 MP (320x240)	1.2 MP (1280x960)	in	n/a	n/s	supported by specification
DS-2CD864FWD-E	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.1 MP (320x240)	1.2 MP (1280x960)	in	n/a	n/s	supported by specification
DS-2CD876BF	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.1 MP (320x240)	1.9 MP (1600x1200)	in	n/a	n/s	supported by specification
DS-2CD876MF	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.1 MP (320x240)	1.9 MP (1600x1200)	in	n/a	n/s	supported by specification
DS-2CD883F-E	fixed box camera	1 ch.	H.264, MJPEG	0.1 MP (320x240)	4.9 MP (2560x1920)	in	n/a	n/s	tested by partner
DS-2CD883F-EW	fixed box camera	1 ch.	H.264, MJPEG	0.1 MP (320x240)	4.9 MP (2560x1920)	in	n/a	n/s	supported by specification
DS-2CD892NF-E	fixed box camera	1 ch.	H.264, MPEG-4	0.02 MP (176x120)	0.3 MP (704x480)	in	n/a	n/s	supported by specification
DS-2CD892NF-W	fixed box camera	1 ch.	H.264, MPEG-4	0.02 MP (176x120)	0.3 MP (704x480)	in	n/a	n/s	supported by specification
DS-2CD892N-IR1	fixed box camera	1 ch.	H.264, MPEG-4	0.02 MP (176x120)	0.3 MP (704x480)	in	n/a	n/s	supported by specification
DS-2CD892N-IR3	fixed box camera	1 ch.	H.264, MPEG-4	0.02 MP (176x120)	0.3 MP (704x480)	in	n/a	n/s	supported by specification
DS-2CD892N-IR5	fixed box camera	1 ch.	H.264, MPEG-4	0.02 MP (176x120)	0.3 MP (704x480)	in	n/a	n/s	supported by specification
DS-2CD892PF-E	fixed box camera	1 ch.	H.264, MPEG-4	0.03 MP (176x144)	0.4 MP (704x576)	in	n/a	n/s	supported by specification
DS-2CD892PF-W	fixed box camera	1 ch.	H.264, MPEG-4	0.03 MP (176x144)	0.4 MP (704x576)	in	n/a	n/s	supported by specification
DS-2CD892P-IR1	fixed box camera	1 ch.	H.264, MPEG-4	0.03 MP (176x144)	0.4 MP (704x576)	in	n/a	n/s	supported by specification
DS-2CD892P-IR3	fixed box camera	1 ch.	H.264, MPEG-4	0.03 MP (176x144)	0.4 MP (704x576)	in	n/a	n/s	supported by specification
DS-2CD892P-IR5	fixed box camera	1 ch.	H.264, MPEG-4	0.03 MP (176x144)	0.4 MP (704x576)	in	n/a	n/s	supported by specification
DS-2CD893NF-E	fixed box camera	1 ch.	H.264, MJPEG	0.02 MP (176x120)	0.3 MP (704x480)	in	n/a	n/s	supported by specification
DS-2CD893NF-EW	fixed box camera	1 ch.	H.264, MJPEG	0.02 MP (176x120)	0.3 MP (704x480)	in	n/a	n/s	supported by specification
DS-2CD893NFWD-E	fixed box camera	1 ch.	H.264, MJPEG	0.02 MP (176x120)	0.3 MP (704x480)	in	n/a	n/s	supported by specification
DS-2CD893NFWD-EW	fixed box camera	1 ch.	H.264, MJPEG	0.02 MP (176x120)	0.3 MP (704x480)	in	n/a	n/s	supported by specification
DS-2CD893PF-E	fixed box camera	1 ch.	H.264, MJPEG	0.03 MP (176x144)	0.4 MP (704x576)	in	n/a	n/s	supported by specification
DS-2CD893PF-EW	fixed box camera	1 ch.	H.264, MJPEG	0.03 MP (176x144)	0.4 MP (704x576)	in	n/a	n/s	supported by specification
DS-2CD893PFWD-E	fixed box camera	1 ch.	H.264, MJPEG	0.03 MP (176x144)	0.4 MP (704x576)	in	n/a	n/s	supported by specification
DS-2CD893PFWD-EW	fixed box camera	1 ch.	H.264, MJPEG	0.03 MP (176x144)	0.4 MP (704x576)	in	n/a	n/s	supported by specification
DS-2DF1-401H (NTSC)	PTZ dome Camera	1 ch.	H.264	0.08 MP (352x240)	0.3 MP (704x480)	in	PTZ, presets, tour	n/s	supported by specification
DS-2DF1-401H (PAL)	PTZ dome Camera	1 ch.	H.264	0.11 MP (352x288)	0.4 MP (704x576)	in	PTZ, presets, tour	n/s	supported by specification
DS-2DF1-502 (NTSC)	PTZ dome Camera	1 ch.	H.264	0.08 MP (352x240)	0.3 MP (704x480)	in	PTZ, presets, tour	n/s	supported by specification

[Contents](#)

[General list](#)

Model	Device type	Video channel	Compression types*	Min Resolution *	Max Resolution *	Audio *	PTZ *	I/O *	Firmware, tested with
HLC-1NAD	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	1.9 MP (1600x1200)	in	n/a	n/s	supported by specification
HLC-1NAG (NTSC)	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	0.3 MP (720x480)	in	n/a	n/s	supported by specification
HLC-1NAG (PAL)	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	0.4 MP (720x576)	in	n/a	n/s	supported by specification
HLC-79AD	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	1.9 MP (1600x1200)	in	n/a	n/s	tested by partner
HLC-79AG (NTSC)	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	0.3 MP (720x480)	in	n/a	n/s	supported by specification
HLC-79AG (PAL)	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	0.4 MP (720x576)	in	n/a	n/s	supported by specification
HLC-7RAD	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	1.9 MP (1600x1200)	in	n/a	n/s	supported by specification
HLC-7RAG (NTSC)	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	0.3 MP (720x480)	in	n/a	n/s	supported by specification
HLC-7RAG (PAL)	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	0.4 MP (720x576)	in	n/a	n/s	supported by specification
HLC-81AD	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	1.9 MP (1600x1200)	in	n/a	n/s	supported by specification
HLC-81AG (NTSC)	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	0.3 MP (720x480)	in	n/a	n/s	supported by specification
HLC-81AG (PAL)	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	0.4 MP (720x576)	in	n/a	n/s	supported by specification
HLC-84AD	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	1.9 MP (1600x1200)	in	n/a	n/a	supported by specification
HLC-84AM	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	1.3 MP (1280x1024)	in	n/a	n/a	supported by specification
HLC-84AV	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	0.3 MP (640x480)	in	n/a	n/a	supported by specification
HLV-1WAD	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	1.9 MP (1600x1200)	in	n/a	n/s	supported by specification
HLV-1WAG (NTSC)	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	0.3 MP (720x480)	in	n/a	n/s	supported by specification
HLV-1WAG (PAL)	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	0.4 MP (720x576)	in	n/a	n/s	supported by specification

[Contents](#)

[General list](#)







Model	Device type	Video channel	Compression types *	Min Resolution *	Max Resolution *	Audio *	PTZ *	I/O *	Firmware, tested with
ioibox trk1	encoder	1 ch.	MPEG-4	0.08 MP (352x240) in NTSC 0.1 MP (352x288) in PAL	0.08 MP (352x240) in NTSC 0.1 MP (352x288) in PAL	n/a	n/a	n/s	ver.C
ioibox trk10	encoder	1 ch.	MPEG-4	0.08 MP (352x240) in NTSC 0.1 MP (352x288) in PAL	0.08 MP (352x240) in NTSC 0.1 MP (352x288) in PAL	n/a	PTZ, presets, tour	n/s	ver.C
ioibox trk10d	encoder	1 ch.	MPEG-4	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	n/a	PTZ, presets, tour	n/s	ver.C

[Contents](#)

[General list](#)

Model	Device type	Video channel	Compression types*	Min Resolution *	Max Resolution *	Audio *	PTZ *	I/O *	Firmware, tested with
High-definition camera (HD camera)	fixed box camera	1 ch.	MJPEG	0.08 MP (320x240)	5 MP (2592x1944)	n/a	n/a	n/s	ver.1.6.f

[Contents](#)

Video Capture Boards	Multiplex series			Realtime series		Accessory
Product	TVISS-4MX1	TVISS-16MX4	TVISS-32MX8	TVISS-8RT	TVISS-16RT	TVISS-4IO
Picture						
Video Inputs, BNC	4	16	32	8	16	n/a
Video ADC, bit	10					n/a
Video Format	PAL / NTSC					n/a
Video Resolution PAL	D1(720x576), 4CIF(704x576), 2CIF(704x288), CIF(352x288)					n/a
Video Resolution NTSC	D1(720x480), 4CIF(640x480), 2CIF(640x240), CIF(320x240)					n/a
Total speed of capture PAL in Real time, fps	n/a	100 (720x576) 100 (704x576) 100 (704x288) 100 (352x288)	200 (720x576) 200 (704x576) 200 (704x288) 200 (352x288)	200 (720x576) 200 (704x576) 200 (704x288) 200 (352x288)	400 (720x576) 400 (704x576) 400 (704x288) 400 (352x288)	n/a
Total speed of capture PAL in Multiplexing, fps	16 (720x576) 16 (704x576) 25 (704x288) 25 (352x288)	66 (720x576) 66 (704x576) 100 (704x288) 100 (352x288)	132 (720x576) 132 (704x576) 200 (704x288) 200 (352x288)	n/a	n/a	n/a
Total speed of capture NTSC in Real time, fps	n/a	120 (720x480) 120 (640x480) 120 (640x240) 120 (320x240)	240 (720x480) 240 (640x480) 240 (640x240) 240 (320x240)	240 (720x480) 240 (640x480) 240 (640x240) 240 (320x240)	480 (720x480) 480 (640x480) 480 (640x240) 480 (320x240)	n/a
Total speed of capture NTSC in Multiplexing, fps	20 (720x480) 20 (640x480) 30 (640x240) 30 (320x240)	80 (720x480) 80 (640x480) 120 (640x240) 120 (320x240)	175 (720x480) 175 (640x480) 240 (640x240) 240 (320x240)	n/a	n/a	n/a
Audio Input, RCA	1	4	8	8	16	n/a
Audio ADC, bits	8~16	8~16	8~16	16	16	n/a
Audio Frequency, kHz	8~48	8~48	8~48	8~48	8~48	n/a
Alarm Ports, input/output	n/a	8/8	8/8	8/8	8/8	4/4
WatchDog	yes	yes	yes	yes	yes	n/a
Bus interface	PCI	PCI-Ex1	PCI-Ex1	PCI-Ex1	PCI-Ex4	n/a
Power	3.3V (70mA)	3.3V (910mA)	3.3V (1280mA)	3.3V (530mA) and 12V (119mA)	3.3V (1580mA) and 12V (140mA)	5V (220mA)
Minimum System Power, W	0.23	2.8756	4.096	3.0791	5.424	1.1308
Board Temperature, °C	40	40	50	65	65	-
Board Dimensions, mm	121x85	133x85	133x85	112x70	128x102	65x84

[Contents](#)
[General list](#)

Model	Device type	Video channel	Compression types*	Min Resolution *	Max Resolution *	Audio *	PTZ *	I/O *	Firmware, tested with
IQ030SI	fixed box camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	0.3 MP (720x480)	n/s	n/a	n/a	supported by specification
IQ031SI	fixed box camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	0.9 MP (1280x720)	n/s	n/a	n/a	supported by specification
IQ032SI	fixed box camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	n/s	n/a	n/a	supported by specification
IQ761NI	fixed box camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	0.9 MP (1280x720)	n/s	n/a	n/a	supported by specification
IQ761WI	fixed box camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	0.9 MP (1280x720)	n/s	n/a	n/a	supported by specification
IQ762NI	fixed box camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	n/s	n/a	n/a	supported by specification
IQ762WI	fixed box camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	n/s	n/a	n/a	supported by specification
IQ763NI	fixed box camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	3.7 MP (2560x1440)	n/s	n/a	n/a	supported by specification
IQ763WI	fixed box camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	3.1 MP (2048x1536)	n/s	n/a	n/a	supported by specification
IQ765NI	fixed box camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	4.9 MP (2560x1920)	n/s	n/a	n/a	supported by specification
IQ861NE	fixed bullet camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	0.9 MP (1280x720)	n/s	n/a	n/s	supported by specification
IQ861WE	fixed bullet camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	0.9 MP (1280x720)	n/s	n/a	n/s	supported by specification
IQ862NE	fixed bullet camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	n/s	n/a	n/s	supported by specification
IQ862WE	fixed bullet camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	n/s	n/a	n/s	supported by specification
IQ863NE	fixed bullet camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	3.7 MP (2560x1440)	n/s	n/a	n/s	supported by specification
IQ863WE	fixed bullet camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	3.1 MP (2048x1536)	n/s	n/a	n/s	supported by specification
IQ865NE	fixed bullet camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	4.9 MP (2560x1920)	n/s	n/a	n/s	supported by specification
IQA30N	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	0.3 MP (720x480)	n/s	n/a	n/s	supported by specification
IQA31N	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	0.9 MP (1280x720)	n/s	n/a	n/s	supported by specification
IQA31W	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	0.9 MP (1280x720)	n/s	n/a	n/s	supported by specification
IQA32N	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	n/s	n/a	n/s	supported by specification
IQA32W	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	n/s	n/a	n/s	supported by specification
IQA33N	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	3.7 MP (2560x1440)	n/s	n/a	n/s	ver.V3.3/8
IQA33W	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	3.1 MP (2048x1536)	n/s	n/a	n/s	supported by specification
IQA35N	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	4.9 MP (2560x1920)	n/s	n/a	n/s	supported by specification
IQD30SV	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	0.3 MP (720x480)	n/s	n/a	n/a	supported by specification
IQD31SV	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	0.9 MP (1280x720)	n/s	n/a	n/a	supported by specification
IQD32SV	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	n/s	n/a	n/a	supported by specification
IQM30NE-B5	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	0.3 MP (720x480)	n/s	n/a	n/a	supported by specification
IQM31NE-B5	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	0.9 MP (1280x720)	n/s	n/a	n/a	supported by specification
IQM32NE-B5	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	n/s	n/a	n/a	ver.V3.4/2

[Contents](#)
[General list](#)

Model	Device type	Video channel	Compression types*	Min Resolution *	Max Resolution *	Audio *	PTZ *	I/O *	Firmware, tested with
J2000IP-B111-PDN	fixed box camera	1 ch.	H.264, MJPEG	0.24 MP (640x368)	0.9 MP (1280x720)	in	n/a	n/s	supported by specification
J2000IP-B112-PDN	fixed box camera	1 ch.	H.264, MJPEG	0.23 MP (640x360)	2.1 MP (1920x1080)	in	n/a	n/s	supported by specification
J2000IP-B120-PDN	fixed box camera	1 ch.	H.264, MJPEG	0.03 MP (176x144)	0.4 MP (704x576)	in	n/a	n/s	supported by specification
J2000IP-B121-PDN	fixed box camera	1 ch.	H.264, MJPEG	0.24 MP (640x368)	0.9 MP (1280x720)	in	n/a	n/s	ver.V1.6
J2000IP-B130-PDN	fixed box camera	1 ch.	H.264, MJPEG	0.24 MP (640x368)	0.4 MP (704x576)	in	n/a	n/s	supported by specification
J2000IP-C110	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	0.3 MP (640x480)	n/a	n/a	n/a	supported by specification
J2000IP-C110-WF	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	0.3 MP (640x480)	n/a	n/a	n/a	supported by specification
J2000IP-C111	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	1.3 MP (1280x1024)	n/a	n/a	n/a	ver.V1.0.28
J2000IP-C111-WF	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	1.3 MP (1280x1024)	n/a	n/a	n/a	supported by specification
J2000IP-D111-Ir1DN	fixed dome camera	1 ch.	H.264, MJPEG	0.24 MP (640x368)	0.9 MP (1280x720)	in	n/a	n/s	supported by specification
J2000IP-D112-Ir1DN	fixed dome camera	1 ch.	H.264, MJPEG	0.23 MP (640x360)	2.1 MP (1920x1080)	in	n/a	n/s	supported by specification
J2000IP-DWV111-PDN	fixed dome camera	1 ch.	H.264, MJPEG	0.24 MP (640x368)	0.9 MP (1280x720)	in	n/a	n/s	supported by specification
J2000IP-DWV112-PDN	fixed dome camera	1 ch.	H.264, MJPEG	0.23 MP (640x360)	2.1 MP (1920x1080)	in	n/a	n/s	supported by specification
J2000IP-DWV120-Ir1DN	fixed dome camera	1 ch.	H.264, MJPEG	0.03 MP (176x144)	0.4 MP (720x576)	in	n/a	n/s	supported by specification
J2000IP-DWV121-Ir1DN	fixed dome camera	1 ch.	H.264, MJPEG	0.24 MP (640x368)	1.2 MP (1280x960)	in	n/a	n/s	ver.V1.6
J2000IP-mDWV111-Ir1-PDN	fixed dome camera	1 ch.	H.264, MJPEG	0.24 MP (640x368)	0.9 MP (1280x720)	in	n/a	n/s	ver.V1.6
J2000IP-mDWV112-Ir1-PDN	fixed dome camera	1 ch.	H.264, MJPEG	0.23 MP (640x360)	2.1 MP (1920x1080)	in	n/a	n/s	supported by specification
J2000IP-PW112-Ir4DN	fixed box camera	1 ch.	H.264, MJPEG	0.23 MP (640x360)	2.1 MP (1920x1080)	in	n/a	n/s	supported by specification
J2000IP-PW120-Ir4DN	fixed box camera	1 ch.	H.264, MJPEG	0.03 MP (176x144)	0.4 MP (704x576)	in	n/a	n/s	supported by specification
J2000IP-PW121-Ir4DN	fixed box camera	1 ch.	H.264, MJPEG	0.24 MP (640x368)	0.9 MP (1280x720)	in	n/a	n/s	supported by specification
J2000IP-PWH121-Ir4-PDN	fixed box camera	1 ch.	H.264, MJPEG	0.24 MP (640x368)	0.9 MP (1280x720)	in	n/a	n/s	ver.V1.6
J2000IP-PWH312-Ir3-PDN	fixed box camera	1 ch.	H.264, MJPEG	0.23 MP (640x360)	2.1 MP (1920x1080)	in	n/a	n/s	supported by specification
J2000IP-SDW120-24x30DN	PTZ dome camera	1 ch.	H.264, MJPEG	0.03 MP (176x144)	0.4 MP (720x576)	in	PTZ	n/s	ver.V1.6
J2000IP-SDW120-24x36DN	PTZ dome camera	1 ch.	H.264, MJPEG	0.03 MP (176x144)	0.4 MP (720x576)	in	PTZ	n/s	supported by specification
J2000IP-SDW121-24x18DN	PTZ dome camera	1 ch.	H.264, MJPEG	0.24 MP (640x368)	0.9 MP (1280x720)	in	PTZ	n/s	supported by specification

[Contents](#)

[General list](#)

Model	Device type	Video channel	Compression types*	Min Resolution *	Max Resolution *	Audio *	PTZ *	I/O *	Firmware, tested with
VN-H137U	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	n/a	n/a	n/a	supported by specification
VN-H157WPU	fixed bullet camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	n/s	n/a	n/s	supported by specification
VN-H237U	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	n/a	n/a	n/a	supported by specification
VN-H237VPU	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	n/a	n/a	n/a	supported by specification
VN-H257U	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	n/s	n/a	n/s	supported by specification
VN-H257VPU	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	n/s	n/a	n/s	supported by specification
VN-H37U	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	n/a	n/a	n/a	ver.4.04.103
VN-H57U	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	n/s	n/a	n/s	supported by specification
VN-T16U	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	n/s	n/a	n/s	supported by specification
VN-T216U	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	n/s	n/a	n/s	supported by specification
VN-T216VPRU	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	n/s	n/a	n/s	supported by specification

[Contents](#)
[General list](#)

Model	Device type	Video channel	Compression types*	Min Resolution *	Max Resolution *	Audio *	PTZ *	I/O *	Firmware, tested with
IPD112ESX3	fixed dome camera	1 ch.	H.264, MJPEG	0.05 MP (320x180)	0.9 MP (1280x720)	n/s	n/a	n/s	supported by specification
IPD112S4.3	fixed dome camera	1 ch.	H.264, MJPEG	0.05 MP (320x180)	0.9 MP (1280x720)	n/a	n/a	n/a	supported by specification
IPD2122ES4.3	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	2.1 MP (1920x1080)	n/a	n/a	n/a	supported by specification
IPD2122ES6	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	2.1 MP (1920x1080)	n/a	n/a	n/a	supported by specification
IPD2220ES4.3	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	2.1 MP (1920x1080)	n/s	n/a	n/a	ver. 1.0.486
IPD2322ESX3.6	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	2.1 MP (1920x1080)	n/s	n/a	n/s	supported by specification
IPD552EX4.2N	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	0.3 MP (720x480)	n/s	n/a	n/s	supported by specification
IPD552EX4.2P	fixed dome camera	1 ch.	H.264, MJPEG	0.1 MP (352x288)	0.4 MP (720x576)	n/s	n/a	n/s	supported by specification
IPD6122ESX3.6	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	2.1 MP (1920x1080)	n/s	n/a	n/s	supported by specification
IPD6220ES4.3	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	2.1 MP (1920x1080)	n/s	n/a	n/a	supported by specification
IPD6222ES4.3	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	2.1 MP (1920x1080)	n/s	n/a	n/a	supported by specification
IPG012ESX4.2	fixed box camera	1 ch.	H.264, MJPEG	0.05 MP (320x180)	0.9 MP (1280x720)	n/s	n/a	n/s	supported by specification
IPG1022ESX3	fixed box camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	3.1 MP (2048x1536)	n/s	n/a	n/s	ver. 1.0.486
IPG1032ESX	fixed box camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	3.1 MP (2048x1536)	n/s	n/a	n/s	supported by specification
IPR320ESX3.6	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	2.1 MP (1920x1080)	n/a	n/a	n/a	supported by specification
IPR414ESX3	fixed bullet camera	1 ch.	H.264, MJPEG	0.05 MP (320x180)	0.9 MP (1280x720)	n/s	n/a	n/s	supported by specification
IPR418ESX3	fixed bullet camera	1 ch.	H.264, MJPEG	0.05 MP (320x180)	0.9 MP (1280x720)	n/s	n/a	n/s	supported by specification
IPR434ESX3.6	fixed bullet camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	3.1 MP (2048x1536)	n/s	n/a	n/s	supported by specification
IPR438ESX3.6	fixed bullet camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	3.1 MP (2048x1536)	n/s	n/a	n/s	supported by specification
IPR6122ESX3.6	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	2.1 MP (1920x1080)	n/s	n/a	n/s	supported by specification
IPR614ES4.3	fixed bullet camera	1 ch.	H.264, MJPEG	0.05 MP (320x180)	0.9 MP (1280x720)	n/a	n/a	n/a	supported by specification
IPR614ES6	fixed bullet camera	1 ch.	H.264, MJPEG	0.05 MP (320x180)	0.9 MP (1280x720)	n/a	n/a	n/a	supported by specification
IPR618ES4.3	fixed bullet camera	1 ch.	H.264, MJPEG	0.05 MP (320x180)	0.9 MP (1280x720)	n/a	n/a	n/a	supported by specification
IPR618ES6	fixed bullet camera	1 ch.	H.264, MJPEG	0.05 MP (320x180)	0.9 MP (1280x720)	n/a	n/a	n/a	supported by specification
IPR712M4.3	fixed bullet camera	1 ch.	H.264, MJPEG	0.3 MP (640x480)	1.3 MP (1280x1024)	n/a	n/a	n/a	supported by specification
IPR712M6	fixed bullet camera	1 ch.	H.264, MJPEG	0.3 MP (640x480)	1.3 MP (1280x1024)	n/a	n/a	n/a	supported by specification
IPR722ES4.3	fixed bullet camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	2.1 MP (1920x1080)	n/a	n/a	n/a	ver. 1.0.486
IPR722ES6	fixed bullet camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	2.1 MP (1920x1080)	n/a	n/a	n/a	supported by specification
IPR7334SX5	fixed bullet camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	3.1 MP (2048x1536)	n/s	n/a	n/s	supported by specification
IPR7338SX5	fixed bullet camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	3.1 MP (2048x1536)	n/s	n/a	n/s	supported by specification
IPR7424ESX3.6	fixed bullet camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	2.1 MP (1920x1080)	n/s	n/a	n/s	ver. 1.0.486
IPR7428ESX3.6	fixed bullet camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	2.1 MP (1920x1080)	n/s	n/a	n/s	supported by specification
LB1022	fixed box camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	2.1 MP (1920x1080)	n/s	n/a	n/s	supported by specification
LD2122E4	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	2.1 MP (1920x1080)	n/a	n/a	n/a	supported by specification
LD2122E6	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	2.1 MP (1920x1080)	n/a	n/a	n/a	supported by specification
LD2222E4	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	2.1 MP (1920x1080)	n/s	n/a	n/a	supported by specification
LD2322EX3.6	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	2.1 MP (1920x1080)	n/s	n/a	n/s	supported by specification

Model	Device type	Video channel	Compression types*	Min Resolution *	Max Resolution *	Audio *	PTZ *	I/O *	Firmware, tested with
LD6122EX3.6	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	2.1 MP (1920x1080)	n/s	n/a	n/s	supported by specification
LR6122EX3.6	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	2.1 MP (1920x1080)	n/s	n/a	n/s	supported by specification
LR7022E4	fixed bullet camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	2.1 MP (1920x1080)	n/a	n/a	n/a	supported by specification
LR7022E6	fixed bullet camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	2.1 MP (1920x1080)	n/a	n/a	n/a	supported by specification
LR7424EX3.6	fixed bullet camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	2.1 MP (1920x1080)	n/s	n/a	n/s	supported by specification
LR7428EX3.6	fixed bullet camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	2.1 MP (1920x1080)	n/s	n/a	n/s	supported by specification
VS012	encoder	1 ch.	H.264, MJPEG	0.08 MP (352x240) in NTSC 0.1 MP (352x288) in PAL	0.3 MP (720x480) in NTSC 0.4 MP (720x576) in PAL	n/s	n/a	n/s	supported by specification

[Contents](#)
[General list](#)

Model	Device type	Video channel	Compression types*	Min Resolution *	Max Resolution *	Audio *	PTZ *	I/O *	Firmware, tested with
LTV-ICCM1-B320-F3.8	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	1.3 MP (1280x1024)	in	n/a	n/s	ver.1044-1026-1031-1008
LTV-ICDM1-423	fixed box camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	1.3 MP (1280x1024)	in	n/a	n/s	supported by specification
LTV-ICDM1-623LH-V3.3-12	fixed bullet camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	1.3 MP (1280x1024)	in	n/a	n/s	supported by specification
LTV-ICDM1-623LH-V3-9	fixed bullet camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	1.3 MP (1280x1024)	in	n/a	n/s	ver.LTV01.2.1074.42
LTV-ICDM1-723LH-V3.3-12	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	1.3 MP (1280x1024)	in	n/a	n/s	supported by specification
LTV-ICDM1-723L-V3-9	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	1.3 MP (1280x1024)	in	n/a	n/s	ver.LTV01.2.1074.42
LTV-ICDM1-723-V3-9	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	1.3 MP (1280x1024)	in	n/a	n/s	ver.LTV01.2.1080.42
LTV-ICDM1-823H-V3.3-12	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	1.3 MP (1280x1024)	in	n/a	n/s	supported by specification
LTV-ICDM1-823LH-V3-9	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	1.3 MP (1280x1024)	in	n/a	n/s	ver.LTV01.2.1084.42
LTV-ICDM1-B423L-F3.8	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	1.3 MP (1280x1024)	in	n/a	n/s	ver.1044-1026-1031-1008
LTV-ICDM1-B623L-F3.8	fixed bullet camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	1.3 MP (1280x1024)	n/a	n/a	n/s	ver.1044-1026-1031-1008
LTV-ICDM1-B723L-F3.8	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	1.3 MP (1280x1024)	in	n/a	n/s	ver.1044-1026-1031-1008
LTV-ICDM2-423	fixed box camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	in	n/a	n/s	tested by partner
LTV-ICDM2-423-T5	fixed box camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	n/a	n/a	n/a	supported by specification
LTV-ICDM2-623LH-V3.3-12	fixed bullet camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	in	n/a	n/s	supported by specification
LTV-ICDM2-623LH-V3-9	fixed bullet camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	in	n/a	n/s	ver.LTV01.2.1084.42
LTV-ICDM2-723LH-V3.3-12	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	in	n/a	n/s	supported by specification
LTV-ICDM2-723L-V3-9	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	in	n/a	n/s	ver.LTV01.2.1074.42
LTV-ICDM2-723-V3-9	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	in	n/a	n/s	ver.LTV01.2.1080.42
LTV-ICDM2-823H-V3.3-12	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	in	n/a	n/s	ver. LTV01.2.1061.42
LTV-ICDM2-823LH-V3-9	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	in	n/a	n/s	ver.LTV01.2.1084.42
LTV-ICDV-423	fixed box camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	0.4 MP (704x576)	in	n/a	n/s	ver.LTV01.2.1061.42
LTV-ICDV-623LH-V3.3-12	fixed box camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	0.4 MP (704x576)	in	n/a	n/s	supported by specification
LTV-ICDV-723LH-V3.3-12	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	0.4 MP (704x576)	in	n/a	n/s	supported by specification
LTV-ICDV-823H-V3.3-12	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	0.4 MP (704x576)	in	n/a	n/s	tested by partner
LTV-IWCCM1-B320L-F3.8	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	1.3 MP (1280x1024)	in	n/a	n/s	ver.1044-1026-1031-1008

[Contents](#)
[General list](#)

Model	Device type	Video channel	Compression types *	Min Resolution *	Max Resolution *	Audio *	PTZ *	I/O *	Firmware, tested with
MDC-i4290C	fixed box camera	1 ch.	H.264, MJPEG	0.01 MP (160x96)	2.1 MP (1920x1080)	in	n/a	n/s	supported by specification
MDC-i4290CTD	fixed box camera	1 ch.	H.264, MJPEG	0.01 MP (160x96)	2.1 MP (1920x1080)	in	n/a	n/s	supported by specification
MDC-i4280C	fixed box camera	1 ch.	H.264, MJPEG	0.02 MP (160x112)	0.8 MP(1024x768)	in	n/a	n/s	supported by specification
MDC-i4280CTD	fixed box camera	1 ch.	H.264, MJPEG	0.02 MP (160x112)	0.8 MP(1024x768)	in	n/a	n/s	supported by specification
MDC-i4270C	fixed box camera	1 ch.	H.264, MJPEG	0.02 MP (160x112)	0.8 MP(1024x768)	in	n/a	n/s	supported by specification
MDC-i4270CTD	fixed box camera	1 ch.	H.264, MJPEG	0.02 MP (160x112)	0.8 MP(1024x768)	in	n/a	n/s	supported by specification
MDC-i4260C	fixed box camera	1 ch.	H.264, MJPEG	0.01 MP (160x96)	0.9 MP (1280x720)	in	n/a	n/s	supported by specification
MDC-i4260CTD	fixed box camera	1 ch.	H.264, MJPEG	0.01 MP (160x96)	0.9 MP (1280x720)	in	n/a	n/s	supported by specification
MDC-i4250C	fixed box camera	1 ch.	H.264, MJPEG	0.01 MP (160x96)	0.9 MP (1280x720)	in	n/a	n/s	supported by specification
MDC-i4250CTD	fixed box camera	1 ch.	H.264, MJPEG	0.01 MP (160x96)	0.9 MP (1280x720)	in	n/a	n/s	supported by specification
MDC-i4240	fixed box camera	1 ch.	H.264, MJPEG	0.02 MP (160x112)	0.3 MP (640x480)	in	n/a	n/s	supported by specification
MDC-i4240W	fixed box camera	1 ch.	H.264, MJPEG	0.02 MP (160x112)	0.3 MP (640x480)	in	n/a	n/s	supported by specification
MDC-i4230C	fixed box camera	1 ch.	H.264, MJPEG	0.02 MP (160x112)	0.3 MP (640x480)	in	n/a	n/s	supported by specification
MDC-i4230CTD	fixed box camera	1 ch.	H.264, MJPEG	0.02 MP (160x112)	0.3 MP (640x480)	in	n/a	n/s	supported by specification
MDC-i4220CDN (NTSC)	fixed box camera	1 ch.	H.264, MJPEG	0.02 MP (176x112)	0.3 MP (720x480)	in	n/a	n/s	supported by specification
MDC-i4220CDN (PAL)	fixed box camera	1 ch.	H.264, MJPEG	0.02 MP (176x144)	0.4 MP (720x576)	in	n/a	n/s	supported by specification
MDC-i4220TDN (NTSC)	fixed box camera	1 ch.	H.264, MJPEG	0.02 MP (176x112)	0.3 MP (720x480)	in	n/a	n/s	supported by specification
MDC-i4220TDN (PAL)	fixed box camera	1 ch.	H.264, MJPEG	0.02 MP (176x144)	0.4 MP (720x576)	in	n/a	n/s	supported by specification
MDC-i7260F	fixed dome camera	1 ch.	H.264, MJPEG	0.01 MP (160x96)	1.3 MP (1280x1024)	n/a	n/a	n/a	supported by specification
MDC-i7240F	fixed dome camera	1 ch.	H.264, MJPEG	0.02 MP (176x112)	0.3 MP (640x480)	n/a	n/a	n/a	ver. 4.13-31-ds
MDC-i8290V	fixed dome camera	1 ch.	H.264, MJPEG	0.01 MP (160x96)	2.1 MP (1920x1080)	in	n/a	n/s	supported by specification
MDC-i8290VTD	fixed dome camera	1 ch.	H.264, MJPEG	0.01 MP (160x96)	2.1 MP (1920x1080)	in	n/a	n/s	supported by specification
MDC-i8280V	fixed dome camera	1 ch.	H.264, MJPEG	0.02 MP (160x112)	0.8 MP(1024x768)	in	n/a	n/s	supported by specification
MDC-i8280VTD	fixed dome camera	1 ch.	H.264, MJPEG	0.02 MP (160x112)	0.8 MP(1024x768)	in	n/a	n/s	supported by specification
MDC-i8270V	fixed dome camera	1 ch.	H.264, MJPEG	0.02 MP (160x112)	0.7 MP (960x720)	in	n/a	n/s	supported by specification
MDC-i8270VTD	fixed dome camera	1 ch.	H.264, MJPEG	0.02 MP (160x112)	0.7 MP (960x720)	in	n/a	n/s	supported by specification
MDC-i8260V	fixed dome camera	1 ch.	H.264, MJPEG	0.01 MP (160x96)	0.9 MP (1280x720)	in	n/a	n/s	supported by specification
MDC-i8260VTD	fixed dome camera	1 ch.	H.264, MJPEG	0.01 MP (160x96)	0.9 MP (1280x720)	in	n/a	n/s	supported by specification
MDC-i8250V	fixed dome camera	1 ch.	H.264, MJPEG	0.01 MP (160x96)	0.9 MP (1280x720)	in	n/a	n/s	supported by specification
MDC-i8250VTD	fixed dome camera	1 ch.	H.264, MJPEG	0.01 MP (160x96)	0.9 MP (1280x720)	in	n/a	n/s	ver. 4.11-75md-d1
MDC-i8230V	fixed dome camera	1 ch.	H.264, MJPEG	0.02 MP (160x112)	0.3 MP (640x480)	in	n/a	n/s	supported by specification
MDC-i8230VTD	fixed dome camera	1 ch.	H.264, MJPEG	0.02 MP (160x112)	0.3 MP (640x480)	in	n/a	n/s	supported by specification
MDC-i8220VDN (NTSC)	fixed dome camera	1 ch.	H.264, MJPEG	0.02 MP (176x112)	0.3 MP (720x480)	in	n/a	n/s	supported by specification
MDC-i8220VDN (PAL)	fixed dome camera	1 ch.	H.264, MJPEG	0.02 MP (176x144)	0.4 MP (720x576)	in	n/a	n/s	supported by specification
MDC-i8220TDN (NTSC)	fixed dome camera	1 ch.	H.264, MJPEG	0.02 MP (176x112)	0.3 MP (720x480)	in	n/a	n/s	supported by specification
MDC-i8220TDN (PAL)	fixed dome camera	1 ch.	H.264, MJPEG	0.02 MP (176x144)	0.4 MP (720x576)	in	n/a	n/s	supported by specification
MDC-i6291VTD-66H	fixed box camera	1 ch.	H.264, MJPEG	0.01 MP (160x96)	2.1 MP (1920x1080)	in	n/a	n/s	ver.4.14-01-ds

Model	Device type	Video channel	Compression types *	Min Resolution *	Max Resolution *	Audio *	PTZ *	I/O *	Firmware, tested with
MDC-i6271VTD-66H	fixed box camera	1 ch.	H.264, MJPEG	0.02 MP (160x112)	0.7 MP (960x720)	in	n/a	n/s	supported by specification
MDC-i6261VTD-66H	fixed box camera	1 ch.	H.264, MJPEG	0.01 MP (160x96)	0.9 MP (1280x720)	in	n/a	n/s	ver.4.13-31-ds
MDC-i6261VTDW-66H	fixed box camera	1 ch.	H.264, MJPEG	0.01 MP (160x96)	0.9 MP (1280x720)	in	n/a	n/s	supported by specification
MDC-i6221TDN-66H (NTSC)	fixed box camera	1 ch.	H.264, MJPEG	0.02 MP (176x112)	0.3 MP (720x480)	in	n/a	n/s	supported by specification
MDC-i6221TDN-66H (PAL)	fixed box camera	1 ch.	H.264, MJPEG	0.02 MP (176x144)	0.4 MP (720x576)	in	n/a	n/s	supported by specification
MDC-i6221TDNW-66H (NTSC)	fixed box camera	1 ch.	H.264, MJPEG	0.02 MP (176x112)	0.3 MP (720x480)	in	n/a	n/s	supported by specification
MDC-i6221TDNW-66H (PAL)	fixed box camera	1 ch.	H.264, MJPEG	0.02 MP (176x144)	0.4 MP (720x576)	in	n/a	n/s	supported by specification
MDC-i6290VTD-110H	fixed box camera	1 ch.	H.264, MJPEG	0.01 MP (160x96)	2.1 MP (1920x1080)	n/a	n/a	n/a	supported by specification
MDC-i6290VTD-10H	fixed box camera	1 ch.	H.264, MJPEG	0.01 MP (160x96)	2.1 MP (1920x1080)	in	n/a	n/s	supported by specification

[Contents](#)

[General list](#)

Model	Device type	Video channel	Compression types*	Min Resolution *	Max Resolution *	Audio *	PTZ *	I/O *	Firmware, tested with
D12D Series	fixed dome camera	2 ch.	MxPEG, MJPEG	0.1 MP (320x240)	1.2 MP (1280x960)	in	n/a	n/s	ver. MX-V3.4.0.9
D24M Series	fixed dome camera	1 ch.	MxPEG, MJPEG	0.1 MP (320x240)	1.2 MP (1280x960)	in	n/a	n/s	ver.MX-V4.0.2.33.r2
M12D Series	fixed box camera	2 ch.	MxPEG, MJPEG	0.1 MP (320x240)	1.2 MP (1280x960)	in	n/a	n/s	ver.MX-V5.4.7
M22M Series	fixed box camera	1 ch.	MxPEG, MJPEG	0.1 MP (320x240)	1.2 MP (1280x960)	in	n/a	n/s	ver.MX-V3.3.1.7
M24M Series	fixed box camera	1 ch.	MxPEG, MJPEG	0.1 MP (320x240)	1.2 MP (1280x960)	in	n/a	n/s	tested by partner

[Contents](#)

[General list](#)

Model	Device type	Video channel	Compression types*	Min Resolution *	Max Resolution *	Audio *	PTZ *	I/O *	Firmware, tested with
NVC-i120	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	2.1 MP (1920x1080)	in	n/a	n/s	ver.2.05
NVC-i120D	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	2.1 MP (1920x1080)	in	n/a	n/s	supported by specification
NVC-i120B	fixed bullet camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	2.1 MP (1920x1080)	in	n/a	n/s	supported by specification
NVC-i130	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	3.1 MP (2048x1536)	in	n/a	n/s	ver.1.02
NVC-i130D	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	3.1 MP (2048x1536)	in	n/a	n/s	supported by specification
NVC-i130B	fixed bullet camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	3.1 MP (2048x1536)	in	n/a	n/s	supported by specification

[Contents](#)

[General list](#)

Model	Device type	Video channel	Compression types*	Min Resolution *	Max Resolution *	Audio *	PTZ *	I/O *	Firmware, tested with
H.264/AVC-16p	encoder	16 ch.	H.264	0.02 MP (176x120) in NTSC 0.02 MP (176x144) in PAL	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	n/a	PTZ, presets, tour	n/a	ver.2.0.4
H.264/AVC-4p	encoder	4 ch.	H.264	0.02 MP (176x120) in NTSC 0.02 MP (176x144) in PAL	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	n/a	PTZ, presets, tour	n/a	ver.2.0.4

[Contents](#)
[General list](#)

Model	Device type	Video channel	Compression types *	Min Resolution *	Max Resolution *	Audio *	PTZ *	I/O *	Firmware, tested with
IPD-1SP-IR SE	fixed dome camera	1 ch.	H.264	0.1 MP (352x288)	0.9 MP (1280x720)	n/a	n/a	n/a	ver.4.02.R11.00001710.10010
IPD-1SP-IR 1.0	fixed dome camera	1 ch.	H.264	0.1 MP (352x288)	0.9 MP (1280x720)	n/s	n/a	n/s	supported by specification
IPO-1SP SE	fixed bullet camera	1 ch.	H.264	0.1 MP (352x288)	0.9 MP (1280x720)	n/a	n/a	n/a	supported by specification
IPD-1SP	fixed dome camera	1 ch.	H.264	0.1 MP (352x288)	1.2 MP (1280x960)	n/a	n/a	n/a	supported by specification
IPO-1SP	fixed bullet camera	1 ch.	H.264	0.1 MP (352x288)	1.2 MP (1280x960)	n/a	n/a	n/a	ver.4.02.R11.00001531.10010
IPO-VF1MP	fixed bullet camera	1 ch.	H.264	0.1 MP (352x288)	1.2 MP (1280x960)	in	n/a	n/a	supported by specification
IPD-2SP-IR POE 1.0	fixed dome camera	1 ch.	H.264	0.1 MP (352x288)	2.1 MP (1920x1080)	n/a	n/a	n/a	supported by specification
IPD-VF2MP POE	fixed dome camera	1 ch.	H.264	0.1 MP (352x288)	2.1 MP (1920x1080)	in	n/a	n/a	supported by specification
IPO-2SP POE	fixed bullet camera	1 ch.	H.264	0.1 MP (352x288)	2.1 MP (1920x1080)	in	n/a	n/a	supported by specification
IPO-2SP POE 1.0	fixed bullet camera	1 ch.	H.264	0.1 MP (352x288)	2.1 MP (1920x1080)	in	n/a	n/a	supported by specification
IPO-VF2MP POE	fixed bullet camera	1 ch.	H.264	0.1 MP (352x288)	2.1 MP (1920x1080)	in	n/a	n/a	ver.4.02.R11.00001532.10010
IPO-VF2MP POE 1.0	fixed bullet camera	1 ch.	H.264	0.1 MP (352x288)	2.1 MP (1920x1080)	n/a	n/a	n/a	supported by specification
IPD-5SP-IR POR	fixed dome camera	1 ch.	H.264	0.1 MP (352x288)	5.0 MP (2592x1944)	n/a	n/a	n/a	supported by specification
IPD-VF5MP-IR POE	fixed dome camera	1 ch.	H.264	0.1 MP (352x288)	5.0 MP (2592x1944)	n/a	n/a	n/a	supported by specification
IPO-5SP POE	fixed bullet camera	1 ch.	H.264	0.1 MP (352x288)	5.0 MP (2592x1944)	n/a	n/a	n/a	supported by specification
IPO-VF5MP	fixed bullet camera	1 ch.	H.264	0.1 MP (352x288)	5.0 MP (2592x1944)	n/a	n/a	n/a	ver.V4.02.R11.47600520.12000
IPO-VF5MP POE 1.0	fixed bullet camera	1 ch.	H.264	0.1 MP (352x288)	5.0 MP (2592x1944)	n/a	n/a	n/a	supported by specification

[Contents](#)
[General list](#)

Model	Device type	Video channel	Compression types*	Min Resolution *	Max Resolution *	Audio *	PTZ *	I/O *	Firmware, tested with
BL-VP101	fixed box camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	0.3 MP (640x480)	n/a	n/a	n/a	supported by specification
BL-VP104	fixed box camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	0.9 MP (1280x720)	n/a	n/a	n/a	supported by specification
BL-VP104W	fixed box camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	0.9 MP (1280x720)	n/a	n/a	n/a	supported by specification
BL-VT164	PTZ camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	0.9 MP (1280x720)	n/s	n/s	in/out	supported by specification
BL-VT164W	PTZ camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	0.9 MP (1280x720)	n/s	n/s	in/out	supported by specification
WV-NP1000	fixed box camera	1 ch.	MPEG-4, MJPEG	0.08 MP (320x240)	1.2 MP (1280x960)	n/s	n/a	n/s	ver.1.21
WV-NP1004	fixed box camera	1 ch.	MPEG-4, MJPEG	0.08 MP (320x240)	1.2 MP (1280x960)	n/s	n/a	n/s	supported by specification
WV-NP240	fixed box camera	1 ch.	MPEG-4, MJPEG	0.08 MP (320x240)	0.3 MP (640x480)	n/s	n/a	n/s	ver.1.25
WV-NP244	fixed box camera	1 ch.	MPEG-4, MJPEG	0.08 MP (320x240)	0.3 MP (640x480)	n/s	n/a	n/s	supported by specification
WV-NS202A	PTZ camera	1 ch.	MPEG-4, MJPEG	0.06 MP (320x180)	0.3 MP (640x480)	n/s	PTZ, presets, tour	n/s	ver.1.10
WV-NS950	PTZ dome camera	1 ch.	MPEG-4, MJPEG	0.08 MP (320x240)	0.3 MP (640x480)	n/s	PTZ, presets, tour	n/s	ver.1.06
WV-NS954	PTZ dome camera	1 ch.	MPEG-4, MJPEG	0.08 MP (320x240)	0.3 MP (640x480)	n/s	PTZ, presets, tour	n/s	ver.1.06
WV-NW484S	fixed dome camera	1 ch.	MPEG-4, MJPEG	0.06 MP (320x180)	0.3 MP (640x480)	n/a	n/a	n/s	ver.1.11
WV-NW502S	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x180)	2.1 MP (1920x1080)	n/s	n/a	n/a	supported by specification
WV-NW960	PTZ dome camera	1 ch.	MPEG-4, MJPEG	0.08 MP (320x240)	0.3 MP (640x480)	n/s	n/t	n/s	supported by specification
WV-NW964	PTZ dome camera	1 ch.	MPEG-4, MJPEG	0.08 MP (320x240)	0.3 MP (640x480)	n/s	n/t	n/s	supported by specification
WV-SC384	PTZ camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x180)	1.2 MP (1280x960)	n/s	PTZ, presets, tour	in/out	supported by specification
WV-SC385	PTZ camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x180)	1.2 MP (1280x960)	n/s	PTZ, presets, tour	in/out	ver.1.00
WV-SC386	PTZ dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x180)	1.2 MP (1280x960)	n/s	PTZ, presets, tour	in/out	supported by specification
WV-SF132	fixed dome camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	0.3 MP (640x480)	n/a	n/a	n/a	supported by specification
WV-SF135	fixed dome camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	1.2 MP (1280x960)	n/a	n/a	n/a	supported by specification
WV-SF332	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x180)	0.5 MP (800x600)	n/s	n/a	in/out	supported by specification
WV-SF335	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x180)	1.2 MP (1280x960)	n/s	n/a	in/out	ver.1.04
WV-SF336	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x180)	1.2 MP (1280x960)	n/s	n/a	in/out	supported by specification
WV-SF342	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x180)	0.5 MP (800x600)	n/s	n/a	in/out	ver.1.06
WV-SF346	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x180)	1.2 MP (1280x960)	n/s	n/a	in/out	supported by specification
WV-SF538	fixed dome camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	2.1 MP (1920x1080)	n/s	n/a	in/out	supported by specification
WV-SF539	fixed dome camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	2.1 MP (1920x1080)	n/s	n/a	in/out	supported by specification
WV-SF548	fixed dome camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	2.1 MP (1920x1080)	n/a	n/a	in/out	supported by specification
WV-SF549	fixed dome camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	2.1 MP (1920x1080)	n/s	n/a	in/out	supported by specification
WV-SP102	fixed bullet camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	0.3 MP (640x480)	n/a	n/a	n/a	tested by partner
WV-SP105	fixed bullet camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	1.2 MP (1280x960)	n/a	n/a	n/a	tested by partner
WV-SP302	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x180)	0.5 MP (800x600)	n/s	n/a	in/out	tested by partner
WV-SP305	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x180)	1.2 MP (1280x960)	n/s	n/a	in/out	tested by partner
WV-SP306	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x180)	1.2 MP (1280x960)	n/s	n/a	in/out	tested by partner
WV-SP508	fixed box camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	2.1 MP (1920x1080)	n/s	n/a	in/out	supported by specification
WV-SP509	fixed box camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	2.1 MP (1920x1080)	n/s	n/a	in/out	ver.1.30

Model	Device type	Video channel	Compression types*	Min Resolution *	Max Resolution *	Audio *	PTZ *	I/O *	Firmware, tested with
WV-ST162	PTZ camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	0.5 MP (800x600)	n/s	n/s	in/out	supported by specification
WV-ST165	PTZ camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	1.2 MP (1280x960)	n/s	n/s	in/out	supported by specification
WV-SW152	fixed dome camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	0.5 MP (800x600)	n/s	n/a	n/a	supported by specification
WV-SW152M	fixed dome camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	0.5 MP (800x600)	n/s	n/a	n/a	supported by specification
WV-SW155	fixed dome camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	1.2 MP (1280x960)	n/s	n/a	n/a	ver.1.66
WV-SW155M	fixed dome camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	1.2 MP (1280x960)	n/s	n/a	n/a	supported by specification
WV-SW172	PTZ camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	0.5 MP (800x600)	n/s	n/s	in/out	supported by specification
WV-SW174W	PTZ camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	1.2 MP (1280x960)	n/s	n/s	in/out	supported by specification
WV-SW175	PTZ camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	1.2 MP (1280x960)	n/s	n/s	in/out	supported by specification
WV-SW314	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x180)	1.2 MP (1280x960)	n/a	n/a	n/a	supported by specification
WV-SW316	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x180)	1.2 MP (1280x960)	n/s	n/a	in/out	supported by specification
WV-SW316L	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x180)	1.2 MP (1280x960)	n/s	n/a	in/out	supported by specification
WV-SW352	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x180)	0.5 MP (800x600)	n/s	n/a	in/out	supported by specification
WV-SW355	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x180)	1.2 MP (1280x960)	n/s	n/a	in/out	supported by specification
WV-SW395	PTZ dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x180)	1.2 MP (1280x960)	n/s	PTZ, presets, tour	in/out	supported by specification
WV-SW396	PTZ dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320x180)	1.2 MP (1280x960)	n/s	PTZ, presets, tour	in/out	ver.1.66
WV-SW558	fixed dome camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	2.1 MP (1920x1080)	n/s	n/a	in/out	supported by specification
WV-SW559	fixed dome camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	2.1 MP (1920x1080)	n/s	n/a	in/out	supported by specification

[Contents](#)
[General list](#)

Model	Device type	Video channel	Compression types *	Min Resolution *	Max Resolution *	Audio *	PTZ *	I/O *	Firmware, tested with
ID10C-0	fixed dome camera	1 ch.	H.264	0.1 MP (320x240)	1.3 MP (1280x1024)	n/a	n/a	n/s	supported by specification
ID10C-1	fixed dome camera	1 ch.	H.264	0.1 MP (320x240)	1.3 MP (1280x1024)	n/a	n/a	n/s	supported by specification
ID10C8-1	fixed dome camera	1 ch.	H.264	0.1 MP (320x240)	1.3 MP (1280x1024)	n/a	n/a	n/s	supported by specification
ID10DN-0	fixed dome camera	1 ch.	H.264	0.1 MP (320x240)	1.3 MP (1280x1024)	n/a	n/a	n/s	supported by specification
ID10DN-1	fixed dome camera	1 ch.	H.264	0.1 MP (320x240)	1.3 MP (1280x1024)	n/a	n/a	n/s	supported by specification
ID10DN8-1	fixed dome camera	1 ch.	H.264	0.1 MP (320x240)	1.3 MP (1280x1024)	n/a	n/a	n/s	supported by specification
ID30DN-0	fixed dome camera	1 ch.	H.264	0.1 MP (320x240)	3.1 MP (2048x1536)	n/a	n/a	n/s	supported by specification
ID30DN-1	fixed dome camera	1 ch.	H.264	0.1 MP (320x240)	3.1 MP (2048x1536)	n/a	n/a	n/s	supported by specification
ID30DN8-1	fixed dome camera	1 ch.	H.264	0.1 MP (320x240)	3.1 MP (2048x1536)	n/a	n/a	n/s	supported by specification
IDE10DN-0	fixed dome camera	1 ch.	H.264	0.1 MP (320x240)	1.3 MP (1280x1024)	n/a	n/a	n/s	supported by specification
IDE10DN-1	fixed dome camera	1 ch.	H.264	0.1 MP (320x240)	1.3 MP (1280x1024)	n/a	n/a	n/s	supported by specification
IDE10DN-OC1	fixed dome camera	1 ch.	H.264	0.1 MP (320x240)	1.3 MP (1280x1024)	n/a	n/a	n/s	supported by specification
IDE10DN-OS1	fixed dome camera	1 ch.	H.264	0.1 MP (320x240)	1.3 MP (1280x1024)	n/a	n/a	n/s	supported by specification
IDE10DN-OSP1	fixed dome camera	1 ch.	H.264	0.1 MP (320x240)	1.3 MP (1280x1024)	n/a	n/a	n/s	supported by specification
IDE10N8-1	fixed dome camera	1 ch.	H.264	0.1 MP (320x240)	1.3 MP (1280x1024)	n/a	n/a	n/s	supported by specification
IDE20DN-0	fixed dome camera	1 ch.	H.264	0.1 MP (320x240)	2.1 MP (1920x1080)	n/a	n/a	n/s	supported by specification
IDE20DN-1	fixed dome camera	1 ch.	H.264	0.1 MP (320x240)	2.1 MP (1920x1080)	n/a	n/a	n/s	supported by specification
IDE20DN8-1	fixed dome camera	1 ch.	H.264	0.1 MP (320x240)	2.1 MP (1920x1080)	n/a	n/a	n/s	supported by specification
IDE20DN-OC1	fixed dome camera	1 ch.	H.264	0.1 MP (320x240)	2.1 MP (1920x1080)	n/a	n/a	n/s	supported by specification
IDE20DN-OCPO	fixed dome camera	1 ch.	H.264	0.1 MP (320x240)	2.1 MP (1920x1080)	n/a	n/a	n/s	supported by specification
IDE20DN-OS1	fixed dome camera	1 ch.	H.264	0.1 MP (320x240)	2.1 MP (1920x1080)	n/a	n/a	n/s	supported by specification
IDE20DN-OSD	fixed dome camera	1 ch.	H.264	0.1 MP (320x240)	2.1 MP (1920x1080)	n/a	n/a	n/s	supported by specification
IDE20DN-OSP1	fixed dome camera	1 ch.	H.264	0.1 MP (320x240)	2.1 MP (1920x1080)	n/a	n/a	n/s	supported by specification
IDE20DN-OSPO	fixed dome camera	1 ch.	H.264	0.1 MP (320x240)	2.1 MP (1920x1080)	n/a	n/a	n/s	supported by specification
IDS0C12-1	fixed dome camera	1 ch.	H.264, MPEG-4	0.1 MP (320x240)	0.5 MP (800x600)	n/a	n/a	n/s	supported by specification
IDS0DN-0	fixed dome camera	1 ch.	H.264, MPEG-4	0.1 MP (320x240)	0.5 MP (800x600)	n/a	n/a	n/s	supported by specification
IDS0DN-1	fixed dome camera	1 ch.	H.264, MPEG-4	0.1 MP (320x240)	0.5 MP (800x600)	n/a	n/a	n/s	supported by specification
IDS0DN12-1	fixed dome camera	1 ch.	H.264, MPEG-4	0.1 MP (320x240)	0.5 MP (800x600)	n/a	n/a	n/s	supported by specification
IDS0OC-0	fixed dome camera	1 ch.	H.264, MPEG-4	0.1 MP (320x240)	0.5 MP (800x600)	n/a	n/a	n/s	supported by specification
IDS0OC-1	fixed dome camera	1 ch.	H.264, MPEG-4	0.1 MP (320x240)	0.5 MP (800x600)	n/a	n/a	n/s	supported by specification
IE10C-0	fixed dome camera	1 ch.	H.264	0.1 MP (320x240)	1.3 MP (1280x1024)	n/s	n/a	n/s	supported by specification
IE10C-1	fixed dome camera	1 ch.	H.264	0.1 MP (320x240)	1.3 MP (1280x1024)	n/s	n/a	n/s	supported by specification
IE10C8-1	fixed dome camera	1 ch.	H.264	0.1 MP (320x240)	1.3 MP (1280x1024)	n/s	n/a	n/s	supported by specification
IE10DN-0	fixed dome camera	1 ch.	H.264	0.1 MP (320x240)	1.3 MP (1280x1024)	n/s	n/a	n/s	supported by specification
IE10DN-1	fixed dome camera	1 ch.	H.264	0.1 MP (320x240)	1.3 MP (1280x1024)	n/s	n/a	n/s	supported by specification
IE10DN8-1	fixed dome camera	1 ch.	H.264	0.1 MP (320x240)	1.3 MP (1280x1024)	n/s	n/a	n/s	supported by specification
IE30DN-0	fixed dome camera	1 ch.	H.264	0.1 MP (320x240)	3.1 MP (2048x1536)	n/s	n/a	n/s	supported by specification

Model	Device type	Video channel	Compression types*	Min Resolution *	Max Resolution *	Audio *	PTZ *	I/O *	Firmware, tested with
IE30DN-1	fixed dome camera	1 ch.	H.264	0.1 MP (320x240)	3.1 MP (2048x1536)	n/s	n/a	n/s	supported by specification
IE30DN8-1	fixed dome camera	1 ch.	H.264	0.1 MP (320x240)	3.1 MP (2048x1536)	n/s	n/a	n/s	supported by specification
IEE10DN-0	fixed dome camera	1 ch.	H.264	0.1 MP (320x240)	1.3 MP (1280x1024)	n/s	n/a	n/s	supported by specification
IEE10DN-1	fixed dome camera	1 ch.	H.264	0.1 MP (320x240)	1.3 MP (1280x1024)	n/s	n/a	n/s	supported by specification
IEE10DN8-1	fixed dome camera	1 ch.	H.264	0.1 MP (320x240)	1.3 MP (1280x1024)	n/s	n/a	n/s	supported by specification
IEE10DN-OCP1	fixed dome camera	1 ch.	H.264	0.1 MP (320x240)	1.3 MP (1280x1024)	n/s	n/a	n/s	supported by specification
IEE10DN-OS1	fixed dome camera	1 ch.	H.264	0.1 MP (320x240)	1.3 MP (1280x1024)	n/s	n/a	n/s	supported by specification
IEE10DN-OSP1	fixed dome camera	1 ch.	H.264	0.1 MP (320x240)	1.3 MP (1280x1024)	n/s	n/a	n/s	supported by specification
IEE20DN-0	fixed dome camera	1 ch.	H.264	0.1 MP (320x240)	2.1 MP (1920x1080)	n/s	n/a	n/s	supported by specification
IEE20DN-1	fixed dome camera	1 ch.	H.264	0.1 MP (320x240)	2.1 MP (1920x1080)	n/s	n/a	n/s	supported by specification
IEE20DN8-1	fixed dome camera	1 ch.	H.264	0.1 MP (320x240)	2.1 MP (1920x1080)	n/s	n/a	n/s	supported by specification
IEE20DN-OCPO	fixed dome camera	1 ch.	H.264	0.1 MP (320x240)	2.1 MP (1920x1080)	n/s	n/a	n/s	supported by specification
IEE20DN-OCP1	fixed dome camera	1 ch.	H.264	0.1 MP (320x240)	2.1 MP (1920x1080)	n/s	n/a	n/s	supported by specification
IEE20DN-OSO	fixed dome camera	1 ch.	H.264	0.1 MP (320x240)	2.1 MP (1920x1080)	n/s	n/a	n/s	supported by specification
IEE20DN-OS1	fixed dome camera	1 ch.	H.264	0.1 MP (320x240)	2.1 MP (1920x1080)	n/s	n/a	n/s	supported by specification
IEE20DN-OSPO	fixed dome camera	1 ch.	H.264	0.1 MP (320x240)	2.1 MP (1920x1080)	n/s	n/a	n/s	supported by specification
IEE20DN-OSP1	fixed dome camera	1 ch.	H.264	0.1 MP (320x240)	2.1 MP (1920x1080)	n/s	n/a	n/s	supported by specification
IESOC-0	fixed dome camera	1 ch.	H.264, MPEG-4	0.1 MP (320x240)	0.5 MP (800x600)	n/s	n/a	n/s	supported by specification
IESOC-1	fixed dome camera	1 ch.	H.264, MPEG-4	0.1 MP (320x240)	0.5 MP (800x600)	n/s	n/a	n/s	supported by specification
IESOC12-1	fixed dome camera	1 ch.	H.264, MPEG-4	0.1 MP (320x240)	0.5 MP (800x600)	n/s	n/a	n/s	supported by specification
IESODN-0	fixed dome camera	1 ch.	H.264, MPEG-4	0.1 MP (320x240)	0.5 MP (800x600)	n/s	n/a	n/s	supported by specification
IESODN-1	fixed dome camera	1 ch.	H.264, MPEG-4	0.1 MP (320x240)	0.5 MP (800x600)	n/s	n/a	n/s	supported by specification
IESODN12-1	fixed dome camera	1 ch.	H.264, MPEG-4	0.1 MP (320x240)	0.5 MP (800x600)	n/s	n/a	n/s	supported by specification
IM10C10-1	fixed dome camera	1 ch.	H.264	0.1 MP (320x240)	1.3 MP (1280x1024)	n/s	n/a	n/a	supported by specification
IM10C10-B1	fixed dome camera	1 ch.	H.264	0.1 MP (320x240)	1.3 MP (1280x1024)	n/s	n/a	n/a	ver. 1.5.9.9261-O2.3870
IM10DN10-1E	fixed dome camera	1 ch.	H.264	0.1 MP (320x240)	1.3 MP (1280x1024)	n/s	n/a	n/a	supported by specification
IM10DN10-1V	fixed dome camera	1 ch.	H.264	0.1 MP (320x240)	1.3 MP (1280x1024)	n/s	n/a	n/a	supported by specification
IMSOC10-1	fixed dome camera	1 ch.	H.264, MPEG-4	0.1 MP (320x240)	0.5 MP (800x600)	n/a	n/a	n/a	supported by specification
IMSOC10-1E	fixed dome camera	1 ch.	H.264, MPEG-4	0.1 MP (320x240)	0.5 MP (800x600)	n/a	n/a	n/a	supported by specification
IMSOC10-1V	fixed dome camera	1 ch.	H.264, MPEG-4	0.1 MP (320x240)	0.5 MP (800x600)	n/a	n/a	n/a	supported by specification
IMSODN10-1E	fixed dome camera	1 ch.	H.264, MPEG-4	0.1 MP (320x240)	0.5 MP (800x600)	n/a	n/a	n/a	supported by specification
IMSODN10-1V	fixed dome camera	1 ch.	H.264, MPEG-4	0.1 MP (320x240)	0.5 MP (800x600)	n/a	n/a	n/a	supported by specification
IP110-ENC	fixed dome camera	1 ch.	MPEG-4	0.08 MP (352x240) in NTSC 0.1 MP (352x288) in PAL	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	n/a	n/a	n/s	tested by partner
IP110-LD	fixed dome camera	1 ch.	MPEG-4	0.08 MP (352x240) in NTSC 0.1 MP (352x288) in PAL	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	n/a	n/a	n/s	supported by specification
IP111-LD	fixed dome camera	1 ch.	MPEG-4	0.08 MP (352x240) in NTSC 0.1 MP (352x288) in PAL	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	n/a	n/a	n/s	supported by specification
IX10C	fixed box camera	1 ch.	H.264	0.1 MP (320x240)	1.3 MP (1280x1024)	n/a	n/a	n/s	supported by specification

Model	Device type	Video channel	Compression types*	Min Resolution *	Max Resolution *	Audio *	PTZ *	I/O *	Firmware, tested with
IX10DN	fixed box camera	1 ch.	H.264	0.1 MP (320x240)	1.3 MP (1280x1024)	n/a	n/a	n/s	supported by specification
IX30C	fixed box camera	1 ch.	H.264	0.1 MP (320x240)	3.1 MP (2048x1536)	n/a	n/a	n/s	supported by specification
IX30DN	fixed box camera	1 ch.	H.264	0.1 MP (320x240)	3.1 MP (2048x1536)	n/a	n/a	n/s	ver. 1.5.9.9080-A1.3870
IXE10C	fixed box camera	1 ch.	H.264	0.1 MP (320x240)	1.3 MP (1280x1024)	n/a	n/a	n/s	supported by specification
IXE10C-OCP	fixed box camera	1 ch.	H.264	0.1 MP (320x240)	1.3 MP (1280x1024)	n/a	n/a	n/s	supported by specification
IXE10C-OS	fixed box camera	1 ch.	H.264	0.1 MP (320x240)	1.3 MP (1280x1024)	n/a	n/a	n/s	supported by specification
IXE10C-OSP	fixed box camera	1 ch.	H.264	0.1 MP (320x240)	1.3 MP (1280x1024)	n/a	n/a	n/s	supported by specification
IXE10DN	fixed box camera	1 ch.	H.264	0.1 MP (320x240)	1.3 MP (1280x1024)	n/a	n/a	n/s	supported by specification
IXE10DN-OCP	fixed box camera	1 ch.	H.264	0.1 MP (320x240)	1.3 MP (1280x1024)	n/a	n/a	n/s	supported by specification
IXE10DN-OS	fixed box camera	1 ch.	H.264	0.1 MP (320x240)	1.3 MP (1280x1024)	n/a	n/a	n/s	supported by specification
IXE20C	fixed box camera	1 ch.	H.264	0.1 MP (320x240)	2.1 MP (1920x1080)	n/a	n/a	n/s	supported by specification
IXE20C-OS	fixed box camera	1 ch.	H.264	0.1 MP (320x240)	2.1 MP (1920x1080)	n/a	n/a	n/s	supported by specification
IXE20C-OSP	fixed box camera	1 ch.	H.264	0.1 MP (320x240)	2.1 MP (1920x1080)	n/a	n/a	n/s	supported by specification
IXE20DN	fixed box camera	1 ch.	H.264	0.1 MP (320x240)	2.1 MP (1920x1080)	n/a	n/a	n/s	supported by specification
IXE20DN-OCP	fixed box camera	1 ch.	H.264	0.1 MP (320x240)	2.1 MP (1920x1080)	n/a	n/a	n/s	supported by specification
IXE20DN-OS	fixed box camera	1 ch.	H.264	0.1 MP (320x240)	2.1 MP (1920x1080)	n/a	n/a	n/s	supported by specification
IXE20DN-OSP	fixed box camera	1 ch.	H.264	0.1 MP (320x240)	2.1 MP (1920x1080)	n/a	n/a	n/s	supported by specification
IXE2C-OCP	fixed box camera	1 ch.	H.264	0.1 MP (320x240)	2.1 MP (1920x1080)	n/a	n/a	n/s	supported by specification
IXSOC	fixed box camera	1 ch.	H.264, MPEG-4	0.1 MP (320x240)	0.5 MP (800x600)	n/a	n/a	n/s	ver. 1.1.6.9080-A1.2317
IXS0DN	fixed box camera	1 ch.	H.264, MPEG-4	0.1 MP (320x240)	0.5 MP (800x600)	n/a	n/a	n/s	supported by specification
NET350	encoder	1 ch.	MPEG-4	0.08 MP (352x240) in NTSC 0.1 MP (352x288) in PAL	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	in / out	n/a	n/s	ver.30050210
NET5301T	encoder	1 ch.	MPEG-4	0.08 MP (352x240) in NTSC 0.1 MP (352x288) in PAL	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	n/s	PTZ, presets	n/s	no info
NET5401T	encoder	1 ch.	H.264, MJPEG	0.08 MP (352x240) in NTSC 0.1 MP (352x288) in PAL	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	n/s	PTZ, presets	n/s	ver. 1.7.8.3081-03.5288
NET5401T-OCP	encoder	1 ch.	H.264, MJPEG	0.08 MP (352x240) in NTSC 0.1 MP (352x288) in PAL	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	n/s	PTZ, presets	n/s	supported by specification
NET5401T-OS	encoder	1 ch.	H.264, MJPEG	0.08 MP (352x240) in NTSC 0.1 MP (352x288) in PAL	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	n/s	PTZ, presets	n/s	supported by specification
NET5401T-OSP	encoder	1 ch.	H.264, MJPEG	0.08 MP (352x240) in NTSC 0.1 MP (352x288) in PAL	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	n/s	PTZ, presets	n/s	supported by specification
NET5402T	encoder	2 ch.	H.264, MJPEG	0.08 MP (352x240) in NTSC 0.1 MP (352x288) in PAL	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	n/s	PTZ, presets	n/s	supported by specification
NET5402T-OCP	encoder	2 ch.	H.264, MJPEG	0.08 MP (352x240) in NTSC 0.1 MP (352x288) in PAL	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	n/s	PTZ, presets	n/s	supported by specification
NET5402T-OS	encoder	2 ch.	H.264, MJPEG	0.08 MP (352x240) in NTSC 0.1 MP (352x288) in PAL	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	n/s	PTZ, presets	n/s	supported by specification
NET5402T-OSP	encoder	2 ch.	H.264, MJPEG	0.08 MP (352x240) in NTSC 0.1 MP (352x288) in PAL	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	n/s	PTZ, presets	n/s	supported by specification
NET5404T	encoder	4 ch.	H.264, MJPEG	0.08 MP (352x240) in NTSC 0.1 MP (352x288) in PAL	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	n/s	PTZ, presets	n/s	supported by specification
NET5404T-OCP	encoder	4 ch.	H.264, MJPEG	0.08 MP (352x240) in NTSC 0.1 MP (352x288) in PAL	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	n/s	PTZ, presets	n/s	supported by specification

Model	Device type	Video channel	Compression types*	Min Resolution *	Max Resolution *	Audio *	PTZ *	I/O *	Firmware, tested with
NET5404T-OS	encoder	4 ch.	H.264, MJPEG	0.08 MP (352x240) in NTSC 0.1 MP (352x288) in PAL	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	n/s	PTZ, presets	n/s	supported by specification
NET5404T-OSP	encoder	4 ch.	H.264, MJPEG	0.08 MP (352x240) in NTSC 0.1 MP (352x288) in PAL	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	n/s	PTZ, presets	n/s	supported by specification
SD4N-B0	PTZ dome camera	1 ch.	MPEG-4	0.02 MP (176x120) in NTSC 0.02 MP (176x144) in PAL	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	n/a	PTZ, presets	n/a	tested by partner
SD4N-B0-X	PTZ dome camera	1 ch.	MPEG-4	0.02 MP (176x120) in NTSC 0.02 MP (176x144) in PAL	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	n/a	PTZ, presets	n/a	supported by specification
SD4N-B1	PTZ dome camera	1 ch.	MPEG-4	0.02 MP (176x120) in NTSC 0.02 MP (176x144) in PAL	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	n/a	PTZ, presets	n/a	supported by specification
SD4N-B1-X	PTZ dome camera	1 ch.	MPEG-4	0.02 MP (176x120) in NTSC 0.02 MP (176x144) in PAL	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	n/a	PTZ, presets	n/a	supported by specification
SD4N-W0-X	PTZ dome camera	1 ch.	MPEG-4	0.02 MP (176x120) in NTSC 0.02 MP (176x144) in PAL	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	n/a	PTZ, presets	n/a	supported by specification
SD4N-W1	PTZ dome camera	1 ch.	MPEG-4	0.02 MP (176x120) in NTSC 0.02 MP (176x144) in PAL	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	n/a	PTZ, presets	n/a	supported by specification
SD4N-W1-X	PTZ dome camera	1 ch.	MPEG-4	0.02 MP (176x120) in NTSC 0.02 MP (176x144) in PAL	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	n/a	PTZ, presets	n/a	supported by specification
Spectra IV IP H.264 (SD4E23, TXB-N)	PTZ dome camera	1 ch.	H.264, MPEG-4	0.08 MP (352x240) in NTSC 0.1 MP (352x288) in PAL	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	n/a	PTZ, presets	n/a	supported by specification
Spectra IV IP H.264 (SD4E27, TXB-N)	PTZ dome camera	1 ch.	H.264, MPEG-4	0.08 MP (352x240) in NTSC 0.1 MP (352x288) in PAL	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	n/a	PTZ, presets	n/a	supported by specification
Spectra IV IP H.264 (SD4E35, TXB-N)	PTZ dome camera	1 ch.	H.264, MPEG-4	0.08 MP (352x240) in NTSC 0.1 MP (352x288) in PAL	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	n/a	PTZ, presets	n/a	ver.1.6.13.2084-01.4657
Spectra IV IP (SD4N18 with TXB-IP)	PTZ dome camera	1 ch.	MPEG-4	0.08 MP (352x240) in NTSC 0.1 MP (352x288) in PAL	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	n/a	PTZ, presets	n/a	supported by specification
Spectra IV IP (SD4N35 with TXB-IP)	PTZ dome camera	1 ch.	MPEG-4	0.08 MP (352x240) in NTSC 0.1 MP (352x288) in PAL	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	n/a	PTZ, presets	n/a	ver.1.00.30
Spectra IV IP (SD4NC22 with TXB-IP)	PTZ dome camera	1 ch.	MPEG-4	0.08 MP (352x240) in NTSC 0.1 MP (352x288) in PAL	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	n/a	PTZ, presets	n/a	supported by specification
Spectra IV IP (SD4NCBW with TXB-IP)	PTZ dome camera	1 ch.	MPEG-4	0.08 MP (352x240) in NTSC 0.1 MP (352x288) in PAL	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	n/a	PTZ, presets	n/a	supported by specification
Spectra IV IP (SD4NTC with TXB-IP)	PTZ dome camera	1 ch.	MPEG-4	0.08 MP (352x240) in NTSC 0.1 MP (352x288) in PAL	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	n/a	PTZ, presets	n/a	supported by specification

[Contents](#)

[General list](#)

Protocol	Version	Video channel	Compression types*	Resolution*	Audio *	PTZ *	I/O *
ONVIF	1.01	all ch.	H.264, MPEG-4, MJPEG	all the according to device	in	PTZ	n/s
ONVIF	2.0	all ch.	H.264, MPEG-4, MJPEG	all the according to device	in	PTZ	n/s
ONVIF	Profile S	all ch.	H.264, MPEG-4, MJPEG	all the according to device	in	PTZ, presets, tour	n/s
RTP/RTSP	-	all ch.	H.264, MPEG-4, MJPEG	all the according to device	in	n/a	n/a
RTP/RTSP (Live555)	-	all ch.	H.264, MJPEG	all the according to device	in	n/a	n/a

[Contents](#)
[General list](#)

Model	Device type	Video channel	Compression types*	Min Resolution *	Max Resolution *	Audio *	PTZ *	I/O *	Firmware, tested with
RVi-IPC11	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	1.3 MP (1280x1024)	n/a	n/a	n/a	tested by partner
RVi-IPC11W	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	1.3 MP (1280x1024)	n/a	n/a	n/a	tested by partner
RVi-IPC20DN	fixed box camera	1 ch.	H.264, MJPEG	0.11 MP (352x288)	0.4 MP (704x576)	in	n/a	n/s	tested by partner
RVi-IPC21	fixed box camera	1 ch.	H.264, MJPEG	0.11 MP (352x288)	0.9 MP (1280x720)	in	n/a	n/s	tested by partner
RVi-IPC21DN	fixed box camera	1 ch.	H.264, MJPEG	0.11 MP (352x288)	0.9 MP (1280x720)	in	n/a	n/s	tested by partner
RVi-IPC21DNL	fixed box camera	1 ch.	H.264, MJPEG	0.11 MP (352x288)	0.9 MP (1280x720)	in	n/a	n/s	tested by partner
RVi-IPC22DN	fixed box camera	1 ch.	H.264, MJPEG	0.11 MP (352x288)	2.1 MP (1920x1080)	in	n/a	n/s	ver.2.100.GP00.2.R
RVi-IPC23DN	fixed box camera	1 ch.	H.264, MJPEG	0.11 MP (352x288)	3.1 MP (2048x1536)	in	n/a	n/s	ver.2.100.GP00.2.R
RVi-IPC31DN	fixed dome camera	1 ch.	H.264, MJPEG	0.11 MP (352x288)	0.9 MP (1280x720)	in	n/a	n/s	supported by specification
RVi-IPC31DNL	fixed dome camera	1 ch.	H.264, MJPEG	0.11 MP (352x288)	0.9 MP (1280x720)	in	n/a	n/s	tested by partner
RVi-IPC32DNL	fixed dome camera	1 ch.	H.264, MJPEG	0.11 MP (352x288)	2.1 MP (1920x1080)	in	n/a	n/a	supported by specification
RVi-IPC32M	fixed dome camera	1 ch.	H.264, MJPEG	0.11 MP (352x288)	2.1 MP (1920x1080)	in	n/a	n/s	ver.2.100.GP00.2.R
RVi-IPC41DNL	fixed bullet camera	1 ch.	H.264, MJPEG	0.11 MP (352x288)	0.9 MP (1280x720)	in	n/a	n/s	tested by partner
RVi-IPC41DNS	fixed bullet camera	1 ch.	H.264, MJPEG	0.11 MP (352x288)	1.2 MP (1280x960)	n/a	n/a	n/a	supported by specification
RVi-IPC42DN	fixed bullet camera	1 ch.	H.264, MJPEG	0.11 MP (352x288)	2.1 MP (1920x1080)	n/a	n/a	n/a	supported by specification
RVi-IPC50DN36	PTZ dome camera	1 ch.	H.264, MJPEG	0.11 MP (352x288)	0.4 MP (704x576)	in	PTZ	n/s	tested by partner
RVi-IPC51DN18	PTZ dome camera	1 ch.	H.264, MJPEG	0.11 MP (352x288)	0.9 MP (1280x720)	in	PTZ	n/s	tested by partner
RVi-IPC52DN20	PTZ dome camera	1 ch.	H.264, MJPEG	0.11 MP (352x288)	0.9 MP (1280x720)	in	PTZ	n/s	supported by specification
RVi-IPS125	encoder	1 ch.	H.264	0.03 MP (176x144)	0.4 MP (704x576)	n/s	n/a	n/s	supported by specification
RVi-IPS4100	encoder	4 ch.	H.264	0.03 MP (176x144)	0.4 MP (704x576)	n/s	n/a	n/s	supported by specification

[Contents](#)
[General list](#)

Model	Device type	Video channel	Compression types *	Min Resolution *	Max Resolution *	Audio *	PTZ *	I/O *	Firmware, tested with
SNB-1000N	fixed box camera	1 ch.	H.264, MJPEG	0.07 MP (320x240)	0.3 MP (640x480)	n/a	n/a	in/out	supported by specification
SNB-1000P	fixed box camera	1 ch.	H.264, MJPEG	0.07 MP (320x240)	0.3 MP (640x480)	n/a	n/a	in/out	supported by specification
SNB-1001N	fixed box camera	1 ch.	H.264, MJPEG	0.02 MP (160x120)	0.3 MP (640x480)	in	n/a	in	ver.1.00_111226
SNB-1001P	fixed box camera	1 ch.	H.264, MJPEG	0.02 MP (160x120)	0.3 MP (640x480)	in	n/a	in	supported by specification
SNB-2000N	fixed box camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	0.3 MP (704x480)	n/a	n/a	in/out	ver.1.30_101102
SNB-2000P	fixed box camera	1 ch.	H.264, MJPEG	0.11 MP (352x288)	0.4 MP (704x576)	n/a	n/a	in/out	supported by specification
SNB-3000N	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (352x240)	0.3 MP (704x480)	in	n/a	in/out	supported by specification
SNB-3000P	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.11 MP (352x288)	0.4 MP (704x576)	in	n/a	in/out	ver.1.30_101102
SNB-3002N	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (352x240)	0.3 MP (704x480)	in	n/a	in/out	supported by specification
SNB-3002P	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.11 MP (352x288)	0.4 MP (704x576)	in	n/a	in/out	supported by specification
SNB-5000N	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.07 MP (320x240)	1.3 MP (1280x1024)	in	n/a	in/out	supported by specification
SNB-5000P	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.07 MP (320x240)	1.3 MP (1280x1024)	in	n/a	in/out	tested by partner
SNB-5001N	fixed box camera	1 ch.	H.264, MJPEG	0.07 MP (320x240)	1.3 MP (1280x1024)	in	n/a	in	supported by specification
SNB-5001P	fixed box camera	1 ch.	H.264, MJPEG	0.07 MP (320x240)	1.3 MP (1280x1024)	in	n/a	in	supported by specification
SNB-5003	fixed box camera	1 ch.	H.264, MJPEG	0.07 MP (320x240)	1.3 MP (1280x1024)	in	n/a	in	supported by specification
SNB-5004	fixed box camera	1 ch.	H.264, MJPEG	0.07 MP (320x240)	1.3 MP (1280x1024)	in	n/a	in	ver.1.00_130414 (API, ONVIF)
SNB-6003	fixed box camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	2.1 MP (1920x1080)	in	n/a	in/out	ver.1.00_130412 (API, ONVIF)
SNB-6004	fixed box camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	2.1 MP (1920x1080)	in	n/a	in/out	ver.1.00_130412 (API, ONVIF)
SNB-6010	camera kit	1 ch.	H.264, MJPEG	0.06 MP (320x180)	2.1 MP (1920x1080)	n/a	n/a	in/out	supported by specification
SNB-7000N	fixed box camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	3.1 MP (2048x1536)	in	RS-485: PT, presets	in/out	ver.1.00_110725
SNB-7000P	fixed box camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	3.1 MP (2048x1536)	in	RS-485: PT, presets	in/out	supported by specification
SNB-7001N	fixed box camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	3.1 MP (2048x1536)	in	n/a	in	supported by specification
SNB-7001P	fixed box camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	3.1 MP (2048x1536)	in	n/a	in	supported by specification
SNB-7002N	fixed box camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	3.1 MP (2048x1536)	in	n/a	in/out	supported by specification
SNB-7002P	fixed box camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	3.1 MP (2048x1536)	in	n/a	in/out	ver.1.00_120824
SNB-7004N	fixed box camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	3.1 MP (2048x1536)	in	RS-485: PT, presets	in/out	supported by specification
SNB-7004P	fixed box camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	3.1 MP (2048x1536)	in	RS-485: PT, presets	in/out	supported by specification
SND-1011N	fixed dome camera	1 ch.	H.264, MJPEG	0.02 MP (160x120)	0.3 MP (640x480)	n/a	n/a	in	ver.1.00_111118
SND-1011P	fixed dome camera	1 ch.	H.264, MJPEG	0.02 MP (160x120)	0.3 MP (640x480)	n/a	n/a	in	supported by specification
SND-1080N	fixed dome camera	1 ch.	H.264, MJPEG	0.02 MP (160x120)	0.3 MP (640x480)	in	n/a	in	supported by specification
SND-1080P	fixed dome camera	1 ch.	H.264, MJPEG	0.02 MP (160x120)	0.3 MP (640x480)	in	n/a	in	supported by specification
SND-3080CFN	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (352x240)	0.3 MP (704x480)	n/a	n/a	in/out	supported by specification
SND-3080CFP	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.11 MP (352x288)	0.4 MP (704x576)	n/a	n/a	in/out	supported by specification
SND-3080CN	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (352x240)	0.3 MP (704x480)	n/a	n/a	in/out	supported by specification
SND-3080CP	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.11 MP (352x288)	0.4 MP (704x576)	n/a	n/a	in/out	supported by specification
SND-3080FN	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (352x240)	0.3 MP (704x480)	n/a	n/a	in/out	supported by specification
SND-3080FP	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.11 MP (352x288)	0.4 MP (704x576)	n/a	n/a	in/out	supported by specification

Model	Device type	Video channel	Compression types *	Min Resolution *	Max Resolution *	Audio *	PTZ *	I/O *	Firmware, tested with
SND-3080N	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (352x240)	0.3 MP (704x480)	n/a	n/a	in/out	ver.1.30_101102
SND-3080P	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.11 MP (352x288)	0.4 MP (704x576)	n/a	n/a	in/out	supported by specification
SND-3082FN	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (352x240)	0.3 MP (704x480)	in	n/a	in/out	supported by specification
SND-3082FP	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.11 MP (352x288)	0.4 MP (704x576)	in	n/a	in/out	supported by specification
SND-3082N	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (352x240)	0.3 MP (704x480)	in	n/a	in/out	supported by specification
SND-3082P	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.11 MP (352x288)	0.4 MP (704x576)	in	n/a	in/out	supported by specification
SND-5010	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	1.3 MP (1280x1024)	n/a	n/a	n/a	ver.1.00_120626
SND-5011	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	1.3 MP (1280x1024)	n/a	n/a	in	supported by specification
SND-5061	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	1.3 MP (1280x1024)	n/a	n/a	in	supported by specification
SND-5080FN	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	1.3 MP (1280x1024)	in	n/a	in/out	supported by specification
SND-5080FP	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	1.3 MP (1280x1024)	in	n/a	in/out	supported by specification
SND-5080N	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	1.3 MP (1280x1024)	in	n/a	in/out	ver.1.30_101227
SND-5080P	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	1.3 MP (1280x1024)	in	n/a	in/out	supported by specification
SND-5083	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	1.3 MP (1280x1024)	in	n/a	in/out	supported by specification
SND-5084	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	1.3 MP (1280x1024)	in	n/a	in/out	ver.0.06_130614 (API, ONVIF)
SND-6011R	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	n/a	n/a	in	supported by specification
SND-6083	fixed dome camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	2.1 MP (1920x1080)	in	n/a	in/out	ver.1.00_130412 (API, ONVIF)
SND-6084	fixed dome camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	2.1 MP (1920x1080)	in	n/a	in/out	ver.1.00_130412 (API, ONVIF)
SND-6084R	fixed dome camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	2.1 MP (1920x1080)	in	n/a	in/out	supported by specification
SND-7011	fixed dome camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	3.1 MP (2048x1536)	n/a	n/a	in	supported by specification
SND-7061	fixed dome camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	3.1 MP (2048x1536)	n/a	n/a	in	supported by specification
SND-7080FN	fixed dome camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	3.1 MP (2048x1536)	in	n/a	in/out	supported by specification
SND-7080FP	fixed dome camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	3.1 MP (2048x1536)	in	n/a	in/out	supported by specification
SND-7080N	fixed dome camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	3.1 MP (2048x1536)	in	n/a	in/out	supported by specification
SND-7080P	fixed dome camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	3.1 MP (2048x1536)	in	n/a	in/out	supported by specification
SND-7082F	fixed dome camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	3.1 MP (2048x1536)	in	n/a	in/out	supported by specification
SND-7082N	fixed dome camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	3.1 MP (2048x1536)	in	n/a	in/out	supported by specification
SND-7082P	fixed dome camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	3.1 MP (2048x1536)	in	n/a	in/out	ver.1.00_120824
SND-7084N	fixed dome camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	3.1 MP (2048x1536)	in	n/a	in/out	supported by specification
SND-7084P	fixed dome camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	3.1 MP (2048x1536)	in	n/a	in/out	supported by specification
SND-7084RN	fixed dome camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	3.1 MP (2048x1536)	in	n/a	in/out	supported by specification
SND-7084RP	fixed dome camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	3.1 MP (2048x1536)	in	n/a	in/out	supported by specification
SNF-7010	fisheye dome camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	3.1 MP (2048x1536)	in	n/a	in	supported by specification
SNF-7010V	fisheye dome camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	3.1 MP (2048x1536)	in	n/a	in	supported by specification
SNF-7010VM	fisheye dome camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	3.1 MP (2048x1536)	in	n/a	in	supported by specification
SNO-1080RN	fixed bullet camera	1 ch.	H.264, MJPEG	0.02 MP (160x120)	0.3 MP (640x480)	n/a	n/a	in	supported by specification
SNO-1080RP	fixed bullet camera	1 ch.	H.264, MJPEG	0.02 MP (160x120)	0.3 MP (640x480)	n/a	n/a	in	supported by specification
SNO-5080RN	fixed bullet camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	1.3 MP (1280x1024)	n/a	n/a	in/out	supported by specification

Model	Device type	Video channel	Compression types *	Min Resolution *	Max Resolution *	Audio *	PTZ *	I/O *	Firmware, tested with
SNO-5080RP	fixed bullet camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	1.3 MP (1280x1024)	n/a	n/a	in/out	supported by specification
SNO-6011R	fixed bullet camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	n/a	n/a	in	supported by specification
SNO-6084R	fixed bullet camera	1 ch.	H.264, MJPEG	0.05 MP (320x180)	2.1 MP (1920x1080)	in	n/a	in/out	supported by specification
SNO-7080RN	fixed bullet camera	1 ch.	H.264, MJPEG	0.05 MP (320x180)	3.1 MP (2032x1536)	in	n/a	in/out	supported by specification
SNO-7080RP	fixed bullet camera	1 ch.	H.264, MJPEG	0.05 MP (320x180)	3.1 MP (2032x1536)	in	n/a	in/out	supported by specification
SNO-7082R	fixed bullet camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	3.1 MP (2048x1536)	in	n/a	in/out	ver.1.00_121005 (API, ONVIF)
SNO-7084RN	fixed bullet camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	3.1 MP (2048x1536)	in	n/a	in/out	supported by specification
SNO-7084RP	fixed bullet camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	3.1 MP (2048x1536)	in	n/a	in/out	supported by specification
SNP-3120N	PTZ dome camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	0.3 MP (704x480)	in	PTZ, presets	in/out	supported by specification
SNP-3120P	PTZ dome camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	0.4 MP (704x576)	in	PTZ, presets	in/out	supported by specification
SNP-3120VHN	PTZ dome camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	0.3 MP (704x480)	in	PTZ, presets	in/out	supported by specification
SNP-3120VHP	PTZ dome camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	0.4 MP (704x576)	in	PTZ, presets	in/out	supported by specification
SNP-3120VN	PTZ dome camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	0.3 MP (704x480)	in	PTZ, presets	in/out	supported by specification
SNP-3120VP	PTZ dome camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	0.4 MP (704x576)	in	PTZ, presets	in/out	ver.1.22_110120_1
SNP-3301HN	PTZ dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (176x120)	0.3 MP (704x480)	in	PTZ, presets	in/out	supported by specification
SNP-3301HP	PTZ dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	0.4 MP (704x576)	in	PTZ, presets	in/out	supported by specification
SNP-3301N	PTZ dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (176x120)	0.3 MP (704x480)	n/s	PTZ, presets	in/out	ver.1.20_101006
SNP-3301P	PTZ dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	0.4 MP (704x576)	n/s	PTZ, presets	in/out	supported by specification
SNP-3302HN	PTZ dome camera	1 ch.	H.264, MJPEG	0.02 MP (176x120)	0.3 MP (704x480)	in	PTZ, presets	in/out	supported by specification
SNP-3302HP	PTZ dome camera	1 ch.	H.264, MJPEG	0.03 MP (176x144)	0.4 MP (704x576)	in	PTZ, presets	in/out	supported by specification
SNP-3302N	PTZ dome camera	1 ch.	H.264, MJPEG	0.02 MP (176x120)	0.3 MP (704x480)	in	PTZ, presets	in/out	supported by specification
SNP-3302P	PTZ dome camera	1 ch.	H.264, MJPEG	0.03 MP (176x144)	0.4 MP (704x576)	in	PTZ, presets	in/out	supported by specification
SNP-3370N	PTZ dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (176x120)	0.3 MP (704x480)	n/s	PTZ, presets	in/out	tested by partner
SNP-3370P	PTZ dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	0.4 MP (704x576)	n/s	PTZ, presets	in/out	supported by specification
SNP-3370THN	PTZ dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (176x120)	0.3 MP (704x480)	n/s	PTZ, presets	in/out	supported by specification
SNP-3370THP	PTZ dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	0.4 MP (704x576)	n/s	PTZ, presets	in/out	supported by specification
SNP-3371N	PTZ dome camera	1 ch.	H.264, MJPEG	0.02 MP (176x120)	0.3 MP (704x480)	in	PTZ, presets	in/out	supported by specification
SNP-3371P	PTZ dome camera	1 ch.	H.264, MJPEG	0.03 MP (176x144)	0.4 MP (704x576)	in	PTZ, presets	in/out	supported by specification
SNP-3371THN	PTZ dome camera	1 ch.	H.264, MJPEG	0.02 MP (176x120)	0.3 MP (704x480)	in	PTZ, presets	in/out	supported by specification
SNP-3371THP	PTZ dome camera	1 ch.	H.264, MJPEG	0.03 MP (176x144)	0.4 MP (704x576)	in	PTZ, presets	in/out	supported by specification
SNP-3430HN	PTZ dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	0.3 MP (704x480)	in	PTZ, presets	in/out	supported by specification
SNP-3430HP	PTZ dome camera	1 ch.	H.264, MJPEG	0.11 MP (352x288)	0.4 MP (704x576)	in	PTZ, presets	in/out	supported by specification
SNP-5200HN	PTZ dome camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	1.3 MP (1280x1024)	in	PTZ, presets	in/out	supported by specification
SNP-5200HP	PTZ dome camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	1.3 MP (1280x1024)	in	PTZ, presets	in/out	supported by specification
SNP-5200N	PTZ dome camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	1.3 MP (1280x1024)	in	PTZ, presets	in/out	supported by specification
SNP-5200P	PTZ dome camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	1.3 MP (1280x1024)	in	PTZ, presets	in/out	supported by specification
SNP-5300	PTZ dome camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	1.3 MP (1280x1024)	in	PTZ, presets	in/out	ver.1.00_130523 (ONVIF)
SNP-5300H	PTZ dome camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	1.3 MP (1280x1024)	in	PTZ, presets	in/out	supported by specification

Model	Device type	Video channel	Compression types *	Min Resolution *	Max Resolution *	Audio *	PTZ *	I/O *	Firmware, tested with
SNP-6200RH	PTZ dome camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	in	PTZ, presets	n/s	ver.1.00_130618 (ONVIF)
SNP-6201H	PTZ dome camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	in	PTZ, presets	n/s	ver.0.02_130605 (ONVIF)
SNP-6320	PTZ dome camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	in	PTZ, presets	n/s	supported by specification
SNP-6320H	PTZ dome camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	in	PTZ, presets	n/s	supported by specification
SNV-1080N	fixed dome camera	1 ch.	H.264, MJPEG	0.02 MP (160x120)	0.3 MP (640x480)	in	n/a	in	supported by specification
SNV-1080P	fixed dome camera	1 ch.	H.264, MJPEG	0.02 MP (160x120)	0.3 MP (640x480)	in	n/a	in	supported by specification
SNV-1080RN	fixed dome camera	1 ch.	H.264, MJPEG	0.02 MP (160x120)	0.3 MP (640x480)	in	n/a	in	supported by specification
SNV-1080RP	fixed dome camera	1 ch.	H.264, MJPEG	0.02 MP (160x120)	0.3 MP (640x480)	in	n/a	in	supported by specification
SNV-3080N	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (352x240)	0.3 MP (704x480)	in	n/a	in/out	supported by specification
SNV-3080P	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.11 MP (352x288)	0.4 MP (704x576)	in	n/a	in/out	supported by specification
SNV-3082N	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (352x240)	0.3 MP (704x480)	in	n/a	in/out	supported by specification
SNV-3082P	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.11 MP (352x288)	0.4 MP (704x576)	in	n/a	in/out	supported by specification
SNV-3120N	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	0.3 MP (704x480)	in	n/a	in/out	supported by specification
SNV-3120P	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	0.4 MP (704x576)	in	n/a	in/out	supported by specification
SNV-5010N	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	1.3 MP (1280x1024)	n/a	n/a	n/a	supported by specification
SNV-5010P	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	1.3 MP (1280x1024)	n/a	n/a	n/a	supported by specification
SNV-5080N	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	1.3 MP (1280x1024)	in	n/a	in/out	ver.1.32_110608
SNV-5080P	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	1.3 MP (1280x1024)	in	n/a	in/out	supported by specification
SNV-5080RN	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	1.3 MP (1280x1024)	in	n/a	in/out	supported by specification
SNV-5080RP	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	1.3 MP (1280x1024)	in	n/a	in/out	supported by specification
SNV-5084	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	1.3 MP (1280x1024)	in	n/a	in/out	supported by specification
SNV-6012M	fixed dome camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	2.1 MP (1920x1080)	n/a	n/a	n/a	supported by specification
SNV-6013N	fixed dome camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	2.1 MP (1920x1080)	n/a	n/a	n/a	supported by specification
SNV-6013P	fixed dome camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	2.1 MP (1920x1080)	n/a	n/a	n/a	supported by specification
SNV-6084N	fixed dome camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	2.1 MP (1920x1080)	in	n/a	in/out	supported by specification
SNV-6084P	fixed dome camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	2.1 MP (1920x1080)	in	n/a	in/out	supported by specification
SNV-6084RN	fixed dome camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	2.1 MP (1920x1080)	in	n/a	in/out	supported by specification
SNV-6084RP	fixed dome camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	2.1 MP (1920x1080)	in	n/a	in/out	supported by specification
SNV-7080RN	fixed dome camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	3.1 MP (2048x1536)	in	n/s	in/out	supported by specification
SNV-7080RP	fixed dome camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	3.1 MP (2048x1536)	in	n/s	in/out	supported by specification
SNV-7082N	fixed dome camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	3.1 MP (2048x1536)	in	n/a	in/out	ver.1.00_120912
SNV-7082P	fixed dome camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	3.1 MP (2048x1536)	in	n/a	in/out	supported by specification
SNV-7084N	fixed dome camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	3.1 MP (2048x1536)	in	n/a	in/out	supported by specification
SNV-7084P	fixed dome camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	3.1 MP (2048x1536)	in	n/a	in/out	supported by specification
SNV-7084RN	fixed dome camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	3.1 MP (2048x1536)	in	n/a	in/out	supported by specification
SNV-7084RP	fixed dome camera	1 ch.	H.264, MJPEG	0.06 MP (320x180)	3.1 MP (2048x1536)	in	n/a	in/out	supported by specification
SNZ-5200N	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	1.3 MP (1280x1024)	in	n/s	in/out	supported by specification

Model	Device type	Video channel	Compression types *	Min Resolution *	Max Resolution *	Audio *	PTZ *	I/O *	Firmware, tested with
SNZ-5200P	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	1.3 MP (1280x1024)	in	n/s	in/out	supported by specification
SPE-100N	encoder	1 ch.	H.264, MJPEG	0.08 MP (320x240)	0.3 MP (704x480)	in	RS-485: PTZ, presets	in/out	ver.1.18_100908
SPE-100P	encoder	1 ch.	H.264, MJPEG	0.08 MP (320x240)	0.4 MP (704x576)	in	RS-485: PTZ, presets	in/out	supported by specification
SPE-101N	encoder	1 ch.	H.264, MJPEG	0.08 MP (320x240)	0.3 MP (704x480)	n/a	RS-485: PTZ, presets	n/a	supported by specification
SPE-101P	encoder	1 ch.	H.264, MJPEG	0.08 MP (320x240)	0.4 MP (704x576)	n/a	RS-485: PTZ, presets	n/a	supported by specification
SPE-1600R	encoder	16 ch.	H.264, MJPEG	0.08 MP (320x240)	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	n/a	RS-485: PTZ, presets	in/out	supported by specification
SPE-400N	encoder	4 ch.	H.264, MJPEG	0.08 MP (320x240)	0.3 MP (704x480)	in	RS-485: PTZ, presets	in/out	ver.1.00_110114
SPE-400P	encoder	4 ch.	H.264, MJPEG	0.08 MP (320x240)	0.4 MP (704x576)	in	RS-485: PTZ, presets	in/out	supported by specification
SRD-1670DC	DVR	16 ch.	H.264	0.08 MP (320x240)	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	n/s	n/s	n/s	supported by specification
SRD-870DC	DVR	8 ch.	H.264	0.08 MP (320x240)	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	n/s	n/s	n/s	supported by specification

[Contents](#)
[General list](#)

Model	Device type	Video channel	Compression types*	Min Resolution *	Max Resolution *	Audio *	PTZ *	I/O *	Firmware, tested with
VCC-HD2100	fixed box camera	1 ch.	H.264, MJPEG	0.1 MP (320x240)	3.9 MP (2288x1712)	n/a	n/a	in/out	supported by specification
VCC-HD2100P	fixed box camera	1 ch.	H.264, MJPEG	0.1 MP (320x240)	3.9 MP (2288x1712)	n/a	n/a	in/out	ver.1.02-05
VCC-HD2300	fixed box camera	1 ch.	H.264, MJPEG	0.1 MP (320x240)	3.9 MP (2288x1712)	n/a	n/a	in/out	supported by specification
VCC-HD2300P	fixed box camera	1 ch.	H.264, MJPEG	0.1 MP (320x240)	3.9 MP (2288x1712)	n/a	n/a	in/out	ver.1.02-05
VCC-HD2500	fixed box camera	1 ch.	H.264, MJPEG	0.1 MP (320x240)	3.9 MP (2288x1712)	n/s	n/a	in/out	supported by specification
VCC-HD2500P	fixed box camera	1 ch.	H.264, MJPEG	0.1 MP (320x240)	3.9 MP (2288x1712)	n/s	n/a	in/out	supported by specification
VCC-HD4000	fixed box camera	1 ch.	H.264, MJPEG	0.1 MP (320x240)	3.9 MP (2288x1712)	n/a	n/a	in/out	supported by specification
VCC-HD4000P	fixed box camera	1 ch.	H.264, MJPEG	0.1 MP (320x240)	3.9 MP (2288x1712)	n/a	n/a	in/out	supported by specification
VCC-HD4600	fixed box camera	1 ch.	H.264, MJPEG	0.1 MP (320x240)	3.9 MP (2288x1712)	n/s	n/a	in/out	supported by specification
VCC-HD4600P	fixed box camera	1 ch.	H.264, MJPEG	0.1 MP (320x240)	3.9 MP (2288x1712)	n/s	n/a	in/out	tested by partner
VCC-HD5400	PTZ dome camera	1 ch.	H.264, MJPEG	0.1 MP (320x240)	2.1 MP (1920×1080)	n/s	PTZ, presets, tour	in/out	supported by specification
VCC-HD5400P	PTZ dome camera	1 ch.	H.264, MJPEG	0.1 MP (320x240)	2.1 MP (1920×1080)	n/s	PTZ, presets, tour	in/out	ver.1.03-05
VCC-HD5600	PTZ dome camera	1 ch.	H.264, MJPEG	0.1 MP (320x240)	2.1 MP (1920×1080)	n/s	PTZ, presets, tour	in/out	supported by specification
VCC-HD5600P	PTZ dome camera	1 ch.	H.264, MJPEG	0.1 MP (320x240)	2.1 MP (1920×1080)	n/s	PTZ, presets, tour	in/out	supported by specification
VDC-HD3100	fixed dome camera	1 ch.	H.264, MJPEG	0.1 MP (320x240)	3.9 MP (2288x1712)	n/a	n/a	in/out	supported by specification
VDC-HD3100P	fixed dome camera	1 ch.	H.264, MJPEG	0.1 MP (320x240)	3.9 MP (2288x1712)	n/a	n/a	in/out	tested by partner
VDC-HD3300	fixed dome camera	1 ch.	H.264, MJPEG	0.1 MP (320x240)	3.9 MP (2288x1712)	n/a	n/a	in/out	supported by specification
VDC-HD3300P	fixed dome camera	1 ch.	H.264, MJPEG	0.1 MP (320x240)	3.9 MP (2288x1712)	n/a	n/a	in/out	supported by specification
VDC-HD3500	fixed dome camera	1 ch.	H.264, MJPEG	0.1 MP (320x240)	3.9 MP (2288x1712)	n/s	n/a	in/out	supported by specification

[Contents](#)
[General list](#)

Model	Device type	Video channel	Compression types*	Min Resolution *	Max Resolution *	Audio *	PTZ *	I/O *	Firmware, tested with
IPS 8130	fixed box camera	1 ch.	H.264	0.02 MP (176x120) in NTSC 0.02 MP (176x144) in PAL	0.3 MP (720x480) in NTSC 0.4 MP (720x576) in PAL	n/s	n/a	n/s	supported by specification
IPS 8272HD	fixed dome camera	1 ch.	H.264, MJPEG	0.3 MP (640x480)	0.9 MP (1280x720)	n/s	n/a	n/s	supported by specification
IPS 8420	fixed bullet camera	1 ch.	H.264	0.02 MP (176x120) in NTSC 0.02 MP (176x144) in PAL	0.3 MP (720x480) in NTSC 0.4 MP (720x576) in PAL	n/s	n/a	n/s	supported by specification
IPS 8600	fixed bullet camera	1 ch.	H.264	0.02 MP (176x120) in NTSC 0.02 MP (176x144) in PAL	0.3 MP (720x480) in NTSC 0.4 MP (720x576) in PAL	n/a	n/a	n/a	supported by specification
IPS 8720HD	fixed box camera	1 ch.	H.264, MJPEG	0.3 MP (640x480)	0.9 MP (1280x720)	n/s	n/a	n/s	ver.1.12.08.27
IPS 8720HD-2MPX	fixed box camera	1 ch.	H.264, MJPEG	0.3 MP (640x480)	2.1 MP (1920x1080)	n/s	n/a	n/s	supported by specification
IPS 8720HD-3MPX	fixed box camera	1 ch.	H.264, MJPEG	0.3 MP (640x480)	3.1 MP (2048x1536)	n/s	n/a	n/s	supported by specification
IPS 8835HD	fixed bullet camera	1 ch.	H.264, MJPEG	0.3 MP (640x480)	0.9 MP (1280x720)	n/s	n/a	n/s	supported by specification
IPS-NVS	encoder	4 ch.	H.264	0.02 MP (176x120) in NTSC 0.02 MP (176x144) in PAL	0.3 MP (720x480) in NTSC 0.4 MP (720x576) in PAL	n/s	n/a	n/s	supported by specification
VSP 6530IP	fixed box camera	1 ch.	H.264, MJPEG	0.3 MP (640x480)	3.1 MP (2048x1536)	n/s	n/a	n/s	ver.2.100.0000.2.R
VSP 6533IP	fixed dome camera	1 ch.	H.264, MJPEG	0.3 MP (640x480)	3.1 MP (2048x1536)	n/s	n/a	n/s	supported by specification
VSP 6536IP	fixed bullet camera	1 ch.	H.264, MJPEG	0.3 MP (640x480)	3.1 MP (2048x1536)	n/s	n/a	n/s	supported by specification

[Contents](#)

[General list](#)

Model	Device type	Video channel	Compression types*	Min Resolution *	Max Resolution *	Audio *	PTZ *	I/O *	Firmware, tested with
BC2x Series	fixed box camera	1 ch.	MPEG-4	0.03 MP (176x144)	1.2 MP (1280x960)	n/s	n/a	n/s	no info
HD26 WDR	PTZ dome camera	1 ch.	MPEG-4	0.02 MP (176x120) in NTSC 0.02 MP (176x144) in PAL	0.3 MP (720x480) in NTSC 0.4 MP (720x576) in PAL	n/s	PTZ, presets, tour	n/s	ver.1.0.1
HD66 WDR	PTZ dome camera	1 ch.	MPEG-4	0.02 MP (176x120) in NTSC 0.02 MP (176x144) in PAL	0.3 MP (720x480) in NTSC 0.4 MP (720x576) in PAL	n/s	PTZ, presets, tour	n/s	no info
S-60 E	encoder	1 ch.	MPEG-4	0.02 MP (176x120) in NTSC 0.02 MP (176x144) in PAL	0.3 MP (720x480) in NTSC 0.4 MP (720x576) in PAL	n/s	PTZ, presets, tour	n/s	ver.2.3.2

[Contents](#)
[General list](#)

Model	Device type	Video channel	Compression types*	Min Resolution *	Max Resolution *	Audio *	PTZ *	I/O *	Firmware, tested with
SNC-CX600W	fixed cube camera	1 ch.	H.264, MJPEG	0.05 MP (320×180)	0.9 MP (1280×720)	in	n/a	n/a	ver.1.7.0 (6G_API, ONVIF)
SNC-EB600	fixed box camera	1 ch.	H.264, MJPEG	0.08 MP (320×240)	1.3 MP (1280×1024)	n/a	n/a	n/a	supported by specification
SNC-EB600B	fixed box camera	1 ch.	H.264, MJPEG	0.08 MP (320×240)	1.3 MP (1280×1024)	n/a	n/a	n/a	supported by specification
SNC-EB630	fixed box camera	1 ch.	H.264, MJPEG	0.05 MP (320×184)	2.1 MP (1920×1080)	n/a	n/a	n/a	supported by specification
SNC-EB630B	fixed box camera	1 ch.	H.264, MJPEG	0.05 MP (320×184)	2.1 MP (1920×1080)	n/a	n/a	n/a	supported by specification
SNC-EB632R	fixed box camera	1 ch.	H.264, MJPEG	0.05 MP (320x184)	2.1 MP (1920x1080)	n/s	n/a	n/a	ver.2.1.2(6G_API, ONVIF)
SNC-EM600	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (320×240)	1.3 MP (1280×1024)	n/a	n/a	n/a	ver.1.6.0 (6G_API, ONVIF)
SNC-EM601	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (320×240)	1.3 MP (1280×1024)	n/a	n/a	n/a	supported by specification
SNC-EM602R	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (320×240)	1.3 MP (1280×1024)	n/a	n/a	n/a	supported by specification
SNC-EM630	fixed dome camera	1 ch.	H.264, MJPEG	0.05 MP (320×184)	2.1 MP (1920×1080)	n/a	n/a	n/a	ver.1.6.0 (6G_API, ONVIF)
SNC-EM631	fixed dome camera	1 ch.	H.264, MJPEG	0.05 MP (320×184)	2.1 MP (1920×1080)	n/a	n/a	n/a	supported by specification
SNC-EM632R	fixed dome camera	1 ch.	H.264, MJPEG	0.05 MP (320×184)	2.1 MP (1920×1080)	n/a	n/a	n/a	supported by specification
SNC-HM662	fish-eye dome camera	1 ch.	H.264, MJPEG	0.23 MP (640x360)	5.0 MP (2560x1920)	in	n/a	n/s	ver.1.1.1(6G_API, ONVIF)
SNC-VB600	fixed box camera	1 ch.	H.264, MJPEG	0.08 MP (320×240)	1.3 MP (1280×1024)	in	n/a	n/s	ver.1.5.1 (6G_API, ONVIF)
SNC-VB600B	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (320×240)	1.3 MP (1280×1024)	in	n/a	n/s	supported by specification
SNC-VB630	fixed box camera	1 ch.	H.264, MJPEG	0.08 MP (320×240)	2.1 MP (1920×1080)	in	n/a	n/s	ver.1.5.1 (6G_API, ONVIF)
SNC-VB635	fixed box camera	1 ch.	H.264, MJPEG	0.05 MP (320x184)	2.1 MP (1920x1080)	n/s	n/a	n/s	ver.2.1.2(6G_API, ONVIF)
SNC-VM600	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (320×240)	1.3 MP (1280×1024)	in	n/a	n/s	ver.1.5.1 (6G_API, ONVIF)
SNC-VM600B	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (320×240)	1.3 MP (1280×1024)	in	n/a	n/s	supported by specification
SNC-VM601	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (320×240)	1.3 MP (1280×1024)	in	n/a	n/s	supported by specification
SNC-VM601B	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (320×240)	1.3 MP (1280×1024)	in	n/a	n/s	supported by specification
SNC-VM602R	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (320×240)	1.3 MP (1280×1024)	in	n/a	n/s	supported by specification
SNC-VM630	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (320×240)	2.1 MP (1920×1080)	in	n/a	n/s	ver.1.5.1 (6G_API, ONVIF)
SNC-VM631	fixed dome camera	1 ch.	H.264, MJPEG	0.05 MP (320×184)	2.1 MP (1920×1080)	in	n/a	n/s	supported by specification
SNC-VM632R	fixed dome camera	1 ch.	H.264, MJPEG	0.05 MP (320×184)	2.1 MP (1920×1080)	in	n/a	n/s	supported by specification
SNC-WR600	PTZ camera	1 ch.	H.264, MJPEG	0.05 MP (320x184)	0.9 MP (1280x720)	n/s	PTZ, presets	n/s	ver.2.1.2(6G_API, ONVIF)
SNC-WR630	PTZ camera	1 ch.	H.264, MJPEG	0.05 MP (320×184)	2.1 MP (1920×1080)	in	PTZ, presets	n/s	supported by specification
SNC-WR632	PTZ camera	1 ch.	H.264, MJPEG	0.05 MP (320×184)	2.1 MP (1920×1080)	in	PTZ, presets	n/s	supported by specification
SNC-XM631	fixed dome camera	1 ch.	H.264, MJPEG	0.05 MP (320x184)	2.1 MP (1920x1080)	n/s	n/a	n/s	ver.2.1.2(6G_API, ONVIF)
SNC-XM632	fixed dome camera	1 ch.	H.264, MJPEG	0.05 MP (320x184)	2.1 MP (1920x1080)	n/s	n/a	n/a	ver.2.1.2(6G_API, ONVIF)
SNC-CH110	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176×144)	1.2 MP (1280×960)	n/a	n/a	n/s	supported by specification
SNC-CH120	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320×192)	1.3 MP (1280×1024)	n/a	n/a	n/a	supported by specification
SNC-CH140	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320×192)	1.3 MP (1280×1024)	n/s	n/a	n/s	ver.1.10.02 (5G_API, ONVIF)
SNC-CH160	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320×192)	1.3 MP (1280×1024)	n/a	n/a	n/s	supported by specification
SNC-CH180	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320×192)	1.3 MP (1280×1024)	n/s	n/a	n/s	supported by specification
SNC-CH210	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176×144)	2.1 MP (1920×1080)	n/a	n/a	n/s	ver.1.78.00 (5G_API, ONVIF)

Model	Device type	Video channel	Compression types*	Min Resolution *	Max Resolution *	Audio *	PTZ *	I/O *	Firmware, tested with
SNC-CH220	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320×192)	2.8 MP (1920×1440)	n/a	n/a	n/s	supported by specification
SNC-CH240	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320×192)	2.8 MP (1920×1440)	n/s	n/a	n/s	ver.1.77.00 (5G_API, ONVIF)
SNC-CH260	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320×192)	2.8 MP (1920×1440)	n/s	n/a	n/s	ver.1.78.00 (5G_API, ONVIF)
SNC-CH280	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320×192)	2.8 MP (1920×1440)	n/s	n/a	n/s	supported by specification
SNC-DH110	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176×144)	1.2 MP (1280×960)	n/a	n/a	n/s	supported by specification
SNC-DH110T	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176×144)	1.2 MP (1280×960)	n/a	n/a	n/s	supported by specification
SNC-DH120	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320×192)	1.3 MP (1280×1024)	n/a	n/a	n/a	ver.1.78.00 (5G_API, ONVIF)
SNC-DH120T	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320×192)	1.3 MP (1280×1024)	n/a	n/a	n/a	supported by specification
SNC-DH140	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320×192)	1.3 MP (1280×1024)	n/s	n/a	n/s	supported by specification
SNC-DH140T	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320×192)	1.3 MP (1280×1024)	n/s	n/a	n/s	supported by specification
SNC-DH160	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320×192)	1.3 MP (1280×1024)	n/a	n/a	n/s	supported by specification
SNC-DH180	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320×192)	1.3 MP (1280×1024)	n/s	n/a	n/s	supported by specification
SNC-DH210	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176×144)	2.1 MP (1920×1080)	n/a	n/a	n/s	supported by specification
SNC-DH210T	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176×144)	2.1 MP (1920×1080)	n/a	n/a	n/s	supported by specification
SNC-DH220	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320×192)	2.8 MP (1920×1440)	n/a	n/a	n/a	supported by specification
SNC-DH220T	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320×192)	2.8 MP (1920×1440)	n/a	n/a	n/a	supported by specification
SNC-DH240	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320×192)	2.8 MP (1920×1440)	n/s	n/a	n/s	supported by specification
SNC-DH240T	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320×192)	2.8 MP (1920×1440)	n/s	n/a	n/s	supported by specification
SNC-DH260	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320×192)	2.8 MP (1920×1440)	n/a	n/a	n/s	supported by specification
SNC-DH280	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320×192)	2.8 MP (1920×1440)	n/s	n/a	n/s	supported by specification
SNC-EB520	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320×240)	0.5 MP (800×600)	n/a	n/a	n/a	supported by specification
SNC-EM520	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320×240)	0.5 MP (800×600)	n/a	n/a	n/a	supported by specification
SNC-EM521	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320×240)	0.5 MP (800×600)	n/a	n/a	n/s	supported by specification
SNC-EP520	PTZ camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320×240)	0.3 MP (720×480)	n/s	PTZ, presets, tour	n/s	supported by specification
SNC-EP521	PTZ camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320×240)	0.4 MP (720×576)	n/s	PTZ, presets, tour	n/s	supported by specification
SNC-EP550	PTZ camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320×192)	0.9 MP (1280×720)	n/s	PTZ, presets, tour	n/s	supported by specification
SNC-EP580	PTZ camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320×192)	2.1 MP (1920×1080)	n/s	PTZ, presets, tour	n/s	supported by specification
SNC-ER520	PTZ camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320×240)	0.3 MP (720×480)	n/s	PTZ, presets, tour	n/s	supported by specification
SNC-ER521	PTZ camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320×240)	0.4 MP (720×576)	n/s	PTZ, presets, tour	n/s	supported by specification
SNC-ER550	PTZ camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320×192)	0.9 MP (1280×720)	n/s	PTZ, presets, tour	n/s	supported by specification
SNC-ER580	PTZ camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320×192)	2.8 MP (1920×1440)	n/s	PTZ, presets, tour	n/s	tested by partner (5G_API, ONVIF)
SNC-ER585	PTZ dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320×192)	2.8 MP (1920×1440)	n/s	PTZ, presets, tour	n/s	supported by specification
SNC-ER585H	PTZ dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320×192)	2.8 MP (1920×1440)	n/s	PTZ, presets, tour	n/s	supported by specification
SNC-RH124	PTZ camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320×192)	0.9 MP (1280×720)	n/s	PTZ, presets, tour		supported by specification
SNC-RH164	PTZ dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320×192)	0.9 MP (1280×720)	n/s	PTZ, presets, tour		supported by specification
SNC-RS44N	PTZ camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320×240)	0.3 MP (720×480)	n/s	PTZ, presets, tour	n/s	supported by specification
SNC-RS44P	PTZ camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320×240)	0.4 MP (720×576)	n/s	PTZ, presets, tour	n/s	supported by specification
SNC-RS46N	PTZ camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320×240)	0.3 MP (720×480)	n/s	PTZ, presets, tour	n/s	ver.1.78.01 (5G_API)

Model	Device type	Video channel	Compression types*	Min Resolution *	Max Resolution *	Audio *	PTZ *	I/O *	Firmware, tested with
SNC-RS46P	PTZ camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320×240)	0.4 MP (720×576)	n/s	PTZ, presets, tour	n/s	supported by specification
SNC-RS84N	PTZ dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320×240)	0.3 MP (720×480)	n/s	PTZ, presets, tour	n/s	supported by specification
SNC-RS84P	PTZ dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320×240)	0.4 MP (720×576)	n/s	PTZ, presets, tour	n/s	supported by specification
SNC-RS86N	PTZ dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320×240)	0.3 MP (720×480)	n/s	PTZ, presets, tour	n/s	supported by specification
SNC-RS86P	PTZ dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320×240)	0.4 MP (720×576)	n/s	PTZ, presets, tour	n/s	supported by specification
SNC-ZB550	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320×192)	1.3 MP (1280×1024)	n/a	n/a	n/s	ver. 1.5.1 (5G_API, ONVIF)
SNC-ZM550	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320×192)	1.3 MP (1280×1024)	n/a	n/a	n/a	supported by specification
SNC-ZM551	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320×192)	1.3 MP (1280×1024)	n/a	n/a	n/a	supported by specification
SNC-ZP550	PTZ camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320×192)	0.9 MP (1280×720)	n/a	PTZ, presets, tour	n/s	supported by specification
SNC-ZR550	PTZ camera	1 ch.	H.264, MPEG-4, MJPEG	0.06 MP (320×192)	0.9 MP (1280×720)	n/a	PTZ, presets, tour	n/s	supported by specification

[Contents](#)
[General list](#)

Model	Device type	Video channel	Compression types*	Min Resolution *	Max Resolution *	Audio *	PTZ *	I/O *	Firmware, tested with
SN-IPC54/00(II) (NTSC)	fixed box camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	0.3 MP (704x480)	in	n/a	n/s	supported by specification
SN-IPC54/00(II) (PAL)	fixed box camera	1 ch.	H.264, MJPEG	0.11 MP (352x288)	0.4 MP (704x576)	in	n/a	n/s	supported by specification
SN-IPC54/00E (NTSC)	fixed box camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	0.3 MP (704x480)	in	n/a	n/s	supported by specification
SN-IPC54/00E (PAL)	fixed box camera	1 ch.	H.264, MJPEG	0.11 MP (352x288)	0.4 MP (704x576)	in	n/a	n/s	supported by specification
SN-IPC54/50	fixed box camera	1 ch.	H.264, MJPEG	0.2 MP (640x360)	0.9 MP (1280x720)	in	n/a	n/s	supported by specification
SN-IPC54/50E	fixed box camera	1 ch.	H.264, MJPEG	0.2 MP (640x360)	0.9 MP (1280x720)	in	n/a	n/s	supported by specification
SN-IPD54/00V (NTSC)	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	0.3 MP (704x480)	in	n/a	n/s	supported by specification
SN-IPD54/00V (PAL)	fixed dome camera	1 ch.	H.264, MJPEG	0.11 MP (352x288)	0.4 MP (704x576)	in	n/a	n/s	supported by specification
SN-IPD54/00VIR (NTSC)	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	0.3 MP (704x480)	in	n/a	n/s	supported by specification
SN-IPD54/00VIR (PAL)	fixed dome camera	1 ch.	H.264, MJPEG	0.11 MP (352x288)	0.4 MP (704x576)	in	n/a	n/s	supported by specification
SN-IPR54/00U (NTSC)	fixed box camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	0.3 MP (704x480)	in	n/a	n/s	supported by specification
SN-IPR54/00U (PAL)	fixed box camera	1 ch.	H.264, MJPEG	0.11 MP (352x288)	0.4 MP (704x576)	in	n/a	n/s	supported by specification
SN-IPR54/50U	fixed box camera	1 ch.	H.264, MJPEG	0.2 MP (640x360)	0.9 MP (1280x720)	in	n/a	n/s	supported by specification
SN-IPV54/00(II) (NTSC)	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	0.3 MP (704x480)	in	n/a	n/s	supported by specification
SN-IPV54/00(II) (PAL)	fixed dome camera	1 ch.	H.264, MJPEG	0.11 MP (352x288)	0.4 MP (704x576)	in	n/a	n/s	supported by specification
SN-IPV54/00DR(II) (NTSC)	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	0.3 MP (704x480)	in	n/a	n/s	supported by specification
SN-IPV54/00DR(II) (PAL)	fixed dome camera	1 ch.	H.264, MJPEG	0.11 MP (352x288)	0.4 MP (704x576)	in	n/a	n/s	supported by specification
SN-IPV54/00U (NTSC)	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	0.3 MP (704x480)	in	n/a	n/s	supported by specification
SN-IPV54/00U (PAL)	fixed dome camera	1 ch.	H.264, MJPEG	0.11 MP (352x288)	0.4 MP (704x576)	in	n/a	n/s	supported by specification
SN-IPV54/00UIR (NTSC)	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	0.3 MP (704x480)	in	n/a	n/s	supported by specification
SN-IPV54/00UIR (PAL)	fixed dome camera	1 ch.	H.264, MJPEG	0.11 MP (352x288)	0.4 MP (704x576)	in	n/a	n/s	supported by specification
SN-IPC54/11	fixed box camera	1 ch.	H.264, MJPEG	0.2 MP (640x360)	0.9 MP (1280x720)	in	n/a	n/s	supported by specification
SN-IPC54/11E	fixed box camera	1 ch.	H.264, MJPEG	0.2 MP (640x360)	0.9 MP (1280x720)	in	n/a	n/s	supported by specification
SN-IPC54/12	fixed box camera	1 ch.	H.264, MJPEG	0.2 MP (640x360)	2.1 MP (1920x1080)	in	n/a	n/s	supported by specification
SN-IPC54/12E	fixed box camera	1 ch.	H.264, MJPEG	0.2 MP (640x360)	2.1 MP (1920x1080)	in	n/a	n/s	supported by specification
SN-IPC54/20 (NTSC)	fixed box camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	0.3 MP (704x480)	in	n/a	n/s	supported by specification
SN-IPC54/20 (PAL)	fixed box camera	1 ch.	H.264, MJPEG	0.11 MP (352x288)	0.4 MP (704x576)	in	n/a	n/s	supported by specification
SN-IPC54/20E (NTSC)	fixed box camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	0.3 MP (704x480)	in	n/a	n/s	supported by specification
SN-IPC54/20E (PAL)	fixed box camera	1 ch.	H.264, MJPEG	0.11 MP (352x288)	0.4 MP (704x576)	in	n/a	n/s	supported by specification
SN-IPC54/51	fixed box camera	1 ch.	H.264, MJPEG	0.3 MP (640x480)	1.9 MP (1600x1200)	in	n/a	n/s	supported by specification
SN-IPC54/51E	fixed box camera	1 ch.	H.264, MJPEG	0.3 MP (640x480)	1.9 MP (1600x1200)	in	n/a	n/s	supported by specification
SN-IPD54/11V	fixed dome camera	1 ch.	H.264, MJPEG	0.2 MP (640x360)	0.9 MP (1280x720)	in	n/a	n/s	supported by specification
SN-IPD54/11VIR	fixed dome camera	1 ch.	H.264, MJPEG	0.2 MP (640x360)	0.9 MP (1280x720)	in	n/a	n/s	supported by specification
SN-IPD54/12V	fixed dome camera	1 ch.	H.264, MJPEG	0.2 MP (640x360)	2.1 MP (1920x1080)	in	n/a	n/s	supported by specification
SN-IPD54/12VIR	fixed dome camera	1 ch.	H.264, MJPEG	0.2 MP (640x360)	2.1 MP (1920x1080)	in	n/a	n/s	supported by specification
SN-IPD54/20V (NTSC)	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	0.3 MP (704x480)	in	n/a	n/s	supported by specification
SN-IPD54/20V (PAL)	fixed dome camera	1 ch.	H.264, MJPEG	0.11 MP (352x288)	0.4 MP (704x576)	in	n/a	n/s	supported by specification

Model	Device type	Video channel	Compression types *	Min Resolution *	Max Resolution *	Audio *	PTZ *	I/O *	Firmware, tested with
SN-IPD54/20VIR (NTSC)	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	0.3 MP (704x480)	in	n/a	n/s	supported by specification
SN-IPD54/20VIR (PAL)	fixed dome camera	1 ch.	H.264, MJPEG	0.11 MP (352x288)	0.4 MP (704x576)	in	n/a	n/s	supported by specification
SN-IPR54/11U	fixed box camera	1 ch.	H.264, MJPEG	0.2 MP (640x360)	0.9 MP (1280x720)	in	n/a	n/s	supported by specification
SN-IPR54/12U	fixed box camera	1 ch.	H.264, MJPEG	0.2 MP (640x360)	2.1 MP (1920x1080)	in	n/a	n/s	supported by specification
SN-IPR54/20U (NTSC)	fixed box camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	0.3 MP (704x480)	in	n/a	n/s	supported by specification
SN-IPR54/20U (PAL)	fixed box camera	1 ch.	H.264, MJPEG	0.11 MP (352x288)	0.4 MP (704x576)	in	n/a	n/s	supported by specification
SN-IPR54/51U	fixed box camera	1 ch.	H.264, MJPEG	0.3 MP (640x480)	1.9 MP (1600x1200)	in	n/a	n/s	supported by specification
SN-IPV54/11	fixed dome camera	1 ch.	H.264, MJPEG	0.2 MP (640x360)	0.9 MP (1280x720)	in	n/a	n/s	supported by specification
SN-IPV54/11DR	fixed dome camera	1 ch.	H.264, MJPEG	0.2 MP (640x360)	0.9 MP (1280x720)	in	n/a	n/s	supported by specification
SN-IPV54/11U	fixed dome camera	1 ch.	H.264, MJPEG	0.2 MP (640x360)	0.9 MP (1280x720)	in	n/a	n/s	supported by specification
SN-IPV54/11UIR	fixed dome camera	1 ch.	H.264, MJPEG	0.2 MP (640x360)	0.9 MP (1280x720)	in	n/a	n/s	supported by specification
SN-IPV54/12	fixed dome camera	1 ch.	H.264, MJPEG	0.2 MP (640x360)	2.1 MP (1920x1080)	in	n/a	n/s	supported by specification
SN-IPV54/12DR	fixed dome camera	1 ch.	H.264, MJPEG	0.2 MP (640x360)	2.1 MP (1920x1080)	in	n/a	n/s	supported by specification
SN-IPV54/12U	fixed dome camera	1 ch.	H.264, MJPEG	0.2 MP (640x360)	2.1 MP (1920x1080)	in	n/a	n/s	supported by specification
SN-IPV54/12UIR	fixed dome camera	1 ch.	H.264, MJPEG	0.2 MP (640x360)	2.1 MP (1920x1080)	in	n/a	n/s	supported by specification
SN-IPV54/20 (NTSC)	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	0.3 MP (704x480)	in	n/a	n/s	supported by specification
SN-IPV54/20 (PAL)	fixed dome camera	1 ch.	H.264, MJPEG	0.11 MP (352x288)	0.4 MP (704x576)	in	n/a	n/s	supported by specification
SN-IPV54/20DR (NTSC)	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	0.3 MP (704x480)	in	n/a	n/s	supported by specification
SN-IPV54/20DR (PAL)	fixed dome camera	1 ch.	H.264, MJPEG	0.11 MP (352x288)	0.4 MP (704x576)	in	n/a	n/s	supported by specification
SN-IPV54/20U (NTSC)	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	0.3 MP (704x480)	in	n/a	n/s	supported by specification
SN-IPV54/20U (PAL)	fixed dome camera	1 ch.	H.264, MJPEG	0.11 MP (352x288)	0.4 MP (704x576)	in	n/a	n/s	supported by specification
SN-IPV54/20UIR (NTSC)	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	0.3 MP (704x480)	in	n/a	n/s	supported by specification
SN-IPV54/20UIR (PAL)	fixed dome camera	1 ch.	H.264, MJPEG	0.11 MP (352x288)	0.4 MP (704x576)	in	n/a	n/s	supported by specification
SN-IPV54/50	fixed dome camera	1 ch.	H.264, MJPEG	0.2 MP (640x360)	0.9 MP (1280x720)	in	n/a	n/s	supported by specification
SN-IPV54/50DR	fixed dome camera	1 ch.	H.264, MJPEG	0.2 MP (640x360)	0.9 MP (1280x720)	in	n/a	n/s	supported by specification
SN-IPV54/51	fixed dome camera	1 ch.	H.264, MJPEG	0.3 MP (640x480)	1.9 MP (1600x1200)	in	n/a	n/s	supported by specification
SN-IPV54/51DR	fixed dome camera	1 ch.	H.264, MJPEG	0.3 MP (640x480)	1.9 MP (1600x1200)	in	n/a	n/s	supported by specification

[Contents](#)
[General list](#)

Model	Device type	Video channel	Compression types*	Min Resolution *	Max Resolution *	Audio *	PTZ *	I/O *	Firmware, tested with
CAM1300	fixed box camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	in	n/a	n/a	supported by specification
CAM1301	fixed box camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	in	n/a	n/a	supported by specification
CAM1320	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	n/a	n/a	n/a	supported by specification
CAM2100	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	0.3 MP (720x480)	in	n/a	n/s	supported by specification
CAM2101	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	0.3 MP (720x480)	in	n/a	n/s	supported by specification
CAM2200	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	1.3 MP (1280x1024)	in	n/a	n/s	supported by specification
CAM2201	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	1.3 MP (1280x1024)	in	n/a	n/s	supported by specification
CAM2400	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	1.2 MP (1280x960)	in	n/a	n/s	supported by specification
CAM2300	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	in	n/a	n/s	supported by specification
CAM2301	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	in	n/a	n/s	supported by specification
CAM2301A	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	in	n/a	n/s	supported by specification
CAM2311	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	in	n/a	n/s	ver.V1.8.E09
CAM2311P	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	in	n/a	n/s	supported by specification
CAM2320	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	3.1 MP (2048x1536)	in	n/a	n/s	supported by specification
CAM2321	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	3.1 MP (2048x1536)	in	n/a	n/s	supported by specification
CAM3260	fixed bullet camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	1.3 MP (1280x1024)	in	n/a	n/s	supported by specification
CAM3351	fixed bullet camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	n/a	n/a	n/a	supported by specification
CAM3361	fixed bullet camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	n/a	n/a	n/a	supported by specification
CAM3371	fixed bullet camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	n/a	n/a	n/s	supported by specification
CAM3365	fixed bullet camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	3.1 MP (2048x1536)	n/s	n/s	n/s	ver.V1.8.E09
CAM4110	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	0.3 MP (720x480)	in	n/a	n/s	supported by specification
CAM4160	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	0.3 MP (720x480)	in	n/a	n/s	supported by specification
CAM4210	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	1.3 MP (1280x1024)	in	n/a	n/s	supported by specification
CAM4220	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	1.3 MP (1280x1024)	in	n/a	n/s	supported by specification
CAM4360	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	n/a	n/a	n/s	supported by specification
CAM4361	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	n/a	n/a	n/s	supported by specification
CAM4371	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	3.1 MP (2048x1536)	n/s	n/s	n/s	supported by specification
CAM4365	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	n/a	n/a	n/s	supported by specification

[Contents](#)

[General list](#)

Model	Device type	Video channel	Compression types*	Min Resolution *	Max Resolution *	Audio *	PTZ *	I/O *	Firmware, tested with
TCC-IP-3002	fixed box camera	1 ch.	MPEG-4	0.03 MP (176x144)	0.3 MP (640x480)	n/s	n/a	n/s	ver.A1D-220-V3.05.05-NB
TCC-IP-4002	fixed box camera	1 ch.	MPEG-4	0.03 MP (176x144)	0.3 MP (640x480)	n/s	n/a	n/s	ver.A1D-220-V3.05.05-NB
TDE-1	encoder	1 ch.	MPEG-4	0.02 MP (176x120) in NTSC 0.02 MP (176x144) in PAL	0.3 MP (720x480) in NTSC 0.4 MP (720x576) in PAL	n/s	n/a	n/s	ver.A1D-220-V3.05.05-NB

[Contents](#)
[General list](#)

Model	Device type	Video channel	Compression types*	Min Resolution *	Max Resolution *	Audio *	PTZ *	I/O *	Firmware, tested with
TCAM-330 (NTSC)	fixed box camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	0.3 MP (720x480)	in	n/a	n/s	supported by specification
TCAM-330 (PAL)	fixed box camera	1 ch.	H.264, MJPEG	0.11 MP (352x288)	0.4 MP (720x576)	in	n/a	n/s	supported by specification
TCAM-330W (NTSC)	fixed box camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	0.3 MP (720x480)	in	n/a	n/s	supported by specification
TCAM-330W (PAL)	fixed box camera	1 ch.	H.264, MJPEG	0.11 MP (352x288)	0.4 MP (720x576)	in	n/a	n/s	supported by specification
TCAM-351 (NTSC)	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	0.3 MP (720x480)	in	n/a	n/s	supported by specification
TCAM-351 (PAL)	fixed dome camera	1 ch.	H.264, MJPEG	0.11 MP (352x288)	0.4 MP (720x576)	in	n/a	n/s	supported by specification
TCAM-351IR (NTSC)	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	0.3 MP (720x480)	in	n/a	n/s	supported by specification
TCAM-351IR (PAL)	fixed dome camera	1 ch.	H.264, MJPEG	0.11 MP (352x288)	0.4 MP (720x576)	in	n/a	n/s	supported by specification
TCAM-370-X10 (NTSC)	PTZ dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	0.3 MP (720x480)	in	PTZ, presets	n/s	supported by specification
TCAM-370-X10 (PAL)	PTZ dome camera	1 ch.	H.264, MJPEG	0.11 MP (352x288)	0.4 MP (720x576)	in	PTZ, presets	n/s	supported by specification
TCAM-370-X26 (NTSC)	PTZ dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	0.3 MP (720x480)	in	PTZ, presets	n/s	supported by specification
TCAM-370-X26 (PAL)	PTZ dome camera	1 ch.	H.264, MJPEG	0.11 MP (352x288)	0.4 MP (720x576)	in	PTZ, presets	n/s	supported by specification
TCAM-370-X27 (NTSC)	PTZ dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	0.3 MP (720x480)	in	PTZ, presets	n/s	supported by specification
TCAM-370-X27 (PAL)	PTZ dome camera	1 ch.	H.264, MJPEG	0.11 MP (352x288)	0.4 MP (720x576)	in	PTZ, presets	n/s	supported by specification
TCAM-370-X33 (NTSC)	PTZ dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	0.3 MP (720x480)	in	PTZ, presets	n/s	supported by specification
TCAM-370-X33 (PAL)	PTZ dome camera	1 ch.	H.264, MJPEG	0.11 MP (352x288)	0.4 MP (720x576)	in	PTZ, presets	n/s	supported by specification
TCAM-370-X37 (NTSC)	PTZ dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	0.3 MP (720x480)	in	PTZ, presets	n/s	tested by partner
TCAM-370-X37 (PAL)	PTZ dome camera	1 ch.	H.264, MJPEG	0.11 MP (352x288)	0.4 MP (720x576)	in	PTZ, presets	n/s	supported by specification
TCAM-370-X36 (NTSC)	PTZ dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	0.3 MP (720x480)	in	PTZ, presets	n/s	supported by specification
TCAM-370-X36 (PAL)	PTZ dome camera	1 ch.	H.264, MJPEG	0.11 MP (352x288)	0.4 MP (720x576)	in	PTZ, presets	n/s	supported by specification
TCAM-530	fixed box camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	2.1 MP (1920x1080)	in	n/a	n/s	supported by specification
TCAM-531C	fixed box camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	1.2 MP (1280x960)	in	n/a	n/s	supported by specification
TCAM-531H	fixed box camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	1.2 MP (1280x960)	in	n/a	n/s	supported by specification
TCAM-531BIR	fixed box camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	1.2 MP (1280x960)	in	n/a	n/s	supported by specification
TCAM-540-X10SC	fixed box camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	1.2 MP (1280x960)	in	n/a	n/s	supported by specification
TCAM-540-X10SS	fixed box camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	1.2 MP (1280x960)	in	n/a	n/s	supported by specification
TCAM-540-X10SH	fixed box camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	1.2 MP (1280x960)	in	n/a	n/s	supported by specification
TCAM-540-X18HC	fixed box camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	1.2 MP (1280x960)	in	n/a	n/s	supported by specification
TCAM-540-X18HS	fixed box camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	1.2 MP (1280x960)	in	n/a	n/s	supported by specification
TCAM-540-X18HH	fixed box camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	1.2 MP (1280x960)	in	n/a	n/s	supported by specification
TCAM-551	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	1.2 MP (1280x960)	in	n/a	n/s	supported by specification
TCAM-551IR	fixed dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	1.2 MP (1280x960)	in	n/a	n/s	supported by specification
TCAM-570-X10S	PTZ dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	0.9 MP (1280x720)	in	PTZ, presets	n/s	supported by specification
TCAM-570-X18H	PTZ dome camera	1 ch.	H.264, MJPEG	0.08 MP (352x240)	2.1 MP (1920x1080)	in	PTZ, presets	n/s	tested by partner
TCAM-6300	fixed box camera	1 ch.	H.264, MJPEG	0.02 MP (176x120)	3.1 MP (2048x1536)	in	n/a	n/s	supported by specification
TCAM-7300	fixed box camera	1 ch.	MJPEG	0.02 MP (176x120)	5.0 MP (2592x1944)	in	n/a	n/s	supported by specification
TCS-2000	encoder	1 ch.	H.264, MJPEG	0.08 MP (352x240)	2.1 MP (1920x1080)	in	n/a	n/s	supported by specification

Model	Device type	Video channel	Compression types*	Min Resolution *	Max Resolution *	Audio *	PTZ *	I/O *	Firmware, tested with
TCS-300	encoder	1 ch.	H.264, MJPEG	0.08 MP (352x240) in NTSC 0.1 MP (352x288) in PAL	0.3 MP (720x480) in NTSC 0.4 MP (720x576) in PAL	in	n/a	n/s	supported by specification
TCS-400	encoder	4 ch.	H.264, MJPEG	0.08 MP (352x240) in NTSC 0.1 MP (352x288) in PAL	0.3 MP (720x480) in NTSC 0.4 MP (720x576) in PAL	in	n/a	n/s	supported by specification

[Contents](#)
[General list](#)

Model	Device type	Video channel	Compression types *	Min Resolution *	Max Resolution *	Audio *	PTZ *	I/O *	Firmware, tested with
S1100W	encoder	1 ch.	MPEG-4	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	n/s	PTZ	n/s	ver. 3.20
S1500E	encoder	1 ch.	MPEG-4	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	n/s	PTZ	n/s	ver. 3.60
S1504E	encoder	4 ch.	MPEG-4	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	n/s	PTZ	n/s	ver. 3.60
S1508E	encoder	8 ch.	MPEG-4	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	n/s	PTZ	n/s	ver. 3.60
S1600E	encoder	1 ch.	MPEG-4	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	n/s	PTZ	n/s	ver. 3.60
S1700E	encoder	1 ch.	MPEG-4	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	n/s	PTZ	n/s	ver. 4.0
S1704E-AS	encoder	4 ch.	MPEG-4	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	n/s	PTZ	n/s	ver. 4.60
S1708E-AS	encoder	8 ch.	MPEG-4	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	n/s	PTZ	n/s	ver. 4.60
S1704E	encoder	4 ch.	MPEG-4	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	n/s	PTZ	n/s	ver. 4.0
S1708E	encoder	8 ch.	MPEG-4	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	n/s	PTZ	n/s	ver. 4.0
S1712E	encoder	12 ch.	MPEG-4	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	n/s	PTZ	n/s	ver. 4.0
S1724E	encoder	24 ch.	MPEG-4	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	n/s	PTZ	n/s	ver. 4.0
S1900E-AS	encoder	1 ch.	MPEG-4	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	n/s	PTZ	n/s	ver. 4.60
S1950E	encoder	1 ch.	MPEG-4	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	n/s	PTZ	n/s	ver. 4.0
S1970E	encoder	1 ch.	MPEG-4	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	n/s	PTZ	n/s	ver. 4.0
S1970E-R	encoder	1 ch.	MPEG-4	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	n/s	PTZ	n/s	ver. 4.0
S2500E	encoder	1 ch.	MPEG-4	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	n/s	PTZ	n/s	ver. 4.0
S2600E-AS	fixed box camera	1 ch.	MPEG-4	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	n/s	n/s	n/s	ver. 4.60
S2610E-AS	fixed box camera	1 ch.	MPEG-4	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	n/s	n/s	n/s	ver. 4.60
S2600E	fixed box camera	1 ch.	MPEG-4	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	n/s	n/s	n/s	ver. 4.40
S2610E	fixed box camera	1 ch.	MPEG-4	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	n/s	n/s	n/s	ver. 4.40
S2700E	fixed dome camera	1 ch.	MPEG-4	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	n/s	n/s	n/s	ver. 4.40
S2700EP	fixed dome camera	1 ch.	MPEG-4	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	n/s	n/s	n/s	ver. 4.40
S2700E-VR	fixed dome camera	1 ch.	MPEG-4	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	n/s	n/s	n/s	ver. 4.40

Model	Device type	Video channel	Compression types*	Min Resolution *	Max Resolution *	Audio *	PTZ *	I/O *	Firmware, tested with
S2700EP-VR	fixed dome camera	1 ch.	MPEG-4	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	0.3 MP (704x480) in NTSC 0.4 MP (704x576) in PAL	n/s	n/s	n/s	ver. 4.40

[Contents](#)
[General list](#)

Model	Device type	Video channel	Compression types *	Min Resolution *	Max Resolution *	Audio *	PTZ *	I/O *	Firmware, tested with
IP8362	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	2.1 MP (1920x1080)	n/s	n/a	n/s	supported by specification
IP8352	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	1.3 MP (1280x1024)	n/s	n/a	n/s	supported by specification
IP8162P	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	2.1 MP (1920x1080)	n/s	n/a	n/s	supported by specification
IP8162	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	2.1 MP (1920x1080)	n/s	n/a	n/s	supported by specification
IP8151P	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	1.3 MP (1280x1024)	n/s	n/a	n/s	supported by specification
IP8151	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	1.3 MP (1280x1024)	n/s	n/a	n/s	ver.0300c
FD8362E	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	2.1 MP (1920x1080)	n/s	n/a	n/s	supported by specification
FD8362	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	2.1 MP (1920x1080)	n/s	n/a	n/s	supported by specification
MD8562	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	2.1 MP (1920x1080)	n/s	n/a	n/s	supported by specification
MD8562D	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	2.1 MP (1920x1080)	n/s	n/a	n/s	supported by specification
FDB162	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	2.1 MP (1920x1080)	n/s	n/a	n/s	supported by specification
MD7560	fixed dome camera	1 ch.	MPEG-4, MJPEG	0.03 MP (176x144)	1.9 MP (1600x1200)	n/s	n/a	n/s	supported by specification
MD7560D	fixed dome camera	1 ch.	MPEG-4, MJPEG	0.03 MP (176x144)	1.9 MP (1600x1200)	n/s	n/a	n/s	supported by specification
IP7361	fixed box camera	1 ch.	MPEG-4, MJPEG	0.08 MP (320x240)	1.9 MP (1600x1200)	n/s	n/a	n/s	supported by specification
IP8335H	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	1.0 MP (1280x800)	n/s	n/a	n/s	supported by specification
IP7142	fixed box camera	1 ch.	MPEG-4, MJPEG	0.03 MP (176x144)	0.4 MP (720x480)	n/s	n/a	n/s	supported by specification
IP8332	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	1.0 MP (1280x800)	n/a	n/a	n/s	tested by partner
IP8331	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	0.3 MP (640x480)	n/a	n/a	n/s	supported by specification
IP8330	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	0.3 MP (640x480)	n/a	n/a	n/s	supported by specification
IP8161	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	1.9 MP (1600x1200)	n/s	n/a	n/s	supported by specification
IP7161	fixed box camera	1 ch.	MPEG-4, MJPEG	0.08 MP (320x240)	1.9 MP (1600x1200)	n/s	n/a	n/s	ver.0101c
IP7160	fixed box camera	1 ch.	MPEG-4, MJPEG	0.08 MP (320x240)	1.9 MP (1600x1200)	n/s	n/a	n/s	supported by specification
IP7154	fixed box camera	1 ch.	MPEG-4, MJPEG	0.03 MP (176x144)	0.3 MP (640x480)	n/s	n/a	n/s	supported by specification
IP7153	fixed box camera	1 ch.	MPEG-4, MJPEG	0.03 MP (176x144)	0.3 MP (640x480)	n/s	n/a	n/s	supported by specification
IP7130	fixed box camera	1 ch.	MPEG-4, MJPEG	0.03 MP (176x144)	0.3 MP (640x480)	n/s	n/a	n/s	supported by specification
IP8133W	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	1.0 MP (1280x800)	n/s	n/a	n/s	supported by specification
IP8133	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	1.0 MP (1280x800)	n/s	n/a	n/s	supported by specification
IP8132	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	1.0 MP (1280x800)	n/s	n/a	n/a	supported by specification
IP7134	fixed box camera	1 ch.	MPEG-4, MJPEG	0.03 MP (176x144)	0.3 MP (640x480)	n/s	n/a	n/s	ver.0100b
IP7133	fixed box camera	1 ch.	MPEG-4, MJPEG	0.03 MP (176x144)	0.3 MP (640x480)	n/s	n/a	n/s	supported by specification
FD8361	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	1.9 MP (1600x1200)	n/s	n/a	n/s	supported by specification
FD8361L	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	1.9 MP (1600x1200)	n/a	n/a	n/a	supported by specification
FD7141	fixed dome camera	1 ch.	MPEG-4, MJPEG	0.03 MP (176x144)	0.4 MP (720x480)	n/s	n/a	n/s	supported by specification
MD7560	fixed dome camera	1 ch.	MPEG-4, MJPEG	0.08 MP (320x240)	1.9 MP (1600x1200)	n/s	n/a	n/s	supported by specification
MD7530	fixed dome camera	1 ch.	MPEG-4, MJPEG	0.03 MP (176x144)	0.3 MP (640x480)	n/s	n/a	n/s	supported by specification
FDB134V	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	0.3 MP (640x480)	n/a	n/a	n/s	supported by specification
FDB133V	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	0.3 MP (640x480)	n/a	n/a	n/s	supported by specification

Model	Device type	Video channel	Compression types*	Min Resolution *	Max Resolution *	Audio *	PTZ *	I/O *	Firmware, tested with
FD8161	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	1.9 MP (1600x1200)	n/s	n/a	n/s	supported by specification
FD7132	fixed dome camera	1 ch.	MPEG-4, MJPEG	0.03 MP (176x144)	0.3 MP (640x480)	n/s	n/a	n/s	supported by specification
FD7131	fixed dome camera	1 ch.	MPEG-4, MJPEG	0.03 MP (176x144)	0.3 MP (640x480)	n/s	n/a	n/s	ver.0200d
FD8134	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	1.0 MP (1280x800)	n/a	n/a	n/s	supported by specification
FD8133	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	1.0 MP (1280x800)	n/a	n/a	n/s	supported by specification

[Contents](#)
[General list](#)

Model	Device type	Video channel	Compression types *	Min Resolution *	Max Resolution *	Audio *	PTZ *	I/O *	Firmware, tested with
XTS-BC1.3DN30	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	1.3 MP (1280x1024)	n/s	n/a	n/s	supported by specification
XTS-BC2MPDN	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	2.1 MP (1920x1080)	n/s	n/a	n/s	supported by specification
XTS-BC3MPDN	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	3.1 MP (2048x1536)	n/s	n/a	n/s	supported by specification
XTS-BC5MPDN	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	4.9 MP (2592x1920)	n/s	n/a	n/s	ver.1.1.3
XTS-BC600DN-IP	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (176x120) in NTSC 0.02 MP (176x144) in PAL	0.3 MP (720x480) in NTSC 0.4 MP (720x576) in PAL	n/s	n/a	n/s	supported by specification
XTS-BC600-IP	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (176x120) in NTSC 0.02 MP (176x144) in PAL	0.3 MP (720x480) in NTSC 0.4 MP (720x576) in PAL	n/s	n/a	n/s	supported by specification
XTS-BCVGADN-IP	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	0.3 MP (640x480)	n/s	n/a	n/s	supported by specification
XTS-BCVGA-IP	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	0.3 MP (640x480)	n/s	n/a	n/s	supported by specification
XTS-BU1.3MPB	fixed bullet camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	1.3 MP (1280x1024)	n/a	n/a	n/a	supported by specification
XTS-BU1.3MPDNVF	fixed bullet camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	1.3 MP (1280x1024)	n/a	n/a	n/a	supported by specification
XTS-BU2MPB	fixed bullet camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	2.1 MP (1920x1080)	n/a	n/a	n/a	supported by specification
XTS-BU2MPDNVF	fixed bullet camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	2.1 MP (1920x1080)	n/s	n/a	n/a	supported by specification
XTS-BU3MPB	fixed bullet camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	3.1 MP (2048x1536)	n/a	n/a	n/a	supported by specification
XTS-BU3MPDNVF	fixed bullet camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	3.1 MP (2048x1536)	n/s	n/a	n/a	supported by specification
XTS-BU540VF-IP	fixed bullet camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (176x120) in NTSC 0.02 MP (176x144) in PAL	0.3 MP (720x480) in NTSC 0.4 MP (720x576) in PAL	n/s	n/a	n/s	supported by specification
XTS-BU5MPDN	fixed bullet camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	4.9 MP (2592x1920)	n/a	n/a	n/a	supported by specification
XTS-MD11.3MP	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	1.3 MP (1280x1024)	n/s	n/a	n/a	supported by specification
XTS-MD113DNVF	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	1.3 MP (1280x1024)	n/s	n/a	n/s	supported by specification
XTS-MD12MPDN	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	2.1 MP (1920x1080)	n/s	n/a	n/s	supported by specification
XTS-MD13MPDN	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	2.1 MP (1920x1080)	n/s	n/a	n/s	supported by specification
XTS-MD13MPDNVF	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	3.1 MP (2048x1536)	n/s	n/a	n/s	supported by specification
XTS-MD13MP-WDR	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	1.3 MP (1280x1024)	n/s	n/a	n/s	supported by specification
XTS-MDVP1.3DNVF	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	1.3 MP (1280x1024)	n/s	n/a	n/s	supported by specification
XTS-MDVP1.3MPDN	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	1.3 MP (1280x1024)	n/s	n/a	n/s	supported by specification
XTS-MDVP1.3MPDNVF	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	1.3 MP (1280x1024)	n/s	n/a	n/s	supported by specification
XTS-MDVP13MPDN	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	1.3 MP (1280x1024)	n/s	n/a	n/a	supported by specification
XTS-MDVP2MPDN	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	2.1 MP (1920x1080)	n/s	n/a	n/s	supported by specification
XTS-MDVP2MPDNVF	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	2.1 MP (1920x1080)	n/s	n/a	n/s	supported by specification
XTS-MDVP3MDNVF	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	3.1 MP (2048x1536)	n/s	n/a	n/s	supported by specification
XTS-MDVP3MDNVFIR-WDR	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	3.1 MP (2048x1536)	n/s	n/a	n/a	supported by specification
XTS-MDVP5MPDN-4	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	4.9 MP (2592x1920)	n/s	n/a	n/s	supported by specification
XTS-NVS-1	encoder	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (176x120) in NTSC 0.02 MP (176x144) in PAL	0.3 MP (720x480) in NTSC 0.4 MP (720x576) in PAL	n/a	n/a	n/s	supported by specification
XTS-NVS11	encoder	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (176x120) in NTSC 0.02 MP (176x144) in PAL	0.3 MP (720x480) in NTSC 0.4 MP (720x576) in PAL	n/a	n/a	n/s	supported by specification
XTS-NVS11A	encoder	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (176x120) in NTSC 0.02 MP (176x144) in PAL	0.3 MP (720x480) in NTSC 0.4 MP (720x576) in PAL	n/s	n/a	n/s	supported by specification

Model	Device type	Video channel	Compression types*	Min Resolution *	Max Resolution *	Audio *	PTZ *	I/O *	Firmware, tested with
XTS-SD10XDN-WIP	PTZ dome camera	1 ch.	H.264, MJPEG	0.02 MP (176x120) in NTSC 0.02 MP (176x144) in PAL	0.3 MP (720x480) in NTSC 0.4 MP (720x576) in PAL	n/s	PTZ	n/s	supported by specification
XTS-SD18XDN-WIP	PTZ dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (176x120) in NTSC 0.02 MP (176x144) in PAL	0.3 MP (720x480) in NTSC 0.4 MP (720x576) in PAL	n/a	PTZ	n/s	supported by specification
XTS-SD20XDN2MP-WIP	PTZ dome camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	n/s	PTZ	n/s	ver.1.1.3
XTS-SD28XDN-WIP	PTZ dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (176x120) in NTSC 0.02 MP (176x144) in PAL	0.3 MP (720x480) in NTSC 0.4 MP (720x576) in PAL	n/a	PTZ	n/s	supported by specification
XTS-SD36XDN-WIP	PTZ dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (176x120) in NTSC 0.02 MP (176x144) in PAL	0.3 MP (720x480) in NTSC 0.4 MP (720x576) in PAL	n/a	PTZ	n/s	supported by specification
XTS-SD36XDNWPIRIP	PTZ dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (176x120)	0.3 MP (720x480)	n/a	PTZ	n/s	supported by specification
XTS-SD36XDNWVIP	PTZ dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (176x120) in NTSC 0.02 MP (176x144) in PAL	0.3 MP (720x480) in NTSC 0.4 MP (720x576) in PAL	n/a	PTZ	n/s	supported by specification

[Contents](#)
[General list](#)

Model	Device type	Video channel	Compression types *	Min Resolution *	Max Resolution *	Audio *	PTZ *	I/O *	Firmware, tested with
YUC-H623 (NTSC)	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (176x120)	0.3 MP (720x480)	in	n/a	n/s	supported by specification
YUC-H623 (PAL)	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	0.4 MP (720x576)	in	n/a	n/s	supported by specification
YUC-H675	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	1.3 MP (1280x1024)	in	n/a	n/s	supported by specification
YUC-H686	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	2.1 MP (1920x1080)	in	n/a	n/s	supported by specification
YUC-H696	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	1.9 MP (1600x1200)	in	n/a	n/s	supported by specification
YUC-H763R (NTSC)	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (176x120)	0.3 MP (720x480)	in	n/a	n/s	supported by specification
YUC-H763R (PAL)	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	0.4 MP (720x576)	in	n/a	n/s	supported by specification
YUC-H766R	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	1.9 MP (1600x1200)	in	n/a	n/s	supported by specification
YUC-H793R (NTSC)	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (176x120)	0.3 MP (720x480)	in	n/a	n/s	supported by specification
YUC-H793R (PAL)	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	0.4 MP (720x576)	in	n/a	n/s	supported by specification
YUC-H796R	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	1.9 MP (1600x1200)	in	n/a	n/s	supported by specification
YUC-H7975-312	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	1.3 MP (1280x1024)	n/a	n/a	n/s	supported by specification
YUC-H7986	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	2.1 MP (1920x1080)	n/a	n/a	n/s	supported by specification
YUC-HA85	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	1.0 MP (1280x800)	n/a	n/a	n/s	supported by specification
YUC-HD85P	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	1.0 MP (1280x800)	in	n/a	n/s	supported by specification
YUC-HEV27-O (NTSC)	PTZ dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (176x120)	0.3 MP (720x480)	in	PTZ, presets	n/s	supported by specification
YUC-HEV27-O (PAL)	PTZ dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	0.4 MP (720x576)	in	PTZ, presets	n/s	supported by specification
YUC-HEV36-O (NTSC)	PTZ dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (176x120)	0.3 MP (720x480)	in	PTZ, presets	n/s	supported by specification
YUC-HEV36-O (PAL)	PTZ dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	0.4 MP (720x576)	in	PTZ, presets	n/s	supported by specification
YUC-HEV37-O (NTSC)	PTZ dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (176x120)	0.3 MP (720x480)	in	PTZ, presets	n/s	supported by specification
YUC-HEV37-O (PAL)	PTZ dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	0.4 MP (720x576)	in	PTZ, presets	n/s	supported by specification
YUC-Hi23R (NTSC)	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (176x120)	0.3 MP (720x480)	in	n/a	n/s	supported by specification
YUC-Hi23R (PAL)	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	0.4 MP (720x576)	in	n/a	n/s	supported by specification
YUC-Hi75-312	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	1.3 MP (1280x1024)	in	n/a	n/s	supported by specification
YUC-Hi86	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	2.1 MP (1920x1080)	in	n/a	n/s	supported by specification
YUC-Hi96R	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	1.9 MP (1600x1200)	in	n/a	n/s	supported by specification
YUC-HK85P	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	1.0 MP (1280x800)	n/a	n/a	n/s	supported by specification
YUC-HM85P	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	1.0 MP (1280x800)	in	n/a	n/s	supported by specification
YUC-HM85P-210	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	1.0 MP (1280x800)	in	n/a	n/s	supported by specification
YUC-HM93 (NTSC)	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (176x120)	0.3 MP (720x480)	n/a	n/a	n/a	supported by specification
YUC-HM93 (PAL)	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	0.4 MP (720x576)	n/a	n/a	n/a	supported by specification
YUC-HM96	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	1.9 MP (1600x1200)	n/a	n/a	n/a	supported by specification
YUC-HM96-279	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	1.9 MP (1600x1200)	n/a	n/a	n/a	supported by specification
YUC-HN85P	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	1.0 MP (1280x800)	n/a	n/a	n/a	supported by specification
YUC-HNi85	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	1.0 MP (1280x800)	n/a	n/a	n/a	supported by specification
YUC-HO96	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	1.9 MP (1600x1200)	in	n/a	n/s	supported by specification
YUC-HS85	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	1.0 MP (1280x800)	in	n/a	n/s	supported by specification

Model	Device type	Video channel	Compression types*	Min Resolution *	Max Resolution *	Audio *	PTZ *	I/O *	Firmware, tested with
YUC-HS94A	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	0.3 MP (640x480)	in	n/a	n/s	supported by specification
YUC-HS95	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	1.3 MP (1280x1024)	in	n/a	n/a	supported by specification
YUC-HS96	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.03 MP (176x144)	1.3 MP (1280x1024)	in	n/a	n/a	supported by specification

[Contents](#)
[General list](#)

Model	Device type	Video channel	Compression types*	Min Resolution *	Max Resolution *	Audio *	PTZ *	I/O *	Firmware, tested with
B5110	fixed bullet camera	1 ch.	H.264, MJPEG	0.08 MP (320x240)	1.3 MP (1280x1024)	n/s	n/a	n/s	ver.MG.1.6.03P8
B7210	fixed bullet camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	2.1 MP (1920x1080)	n/s	n/a	n/s	ver.M2.1.6.01
D5110	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	1.3 MP (1280x1024)	n/a	n/a	n/s	ver.MG.1.6.03P3_r1072
D5111	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	1.3 MP (1280x1024)	n/a	n/a	n/s	supported by specification
D5113	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	1.0 MP (1280x800)	n/a	n/a	n/s	supported by specification
D5210	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	n/a	n/a	n/s	supported by specification
D7110	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	1.3 MP (1280x1024)	n/a	n/a	n/s	supported by specification
D7111	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	2.1 MP (1920x1080)	n/s	n/a	n/s	ver.M2.1.6.01C306
D7210	fixed dome camera	1 ch.	H.264, MPEG-4, MJPEG	0.3 MP (640x480)	2.1 MP (1920x1080)	in	n/a	n/a	ver.M2.1.6.01
F1100	fixed box camera	1 ch.	MJPEG	0.02 MP (160x120)	0.9 MP (1280x720)	n/s	n/a	n/a	ver.BP.1.6.01_C7_R773
F1105	fixed box camera	1 ch.	MJPEG	0.02 MP (160x120)	0.9 MP (1280x720)	n/s	n/a	n/a	supported by specification
F210A	fixed box camera	1 ch.	MPEG-4, MJPEG	0.02 MP (160x120)	0.3 MP (640x480)	n/s	n/a	n/a	ver.LM.1.6.18P10
F3000	fixed box camera	1 ch.	MPEG-4, MJPEG	0.02 MP (160x120)	0.3 MP (640x480)	n/s	n/a	n/a	supported by specification
F3005	fixed box camera	1 ch.	MPEG-4, MJPEG	0.02 MP (160x120)	0.3 MP (640x480)	n/s	n/a	n/a	supported by specification
F3101	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	1.3 MP (1280x1024)	n/s	n/a	n/a	ver.MG.1.6.03P8
F3102	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	1.0 MP (1280x800)	n/s	n/a	n/a	supported by specification
F3106	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	1.3 MP (1280x1024)	n/s	n/a	n/a	supported by specification
F3107	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	1.0 MP (1280x800)	n/s	n/a	n/a	supported by specification
F3110	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	1.0 MP (1280x800)	n/s	n/a	n/s	ver.M2.1.6.0
F3115	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	1.0 MP (1280x800)	n/s	n/a	n/s	supported by specification
F312A	fixed box camera	1 ch.	MPEG-4, MJPEG	0.02 MP (160x120)	0.3 MP (640x480)	n/s	n/a	n/a	supported by specification
F3201	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.3 MP (640x480)	2.1 MP (1920x1080)	in	n/a	n/a	ver.M2.1.6.01
F3206	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	2.1 MP (1920x1080)	in	n/a	n/a	supported by specification
F3210	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	2.1 MP (1920x1080)	n/s	n/a	n/s	supported by specification
F531E	fixed bullet camera	1 ch.	MPEG-4	0.02 MP (160x120)	0.3 MP (640x480)	n/s	n/a	n/s	ver.LM.1.6.18P10
F7110	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	1.3 MP (1280x1024)	in	n/a	n/s	ver.MG.1.6.03P8
F7115	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.08 MP (320x240)	1.3 MP (1280x1024)	in	n/a	n/s	supported by specification
F7210	fixed box camera	1 ch.	H.264, MPEG-4, MJPEG	0.02 MP (160x120)	2.1 MP (1920x1080)	in	n/a	n/s	ver.M2.1.6.01
F731E	fixed bullet camera	1 ch.	MPEG-4	0.02 MP (160x120)	0.3 MP (640x480)	n/s	n/a	n/s	supported by specification

[Contents](#)

Joysticks and control boards

Manufacturer	Model	Device type	Connection type
AXIS	AXIS 295	CCTV joystick	USB
AXIS	AXIS T8311	CCTV joystick	USB
Bosch	Intuley	CCTV keyboard	Serial
CH Products	IP DESKTOP	CCTV joystick	USB
Panasonic	WV-CU950	CCTV keyboard	Ethernet
Pelco	KBD300A	CCTV keyboard	Serial
Samsung	SPC-2000	CCTV joystick	USB

I/O devices

Manufacturer	Model	Device type	Connection type
MOXA	ioLogik E2210	Input/Output	Ethernet
MOXA	ioLogik E2212	Input/Output	Ethernet

Video walls

Manufacturer	Model	Device type	Connection type
Barco	TransForm A	video wall controller	Ethernet

Radars

Manufacturer	Model	Device type	Connection type
SIMICON	"SIMICON-ISKRA"P ("Iskra DA/210")	speed sensor	Serial
Houston-RADAR	DR500S	speed sensor	Serial

Weighing machines

Manufacturer	Model	Device type	Connection type
TENSO-M	Truck scales VA	truck scales	Serial

LED information panels

Manufacturer	Model	Device type	Connection type
ELTABLO	"Creeping line" (P5C-xxx-xxxx)	electronic moving text	USB

Access controls

Manufacturer	Model	Device type	Connection type
AXIS	AXIS A1001	network door controller	light integration
Bolid	ORION PRO (version 1.11, release 2, build 1908)	software	API/SDK
Falco System	FalcoWEB (version 5.0.08)	software	light integration
FortNet	FortNet (version 1.4.2.15)	software	API/SDK
S2 Security	S2 NetBox (version 4.4)	software	light integration
Vault	Vault: SCAIIP v 5.0.8	software	light integration

Radiation and Gas controls

Manufacturer	Model	Device type	Connection type
ASPECT	RM-1SM (PM-1CM)	radiation monitor	RS485
INKRAM	SRCC Chrysanthemum	gas monitor	Ethernet