

EU Declaration of Compliance (DOC)


For materials intended to come into contact with food (EU No. 10/2011)

Company name: **Mid Ocean Brands BV (MOB)**
 Postal address: **PO BOX 644**
 Postcode and City: **6710 BP Ede (NL)**
 Telephone number: **0031 (0)342 426992**
 E-mail address: **DOC@reclamond.com**

We declare that DOC issued under our sole responsibility and belongs to the following product:

Item number	MO9356
Description	Drinking bottle in Tritan. Capacity: 500 ml
Country of origin	China
Batch	PO 41-115778

Object of the declaration (identification of food contact product allowing traceability; it may include a colour image of sufficient clarity where necessary for the identification of the product):



2, 3, 4, 8: direct food contact

The following substances subject to restrictions and/or specification are used in the above-mentioned product. The materials and raw materials used comply with Regulation (EU) No 10/2011.

Part	Chemical Name	CAS	EINECS	Percent
8	Tritan	-	-	76,08%
1	Stainless Steel 201 - Iron 74.01% - Chromium 16% - Manganese 5.5% - Nickel 3.5% - Silicone 0.75% - Carbon 0.15% - Phosphorus 0.06% - Sulfur 0.03%	7439-89-6 7440-47-3 7439-96-5 7440-02-0 7440-21-3 7440-44-0 7723-14-0 7704-34-9	231-096-4 231-157-5 231-105-1 231-111-4 231-130-8 231-153-3 231-768-7 231-722-6	9,65%
2	Stainless Steel 304 - Iron 71.095% - Chromium 18% - Nickel 8%	7439-89-6 7440-47-3 7440-02-0	231-096-4 231-157-5 231-111-4	6,30%

	- Manganese 2%	7439-96-5	231-105-1	
	- Silicone 0.75%	7440-21-3	231-130-8	
	- Carbon 0.08%	7440-44-0	231-153-3	
	- Phosphorus 0.045%	7723-14-0	231-768-7	
	- Sulfur 0.03%	7704-34-9	231-722-6	
3	Polypropylene (PP)	9003-07-0	618-352-4	4,43%
4	Silicone	7440-21-3	231-130-8	1,48%
5	Acrylonitrile 1,3-Butadiene Styrene (ABS)	9003-56-9	920-401-2	1,16%
6	Polyester (PET)	25037-45-0	607-501-9	0,72%
7	Polyester (PET)	25037-45-0	607-501-9	0,18%

The following substances and materials are intended to come into contact with food.

Chemical Name	CAS	EINECS
Tritan	-	-
Stainless Steel 304		
- Iron 71.095%	7439-89-6	231-096-4
- Chromium 18%	7440-47-3	231-157-5
- Nickel 8%	7440-02-0	231-111-4
- Manganese 2%	7439-96-5	231-105-1
- Silicone 0.75%	7440-21-3	231-130-8
- Carbon 0.08%	7440-44-0	231-153-3
- Phosphorus 0.045%	7723-14-0	231-768-7
- Sulfur 0.03%	7704-34-9	231-722-6
Polypropylene (PP)	9003-07-0	618-352-4
Silicone	7440-21-3	231-130-8



COMPLIANCE

The manufacturer declares that the mentioned product complies with all relevant provisions of

Regulation (EU) 2023/988 of the European Parliament and of the Council of 10 May 2023 on general product safety

Regulation (EC) No 1935/2004 - Materials and articles intended to come into contact with food*

Regulation (EU) No 10/2011 - Plastic materials and articles intended to come into contact with food*

Regulation (EC) No 2023/2006 - GMP for materials and articles intended to come into contact with food*

* Inclusive subsequent amendments

In conjunction with following harmonized standards

EN 1186-1:2002; EN 1186-3:2002; EN 1122:2001; EN 13130-1:2004; EN14372:2004

Conditions of use:

- Type(s) of food intended to come into contact with the material:

Suitable for hot and cold drinks

- Time and temperature and storage while in contact with food:

Time: maximum 2 hours

Temperature: 0°C – 70°C

- Ratio of food contact surface area to volume used: **7dm²/l**

Substances, which are subject to “DUAL-USE” additives in materials or “PURITY CRITERIA”.

- No dual use additives were used in the manufacture of this product

- There are no substances subject to purity criteria

Information about the compliance of substances used are subject to any restriction or specification

- This product is in compliance with overall and Specific Migration Limits (SML's) standard testing conditions laid down in Regulation (EU) 10/2011. Additional information including test reports can be provided on request.

Functional barrier

There is no function barrier present.

Signed for and on behalf of:

Ede (NL)

Place of issue

01-01-2026

Date of issue

R.M. Sillessen
General Manager

