

Product Datasheet model uvex megasonic 9320 110

**UVEX ARBEITSSCHUTZ GMBH, Würzburger Str. 181-189,
D-90766 Fürth**

1. Product Characteristics

- functional safety goggle in ski goggle design with a truly panoramic field of vision
- unique frameless lens design for edge-to-edge optical clarity and increased safety
- soft, adaptive face seal with foam layer providing a universal fit for different head and facial shapes as well as a tight fit without pressure points
- generous internal volume to accommodate prescription spectacles and frame recesses to locate the side arms ensuring a comfortable fit
- indirect ventilation system increases air circulation
- length-adjustable 30 mm wide textile headband with silicone coating on the inside of the band offers individual adaptability and optimal hold even in combination with e.g. helmets
- high-performance polycarbonate lens with uvex's proven supravision coating technology – permanent anti-fog and scratch-resistant lens
- UV400 – 100 % protection against dangerous UV radiation up to 400 nm
- metal-free
- tested in accordance with STANAG 2920/4296
- set includes:
 - goggle with UV filter
 - uvex microfibre cloth 9972 130
 - high-quality uvex hard case 9954 514

2. Technical Details Body

Frame

Material	TPE
Version	indirect ventilation
Colour	black

Foam layer

Material	PU
Version	closed-pore foam, 3 mm
Colour	grey

Headband

Material	textile headband
Features	individual adjustable silicone coating on the inside
Colour	black

Marking




Manufacturer 's ID code	W
Applicable EN norm	166
Field of use	3 (drops and splashes of liquid) 4 (large dust particles)
Impact resistance	B (120 m/s)
Resistance to high speed particles at extremes of temperature	T
Conformity symbol	CE

3. Technical Details Lens

Material	PC
Thickness	2.4 mm at PD
Coating	uvex supravision ETC
Colour	clear
UV protection	UV400
Marking	
Filter	2C-1.2 (EN 170)
Manufacturer 's ID code	W
Optical class	1
Impact resistance	B (120 m/s)
Resistance to high speed particles at extremes of temperature	T
Scratch resistance	K
Antifog	N
Conformity symbol	CE
Factory symbol	

4. Logistical Information

Product

Weight	95g	
Dimensions (L x W x B) in approx. mm		
	85 x 193 x 85	
	Packing unit 1	Packing unit 2
EAN Code	4031101940199	4031101957692
Quantity in pcs.	1	20
Dimensions (L x W x H) in approx. mm		
	104 x 207 x 133	440 x 345 x 318
Net weight in approx. g	245	4,900
Gross weight in approx. g	262	5,690
Country of Origin	Germany	

5. Miscellaneous

Standards	EN 166 + EN 170 + STANAG 2920/4296
PPE Category	Category II