

FERRO CONCEPTS

General Purpose Pocket - Velcro 6x6

Table of Contents

Product Overview	1
General Purpose Pocket - Velcro 6x6 Installation	2-5
General Purpose Pocket - Velcro 6x6 Inverted Installation	6-8
General Purpose Pocket - Velcro 6x6 Quick Installation	9-10



General Purpose Pocket - Velcro 6x6
with Bang Insert - Triple



General Purpose Pocket - Velcro 6x6 | Product Overview

The General Purpose Pocket - Velcro 6x6 is a versatile storage solution designed to carry items like .50 cal mags, medical supplies, flashbangs, charges, and PVS-31s. It features an interior loop field compatible with Velcro Hook inserts and a tie-in point for securing sensitive items. The pocket includes external elastic retention for added load stability and a large Velcro flap that offers adjustable sizing and can remain open when needed. It uses four columns by three rows of MOLLE space with only two exterior MOLLE straps and two hangers for a quick setup without compromising security.

Features:

- Designed to hold various items such as .50 cal magazines, medical supplies, flashbangs, charges, and PVS-31's
- Large Velcro flap offers adjustable sizing that can be staged open when needed
- Interior Velcro loop field compatible with Velcro hook inserts such as the Bang Insert - Triple
- Interior tie-in point for securing sensitive items on the inside of the pocket
- External elastic retention for added load stability
- Two exterior MOLLE straps and two hangers for a quick setup while maintaining security
- Four columns by three rows of MOLLE space
- Weight - 2.6 oz
- Made in USA

Components:

- General Purpose Pocket - Velcro 6x6



General Purpose Pocket -
Velcro 6x6 (Front)



General Purpose Pocket -
Velcro 6x6 (Back)

General Purpose Pocket - Velcro 6x6 | Installation

Installing the General Purpose Pocket - Velcro 6x6 onto the 3" Assault Cumberbund



1. Start by passing the two tuck tabs through the top webbing on the 3" Assault Cumberbund.



2. Pass the two tuck tabs into the bottom webbing on the 3" Assault Cumberbund.

General Purpose Pocket - Velcro 6x6 | Installation

Installing the General Purpose Pocket - Velcro 6x6 onto the 3" Assault Cummerbund



3. Pass both MOLLE straps through the top webbing on the 3" Assault Cummerbund.



4. Pass both MOLLE straps through the laser-cut MOLLE on the General Purpose Pocket - Velcro 6x6.

General Purpose Pocket - Velcro 6x6 | Installation

Installing the General Purpose Pocket - Velcro 6x6 onto the 3" Assault Cummerbund



5. Pass both MOLLE straps through the bottom webbing on the 3" Assault Cummerbund.



6. Pass both MOLLE straps through the laser-cut MOLLE on the General Purpose Pocket - Velcro 6x6.

General Purpose Pocket - Velcro 6x6 | Installation

Installing the General Purpose Pocket - Velcro 6x6 onto the 3" Assault Cummerbund



7. Finish by tucking the strap tabs into the bottom laser-cut MOLLE on the General Purpose Pocket - Velcro 6x6.



General Purpose Pocket - Velcro 6x6 | Inverted Installation

Installing the General Purpose Pocket - Velcro 6x6 onto the 3" Assault Cumberbund Inverted



1. The General Purpose Pocket - Velcro 6x6 can be installed both right side up and upside down. To install the GP Pocket inverted, start by passing both MOLLE straps through the laser-cut MOLLE on the General Purpose Pocket - Velcro 6x6.



2. Pass the two tuck tabs into the bottom webbing on the 3" Assault Cumberbund.

General Purpose Pocket - Velcro 6x6 | Inverted Installation

Installing the General Purpose Pocket - Velcro 6x6 onto the 3" Assault Cummerbund Inverted



1. Pass both MOLLE straps through the bottom webbing on the 3" Assault Cummerbund.



2. Pass both MOLLE straps through the laser-cut MOLLE on the General Purpose Pocket - Velcro 6x6.

General Purpose Pocket - Velcro 6x6 | Inverted Installation

Installing the General Purpose Pocket - Velcro 6x6 onto the 3" Assault Cummerbund Inverted



1. Pass both MOLLE straps through the top webbing on the 3" Assault Cummerbund.



2. Finish by tucking the strap tabs into the bottom laser-cut MOLLE on the General Purpose Pocket - Velcro 6x6.

General Purpose Pocket - Velcro 6x6 | Quick Installation

Quickly Installing the General Purpose Pocket - Velcro 6x6 onto the 3" Assault Cummerbund



1. For quick attachment, pass the two tuck tabs through the top webbing on the 3" Assault Cummerbund.



2. Pass the two tuck tabs into the bottom webbing on the 3" Assault Cummerbund.

General Purpose Pocket - Velcro 6x6 | Quick Installation

Quickly Installing the General Purpose Pocket - Velcro 6x6 onto the 3" Assault Cummerbund



3. Pass the MOLLE straps over the interior of the 3" Assault Cummerbund and through the laser-cut MOLLE on the General Purpose Pocket - 6x6.



4. Finish by tucking the strap tabs into the bottom laser-cut MOLLE on the General Purpose Pocket - Velcro 6x6.