Характеристики

Eaton 167593

Eaton Moeller series xPole - SPCT2 Surge Protection Device. Plug-in surge arresters, 1p, 280VAC, 20 kA

Загальні характеристики

PRODUCT NAME	Eaton Moeller series xPole - SPCT2 Surge protection device
CATALOG NUMBER	167593
EAN	4015081640850
PRODUCT LENGTH/DEPTH	85 mm
PRODUCT HEIGHT	67 mm
PRODUCT WIDTH	17.5 mm
PRODUCT WEIGHT	0.098 kg
COMPLIANCES	RoHS conform
CERTIFICATIONS	CE
MODEL CODE	SPCT2-280/1

Powering Business Worldwide

Додаткова інформація

FEATURES	Category type 2
SYSTEM CONFIGURATION TYPE	Other TN TN-S

Програма доставки

APPLICATION	• Open areas • Residential buildings • Utility buildings
TYPE	Surge arrester

Technical data - electrical

CONTINUOUS VOLTAGE AT AC - MAX	280 V
DISCHARGE SURGE CURRENT (8/20) - MAX	40 kA
NOMINAL DISCHARGE SURGE CURRENT (8/20)	20 kA
NOMINAL VOLTAGE AT AC	280 V
SIGNALLING AT THE DEVICE	Optic
VOLTAGE PROTECTION LEVEL	1.4 KV

Technical data - mechanical

CONDUCTOR CROSS SECTION (FLEXIBLE, FINE-STRAND) - MAX	35 mm²
CONDUCTOR CROSS SECTION (FLEXIBLE, FINE-STRAND) - MIN	35 mm²
CONDUCTOR CROSS SECTION (SOLID, SOLID-STRAND) - MAX	25 mm²
CONDUCTOR CROSS SECTION (SOLID, SOLID-STRAND) - MIN	25 mm²
DEGREE OF PROTECTION	IP20
FRAME	1 modular spacing
MOUNTING METHOD	DIN rail (top hat rail) 35 mm
NUMBER OF CONDUCTORS WITHOUT EARTHING	1

Ресурси

PEP ECO-PASSPORT	eaton-t2-arrestor-pep-eato-00260-v0101-en.pdf
ЕЛЕКТРИЧНА СХЕМА	eaton-xpole-spct2-surge-protection-device-wiring-diagram-003.jpg
КАТАЛОГИ	eaton-spct2-surge-protection-catalog-ca010005en-en-us.pdf
КРЕСЛЕННЯ	eaton-xpole-spct2-surge-protection-device-dimensions.jpg

НАЗВА ПРОЕКТУ:	
НОМЕР ПРОЕКТУ:	
ПІДГОТУВАВ:	
ДАТА:	

Eaton Corporation plc Eaton House
30 Pembroke Road
Дублін 4, Ірландія
Eaton.com

© 2026 Eaton. Усі права захищені.

Стежте за нами в соціальних мережах, щоб отримувати актуальну інформацію про продукцію та технічну підтримку.