



TOWER
HEATERS



15 - 24.0 kW



10.5-18.0 kW



8 - 12.0 kW



6 - 9.0 kW



3 - 6.0 kW

The latest addition to SAWO's range of electric sauna heaters - the Tower - boasts a unique, slender, stainless steel design which has been specially made to create a more humid, gentle steam similar to the more traditional wood-burning stoves. Our robust Tower heater holding between 70 – 360 kg of sauna rocks, ensures that a larger surface area of rocks comes into contact with water, releasing more steam evenly in every direction. Furthermore, the Tower Heater ensures a prolonged, steady heat, keeping your sauna warm for longer.

The intensity of heat released from the Tower heater can be regulated. Simply by throwing water on the lower half one can create a milder steam, compared to the upper half which releases a more intense vapour.

The Tower heater is available with built-in or separate controls. Available in five different sizes: from 3.0kW – 24.0kW.



HEATER MODEL	kW	HEATING ELEMENT		SAUNA ROOM MIN (m ²)	SAUNA ROOM MAX (m ²)	SIZE OF HEATER			STONES CONTROL	
		kW	TYPE			WIDTH (mm)	DEPTH (mm)	HEIGHT (mm)		
TH2-30NB	3.0	2 x 1.5	TH150	2	4	257	257	1300	70	built-in
TH3-35NB	3.5	3 x 1.15	TH115	3	6	257	257	1300	70	built-in
TH3-45NB	4.5	3 x 1.5	TH150	3	6	257	257	1300	70	built-in
TH3-60NB	6.0	3 x 2.0	TH200	5	8	257	257	1300	70	built-in
TH2-30NS	3.0	2 x 1.5	TH150	2	4	257	257	1300	70	separate
TH3-35NS	3.5	3 x 1.15	TH115	3	6	257	257	1300	70	separate
TH3-45NS	4.5	3 x 1.5	TH150	3	6	257	257	1300	70	separate
TH3-60NS	6.0	3 x 2.0	TH200	5	8	257	257	1300	70	separate
TH4-60NB	6.0	4 x 1.5	TH150	5	9	310	310	1300	105	built-in
TH4-60NS	6.0	4 x 1.5	TH150	5	9	310	310	1300	105	separate
TH4-80NS	8.0	4 x 2.0	TH200	7	13	310	310	1300	105	separate
TH5-90NS	9.0	2 x 1.5 3 x 2.0	TH150 TH200	8	14	310	310	1300	105	separate
TH6-80NB	8.0	3 x 1.5 3 x 1.15	TH150 TH115	7	14	355	355	1300	160	built-in
TH6-90NB	9.0	6 x 1.5	TH150	8	15	355	355	1300	160	built-in
TH6-80NS	8.0	3 x 1.5 3 x 1.15	TH150 TH115	7	14	355	355	1300	160	separate
TH6-90NS	9.0	6 x 1.5	TH150	8	15	355	355	1300	160	separate
TH6-105N	10.5	2 x 2.0 3 x 1.5	TH200 TH150	9	16	355	355	1300	160	separate
TH6-120N	12.0	6 x 2.0	TH200	11	18	355	355	1300	160	separate
TH6-80Ni	8.0	3 x 1.5 3 x 1.15	TH150 TH115	7	14	355	355	1300	160	Innova
TH6-90Ni	9.0	6 x 1.5	TH150	8	15	355	355	1300	160	Innova
TH6-105Ni	10.5	2 x 2.0 3 x 1.5	TH200 TH150	9	16	355	355	1300	160	Innova
TH6-120Ni	12.0	6 x 2.0	TH200	11	18	355	355	1300	160	Innova
TH9-105N	10.5	9 x 1.15	TH115	10	16	440	440	1300	230	separate
TH9-120N	12.0	4 x 1.15 5 x 1.5	TH115 TH150	11	20	440	440	1300	230	separate
TH9-150N	15.0	6 x 1.5 3 x 2.0	TH150 TH200	14	25	440	440	1300	230	separate
TH9-180N	18.0	9 x 2.0	TH200	18	28	440	440	1300	230	separate
TH9-105Ni	10.5	9 x 1.15	TH115	10	16	440	440	1300	230	Innova
TH9-120Ni	12.0	4 x 1.15 5 x 1.5	TH115 TH150	11	20	440	440	1300	230	Innova
TH9-150Ni	15.0	6 x 1.5 3 x 2.0	TH150 TH200	14	25	440	440	1300	230	Innova
TH12-150N	15.0	9 x 1.15 3 x 1.5	TH115 TH150	15	26	540	540	1300	360	separate
TH12-180N	18.0	12 x 1.5	TH150	18	30	540	540	1300	360	separate
TH12-210N	21.0	6 x 1.5 6 x 2.0	TH150 TH200	22	35	540	540	1300	360	separate
TH12-240N	24.0	12 x 2.0	TH200	24	40	540	540	1300	360	separate
TH12-150Ni	15.0	9 x 1.15 3 x 1.5	TH115 TH150	15	26	540	540	1300	360	Innova
TH12-180Ni	18.0	12 x 1.5	TH150	18	30	540	540	1300	360	Innova
TH12-210Ni	21.0	6 x 1.5 6 x 2.0	TH150 TH200	22	35	540	540	1300	360	Innova
TH12-240Ni	24.0	12 x 2.0	TH200	24	40	540	540	1300	360	Innova