




**EverExceed<sup>®</sup>**  
*power your applications*

**AGM-**

**Deep Cycle**



[www.everexceed.com](http://www.everexceed.com)



**DEEP CYCLE**

18 400

AGM

EverExceed DP -  
AGM- 700 100%!  
( , ) ,  
( , - ) ,  
EverExceed  
: <0,1%!  
-40°C +70°C  
+20°C +25°C  
12 = 20~25°C  
6 = 30~35°C

**EverExceed Deep Cycle AGM**

- IEC 60896-21/22-2004
- DIN 43539-T5
- GB/T 22473-2008
- BS 6290 PART 4
- IEC 61427-2005
- YD/T 1360-2005
- UL

( 3,4 !)  
- 12 @ 20°C  
UL IEC  
99%  
Pb-Ca-Sn-Al  
99,9999%!  
115%  
ABS  
UL 94HB  
UL94V0  
UL 924

**Premium**


EverExceed

DOT-CFR Title 49 parts 171-189  
IMDG  
27  
IATA/ICAO,  
A67.



## Deep Cycle AGM

(99.9999%).



S (UL 94HB),  
(UL 94 VO).

ABS,

( )


14 K

8.4 K

99%




EverExceed










Model	Cells	C/20 1.75VPC @ 20°C	C/100 1.75VPC @ 20°C	Capacity	Weight	Terminal	Dimensions (mm)		Dimensions (mm)					
							L	W	H	W <sub>1</sub>	H <sub>1</sub>	W <sub>2</sub>	H <sub>2</sub>	W <sub>3</sub>
DP-1218	12	18	19.8	630	13.5	F-M5	5.4	11.9	181	7.13	76	2.99	167	6.57
DP-1220	12	20	22.0	818	12.9	F-M5	6.1	13.4	181	7.13	76	2.99	167	6.57
DP-1226	12	26	28.6	1182	8.9	F-M6	8.2	18.1	166	6.54	175	6.89	126	4.96
DP-1228	12	28	30.8	1195	8.5	F-M6	8.4	18.5	166	6.54	175	6.89	126	4.96
DP-1235	12	35	38.5	1500	7	F-M6	10.3	22.7	195	7.68	130	5.12	154	6.06
DP-1240	12	40	44.2	1700	6	F-M6	13.8	30.4	197	7.76	165	6.5	172	6.78
DP-1250	12	50	57.0	1750	5.9	F-M6	14.8	32.6	197	7.76	165	6.5	172	6.78
DP-1255	12	55	62.6	1800	5.8	F-M6	16.5	36.4	230	9.06	137	5.39	210	8.27
DP-1260	12	60	68.3	1900	5.6	F-M6	18	39.7	350	13.8	168	6.62	178	7.01
DP-1270	12	70	79.6	2000	5.2	F-M6	22	48.5	350	13.8	168	6.62	178	7.01
DP-1280	12	80	91.2	2100	5	F-M6	23	50.7	259	10.2	168	6.62	215	8.5
DP-1290	12	90	101	2400	4.5	F-M6	26.5	58.4	259	10.2	168	6.62	215	8.5
DP-12100	12	100	114	2650	4	F-M6	30	66.1	305	12	168	6.62	215	8.5
DP-12110	12	110	126	2900	3.5	F-M6	31.5	69.4	305	12	168	6.62	215	8.5
DP-12120	12	120	138	3000	3.4	F-M6	33	72.8	332	13.1	174	6.86	220	8.67
DP-12135	12	135	153	3300	3.1	F-M6	35	77.2	408	16.1	175	6.9	210	8.27
DP-12150	12	150	170	3750	2.7	F-M8	39.6	87.3	340	13.4	173	6.81	288	11.3
DP-12165	12	165	187	4200	2.5	F-M8	45	99.2	480	18.9	170	6.7	240	9.45
DP-12180	12	180	205	4700	2	F-M8	54	119	530	20.9	210	8.27	220	8.67
DP-12200	12	200	228	5400	1.8	F-M8	60.5	133	530	20.9	210	8.27	220	8.67
DP-12230	12	230	260	5400	1.8	F-M8	64	141	520	20.5	238	9.37	220	8.67
DP-12250	12	250	283	5900	1.5	F-M8	66.5	147	520	20.5	269	10.6	210	8.27
DP-12280	12	280	317	6100	1.5	F-M8	69.5	153	520	20.5	269	10.6	210	8.27
DP-12300	12	300	340	6300	1.2	F-M8	76	168	520	20.5	269	10.6	225	8.86
DP-675	6	75	85.5	1800	3.8	F-M6	11.3	24.9	185	7.3	112	4.39	205	8.06
DP-6135	6	135	155	3200	3	F-M6	16	35.3	195	7.68	170	6.69	210	8.27
DP-6165	6	165	187	4500	2.5	F-M8	25	55.1	260	10.2	180	7.09	252	9.92
DP-6200	6	200	228	4800	2	F-M8	28	61.7	306	12	168	6.61	225	8.86
DP-6230	6	230	260	5000	1.8	F-M8	31	68.3	322	12.7	178	7.01	230	9.06
DP-6240	6	240	271	5220	1.7	F-M8	33	72.8	243	9.57	188	7.40	275	10.8
DP-6250	6	250	283	5600	1.5	F-M8	33.5	73.9	322	12.7	178	7.01	230	9.06
DP-6300	6	300	340	6000	1.3	F-M8	47.0	103.6	295	11.6	178	7.01	345	13.6
DP-6330	6	330	374	6600	1.2	F-M8	49.0	108	295	11.6	178	7.01	345	13.6
DP-6400	6	400	453	8000	1.0	F-M8	55.0	121	295	11.6	180	7.09	426	16.8

- DP-1220
- DP-1226
- DP-1228
- DP-1235
- DP-1240
- DP-1250
- DP-1255
- DP-1260
- DP-1270
- DP-1280
- DP-1290
- DP-12100
- DP-12110
- DP-12120
- DP-12135
- DP-12150
- DP-12165
- DP-12180
- DP-12200
- DP-12230
- DP-12250
- DP-12280
- DP-12300




- DP-675
- DP-6135
- DP-6165
- DP-6200
- DP-6230
- DP-6250
- DP-6300



**@ 20°C**



	/	, @ 20°C						/	, @ 20°C										
		5	10	15	30	45	60		1.5	2	3	4	5	8	10	12	20	24	100
DP-1218	1.8	41.8	31.0	24.5	16.1	11.8	9.82	1.85	7.15	5.46	3.89	3.06	2.56	1.75	1.48	1.27	0.84	0.70	0.19
	1.75	47.9	34.7	26.6	16.4	12.4	10.0	1.8	7.61	5.78	4.12	3.22	2.68	1.85	1.52	1.32	0.85	0.71	0.19
	1.67	51.1	37.8	28.1	16.6	12.6	10.3	1.75	7.84	5.92	4.20	3.34	2.72	1.87	1.56	1.36	0.90	0.74	0.20
DP-1220	1.8	46.3	34.4	27.2	17.8	13.1	10.9	1.85	7.95	6.06	4.29	3.40	2.84	1.94	1.64	1.41	0.93	0.77	0.21
	1.75	53.2	38.5	29.5	18.2	13.7	11.1	1.8	8.45	6.43	4.57	3.57	2.97	2.05	1.69	1.46	0.94	0.79	0.21
	1.67	56.8	42.0	31.2	18.4	13.9	11.4	1.75	8.70	6.57	4.66	3.69	3.02	2.08	1.73	1.47	1.00	0.82	0.22
DP-1226	1.8	60.0	44.7	35.3	23.2	16.9	14.2	1.85	10.3	7.85	5.60	4.43	3.66	2.51	2.14	1.83	1.21	1.00	0.27
	1.75	69.1	50.0	38.3	23.6	17.7	14.4	1.8	11.0	8.40	5.91	4.64	3.85	2.66	2.19	1.89	1.22	1.03	0.28
	1.67	73.9	54.4	40.4	24.0	18.1	14.8	1.75	11.3	8.53	6.08	4.79	3.93	2.69	2.25	1.91	1.30	1.07	0.29
DP-1228	1.8	64.6	48.1	38.0	25.0	18.2	15.3	1.85	11.1	8.45	6.03	4.77	3.95	2.70	2.30	1.97	1.30	1.08	0.29
	1.75	74.5	53.8	41.3	25.5	19.1	15.5	1.8	11.8	9.05	6.36	5.00	4.15	2.86	2.36	2.04	1.32	1.11	0.30
	1.67	79.5	58.6	43.5	25.8	19.5	15.9	1.75	12.1	9.18	6.55	5.16	4.24	2.90	2.42	2.06	1.40	1.15	0.31
DP-1235	1.8	80.8	60.1	47.5	31.2	22.7	19.1	1.85	13.8	10.6	7.52	5.95	4.94	3.38	2.87	2.46	1.63	1.35	0.36
	1.75	93.1	67.3	51.6	31.8	23.9	19.4	1.8	14.8	11.3	7.97	6.24	5.19	3.58	2.95	2.55	1.65	1.39	0.37
	1.67	99.4	73.3	54.4	32.2	24.3	19.9	1.75	15.2	11.5	8.18	6.45	5.30	3.63	3.03	2.57	1.75	1.43	0.38
DP-1240	1.8	92.4	68.8	54.3	35.8	26.0	21.9	1.85	15.8	12.2	8.70	6.96	5.82	4.02	3.46	2.83	2.02	1.65	0.52
	1.75	106.5	77.0	59.0	36.4	27.3	22.4	1.8	17.0	13.0	9.19	7.21	6.05	4.26	3.39	3.02	1.98	1.65	0.55
	1.67	113.6	83.9	62.2	37.0	27.9	22.9	1.75	17.5	13.3	9.47	7.47	6.06	4.23	3.58	3.01	2.06	1.76	0.55
DP-1250	1.8	120	89.9	71.3	48.4	35.1	28.8	1.85	20.4	15.9	11.5	8.86	7.29	4.96	4.09	3.49	2.36	2.00	0.54
	1.75	141	103	76.7	48.9	35.8	29.4	1.8	20.9	16.7	11.9	9.38	7.72	5.27	4.38	3.72	2.47	2.07	0.56
	1.67	150	109	81.2	49.5	36.8	30.2	1.75	21.7	17.1	12.3	9.63	7.92	5.40	4.50	3.83	2.50	2.12	0.57
DP-1255	1.8	132	98.8	78.3	53.2	38.6	31.7	1.85	22.3	17.5	12.6	9.75	8.01	5.45	4.49	3.83	2.60	2.20	0.59
	1.75	156	113	84.3	53.8	39.3	32.4	1.8	22.9	18.3	13.1	10.3	8.48	5.78	4.81	4.09	2.72	2.27	0.61
	1.67	165	121	89.2	54.4	40.4	33.2	1.75	23.9	18.8	13.6	10.6	8.71	5.94	4.94	4.20	2.75	2.33	0.63
DP-1260	1.8	144	108	85.5	58.0	42.1	34.5	1.85	24.4	19.1	13.7	10.6	8.74	5.95	4.90	4.18	2.83	2.40	0.64
	1.75	170	123	92.0	58.7	42.8	35.3	1.8	25.0	20.0	14.3	11.2	9.25	6.31	5.25	4.46	2.96	2.48	0.67
	1.67	180	132	97.3	59.3	44.1	36.2	1.75	26.1	20.5	14.8	11.5	9.50	6.47	5.39	4.59	3.00	2.54	0.68
DP-1270	1.8	168	125	99.1	63.5	47.6	39.2	1.85	29.0	22.0	15.7	12.3	10.2	6.95	5.73	4.88	3.24	2.72	0.73
	1.75	193	140	107	66.2	49.5	41.1	1.8	30.2	23.4	16.6	13.1	10.8	7.38	6.14	5.20	3.40	2.88	0.77
	1.67	208	153	113	68.6	51.1	41.8	1.75	30.5	24.0	17.1	13.4	11.1	7.55	6.30	5.36	3.50	2.96	0.80
DP-1280	1.8	193	143	113	72.5	54.3	44.7	1.85	31.4	25.2	17.9	14.1	11.7	7.95	6.55	5.58	3.72	3.15	0.85
	1.75	221	161	123	78.1	58.2	48.2	1.8	33.2	26.7	19.0	14.9	12.4	8.43	7.02	5.96	3.89	3.29	0.89
	1.67	239	174	132	80.9	60.2	50.4	1.75	34.2	27.4	19.5	15.3	12.7	8.64	7.20	6.12	4.00	3.38	0.91



@ 20°C

	/	@ 20°C						/	@ 20°C										
		5	10	15	30	45	60		1.5	2	3	4	5	8	10	12	20	24	100
DP-1290	1.8	218	163	128	83.3	60.6	51.1	1.85	35.2	28.2	20.1	15.8	13.1	8.91	7.35	6.33	4.22	3.44	0.93
	1.75	250	179	138	85.1	63.5	52.5	1.8	37.3	30.0	21.3	16.8	13.9	9.45	7.86	6.68	4.37	3.68	0.99
	1.67	270	197	146	88.3	65.5	53.8	1.75	38.3	30.7	21.8	17.1	14.3	9.70	8.08	6.86	4.50	3.79	1.01
DP-12100	1.8	240	180	143	91.2	68.2	56.0	1.85	39.2	31.5	22.4	17.6	14.6	9.95	8.25	7.16	4.65	3.95	1.06
	1.75	278	202	155	94.7	70.8	58.5	1.8	41.9	33.4	23.8	18.7	15.5	10.5	8.77	7.46	4.87	4.13	1.11
	1.67	301	220	162	98.2	73.1	60.0	1.75	42.6	34.2	24.4	19.1	15.8	10.8	9.04	7.68	5.00	4.24	1.14
DP-12110	1.8	264	199	158	103	75.2	63.4	1.85	43.1	34.6	24.6	19.4	16.0	10.9	8.99	7.78	5.15	4.33	1.16
	1.75	305	223	170	105	77.8	64.3	1.8	46.7	36.7	26.2	20.5	17.0	11.6	9.60	8.15	5.33	4.47	1.20
	1.67	331	242	179	107	80.1	65.9	1.75	49.8	37.5	26.7	21.1	17.4	11.9	9.87	8.37	5.50	4.69	1.26
DP-12120	1.8	288	216	171	111	82.8	67.9	1.85	47.1	37.9	27.0	21.4	17.9	12.2	10.2	9.05	5.69	4.78	1.29
	1.75	336	243	187	115	85.1	70.4	1.8	50.7	40.2	28.6	22.6	18.7	12.7	10.5	9.78	5.91	4.96	1.33
	1.67	361	265	196	119	87.6	72.3	1.75	52.3	41.2	29.2	23.0	19.3	13.0	10.8	9.93	6.00	5.11	1.38
DP-12135	1.8	322	241	191	124	92.3	75.8	1.85	52.7	42.4	30.2	24.0	19.9	13.7	11.4	10.2	6.31	5.30	1.43
	1.75	375	271	207	127	94.9	78.7	1.8	56.6	44.9	31.9	25.0	20.9	14.3	11.8	11.0	6.62	5.59	1.50
	1.67	403	297	218	134	98.4	80.7	1.75	58.6	46.2	32.8	25.9	21.4	14.6	12.1	11.2	6.75	5.70	1.53
DP-12150	1.8	358	269	215	138	102	84.1	1.85	58.7	47.1	33.7	26.6	22.2	14.8	12.2	10.3	6.85	5.78	1.55
	1.75	414	302	230	143	106	87.2	1.8	62.8	49.7	35.5	27.9	23.2	15.6	13.1	11.1	7.24	6.10	1.64
	1.67	448	329	242	146	108	89.8	1.75	64.0	51.0	36.6	29.0	23.7	16.2	13.4	11.5	7.50	6.32	1.70
DP-12165	1.8	396	297	235	151	114	92.9	1.85	64.9	51.8	37.3	29.5	24.3	16.3	13.5	11.4	7.53	6.35	1.70
	1.75	457	333	253	159	117	96.5	1.8	69.1	55.0	39.4	30.7	25.4	17.2	14.4	12.2	8.07	6.80	1.83
	1.67	495	363	267	162	120	99.2	1.75	69.7	56.8	40.3	31.8	26.1	17.9	14.8	12.6	8.25	6.95	1.87
DP-12180	1.8	432	324	257	164	123	104	1.85	70.2	56.6	40.4	31.6	26.3	18.2	15.0	12.8	8.39	6.91	1.86
	1.75	500	364	278	171	132	104	1.8	75.5	60.6	42.7	33.6	27.9	18.9	15.8	13.4	8.78	7.39	1.98
	1.67	539	394	292	176	133	108	1.75	77.3	61.5	43.9	34.5	28.4	19.5	16.2	13.8	9.00	7.61	2.05
DP-12200	1.8	481	361	285	182	138	116	1.85	78.9	62.7	44.7	35.3	29.1	20.3	16.7	14.3	9.34	7.68	2.06
	1.75	558	406	309	190	145	118	1.8	83.6	67.1	47.7	37.3	31.1	20.9	17.5	14.9	9.74	8.22	2.21
	1.67	600	439	323	196	147	120	1.75	86.0	68.9	48.5	38.4	31.6	21.7	18.0	15.4	10.0	8.48	2.28
DP-12230	1.8	551	413	327	208	158	132	1.85	90.6	72.3	51.4	40.3	33.5	23.2	19.2	16.3	10.7	8.82	2.37
	1.75	639	465	355	219	166	135	1.8	96.4	77.1	54.3	42.7	35.5	24.1	20.0	17.1	11.1	9.40	2.53
	1.67	687	503	370	224	170	138	1.75	98.2	78.8	55.8	44.0	36.2	24.8	20.6	17.6	11.5	9.69	2.60
DP-12250	1.8	598	449	355	226	172	144	1.85	98.7	78.4	55.7	43.8	36.4	25.3	20.8	17.8	11.6	9.58	2.58
	1.75	695	505	385	238	181	146	1.8	105	83.6	58.9	46.4	38.7	26.1	21.8	18.5	12.1	10.2	2.75
	1.67	747	546	402	243	185	150	1.75	107	85.8	60.7	47.9	39.4	27.0	22.5	19.2	12.5	10.5	2.83



±5%



**@ 20°C**

	/	@ 20°C						/	@ 20°C										
		5	10	15	30	45	60		1.5	2	3	4	5	8	10	12	20	24	100
DP-12280	1.8	670	502	398	254	192	161	1.85	111	87.8	62.4	49.0	40.8	28.3	23.3	19.9	13.0	10.7	2.89
	1.75	779	566	431	266	203	164	1.8	117	93.7	66.0	52.0	43.3	29.3	24.4	20.7	13.5	11.5	3.08
	1.67	836	612	451	272	207	168	1.75	120	96.1	68.0	53.7	44.1	30.2	25.2	21.5	14.0	11.8	3.17
DP-12300	1.8	718	538	426	272	206	172	1.85	118	94.1	66.9	52.5	43.7	30.3	25.0	21.3	14.0	11.5	3.09
	1.75	834	606	462	285	217	176	1.8	125	100	70.7	55.7	46.4	31.4	26.1	22.2	14.5	12.3	3.30
	1.67	896	655	483	292	222	180	1.75	128	103	72.8	57.5	47.2	32.4	27.0	23.0	15.0	12.6	3.40
DP-675	1.8	180	135	109	69.2	51.6	42.3	1.85	29.4	23.6	17.0	13.4	11.2	7.46	6.10	5.18	3.43	2.90	0.78
	1.75	209	152	116	72.0	52.9	44.0	1.8	31.5	25.1	17.8	14.0	11.6	7.88	6.53	5.62	3.64	3.08	0.82
	1.67	226	166	122	73.5	54.4	45.0	1.75	32.2	25.8	18.5	14.6	11.9	8.17	6.75	5.81	3.75	3.18	0.85
DP-6135	1.8	324	243	192	125	93.1	76.4	1.85	53.0	42.7	30.4	24.0	20.1	13.7	11.4	10.2	6.41	5.38	1.45
	1.75	378	273	210	129	95.8	79.2	1.8	57.0	45.3	32.2	25.4	21.1	14.3	11.8	11.0	6.65	5.58	1.50
	1.67	406	299	221	134	98.5	81.3	1.75	58.9	46.4	32.8	25.9	21.7	14.7	12.1	11.2	6.75	5.75	1.55
DP-6165	1.8	394	296	236	152	112	92.5	1.85	64.6	51.8	37.1	29.3	24.4	16.3	13.4	11.4	7.53	6.36	1.71
	1.75	456	332	253	157	116	95.9	1.8	69.1	54.7	39.0	30.7	25.5	17.1	14.4	12.2	7.96	6.72	1.80
	1.67	493	362	266	160	119	98.8	1.75	70.3	56.1	40.3	31.9	26.1	17.9	14.8	12.6	8.25	6.95	1.87
DP-6200	1.8	481	361	285	182	138	116	1.85	78.9	62.7	44.7	35.3	29.1	20.3	16.7	14.3	9.34	7.68	2.06
	1.75	558	406	309	190	145	118	1.8	83.6	67.1	47.7	37.3	31.1	20.9	17.5	14.9	9.7	8.22	2.21
	1.67	600	439	323	196	147	120	1.75	86.0	68.9	48.5	38.4	31.6	21.7	18.0	15.4	10.0	8.48	2.28
DP-6230	1.8	551	413	327	208	158	132	1.85	90.6	72.3	51.4	40.3	33.5	23.2	19.2	16.3	10.7	8.82	2.37
	1.75	639	465	355	219	166	135	1.8	96.4	77.1	54.3	42.7	35.5	24.1	20.0	17.1	11.1	9.40	2.53
	1.67	687	503	370	224	170	138	1.75	98.2	78.8	55.8	44.0	36.2	24.8	20.6	17.6	11.5	9.7	2.60
DP-6240	1.8	575	431	341	217	165	138	1.85	95	75.4	53.6	42.1	35.0	24.2	20.0	17.0	11.2	9.20	2.47
	1.75	667	485	370	229	173	141	1.8	101	80.5	56.7	44.6	37.0	25.1	20.9	17.8	11.6	9.81	2.64
	1.67	717	525	386	234	177	144	1.75	102	82.2	58.2	45.9	37.8	25.9	21.5	18.4	12.0	10.1	2.71
DP-6250	1.8	598	449	355	226	171	144	1.85	105	84.1	59.8	46.9	38.9	27.0	22.3	19.0	11.6	9.6	2.58
	1.75	695	506	385	238	181	147	1.8	111	89.6	63.1	49.6	41.3	28.0	23.0	19.8	12.1	10.2	2.75
	1.67	746	546	402	243	185	150	1.75	113	91.7	64.8	51.1	42.1	28.9	24.0	20.5	12.5	10.5	2.83
DP-6300	1.8	718	539	426	271	205	173	1.85	119	94.0	67.3	52.5	43.8	30.4	25.0	21.3	14.0	11.5	3.10
	1.75	834	607	462	286	217	176	1.8	125	101	71.0	55.8	46.4	31.4	26.2	22.3	14.5	12.3	3.30
	1.67	895	655	482	292	222	180	1.75	128	103	72.7	57.3	47.2	32.4	26.9	23.0	15.0	12.7	3.40
DP-6330	1.8	790	593	469	298	226	190	1.85	131	103	74.0	57.8	48.2	33.4	27.5	23.4	15.4	12.7	3.41
	1.75	917	668	508	315	239	194	1.8	138	111	78.1	61.4	51.0	34.5	28.8	24.5	16.0	13.5	3.63
	1.67	985	721	530	321	244	198	1.75	141	113	80.0	63.0	51.9	35.6	29.6	25.3	16.5	14.0	3.74
DP-6400	1.8	957	719	568	361	273	231	1.85	158	126	89.7	70.0	58.4	40.5	33.3	28.4	18.7	15.3	4.13
	1.75	1112	809	616	381	289	235	1.8	167	135	94.7	74.3	61.8	41.9	34.9	29.8	19.3	16.3	4.40
	1.67	1193	873	643	389	296	240	1.75	171	137	97.0	76.3	63.0	43.1	35.9	30.7	20.0	16.9	4.53


±5%



:

. @ 20°C

	/ ,	, / . @ 20°C						/ ,	, / . @ 20°C										
		5	10	15	30	45	60		1.5	2	3	4	5	8	10	12	20	24	100
DP-1218	1.8	77.8	58.1	45.8	30.1	22.4	19.0	1.85	13.0	10.5	7.49	5.99	4.98	3.46	2.89	2.53	1.69	1.39	0.37
	1.75	86.5	63.1	48.4	30.5	23.0	19.3	1.8	14.8	11.0	7.94	6.28	5.24	3.59	2.96	2.57	1.74	1.44	0.38
	1.67	90.0	69.6	50.6	31.0	24.2	19.7	1.75	15.5	11.3	8.14	6.43	5.33	3.66	3.02	2.63	1.75	1.46	0.40
DP-1220	1.8	86.4	64.5	50.9	33.4	24.9	21.1	1.85	14.4	11.7	8.32	6.65	5.51	3.84	3.21	2.81	1.88	1.55	0.41
	1.75	96.1	70.1	53.7	33.8	25.6	21.4	1.8	16.4	12.2	8.83	6.94	5.82	3.99	3.29	2.85	1.93	1.60	0.43
	1.67	100	77.3	56.3	34.4	26.9	21.8	1.75	17.0	12.5	9.04	7.15	5.92	4.06	3.36	2.92	1.94	1.63	0.44
DP-1226	1.8	112	83.8	66.2	43.5	32.4	27.4	1.85	18.7	15.2	10.8	8.64	7.17	5.00	4.18	3.66	2.44	2.01	0.54
	1.75	125	91.2	69.8	44.0	33.3	27.8	1.8	21.4	15.9	11.5	9.02	7.56	5.19	4.28	3.70	2.51	2.08	0.56
	1.67	130	100	73.2	44.7	34.9	28.4	1.75	22.1	16.3	11.8	9.29	7.70	5.27	4.37	3.79	2.52	2.12	0.57
DP-1228	1.8	121	90.3	71.3	46.8	34.9	29.5	1.85	20.2	16.4	11.6	9.31	7.72	5.38	4.50	3.94	2.63	2.17	0.58
	1.75	135	98.2	75.2	47.4	35.8	29.9	1.8	23.0	17.1	12.4	9.71	8.15	5.59	4.61	3.99	2.70	2.24	0.60
	1.67	140	108	78.8	48.1	37.6	30.5	1.75	23.8	17.6	12.7	10.0	8.29	5.68	4.71	4.08	2.72	2.29	0.62
DP-1235	1.8	151	113	89.1	58.5	43.6	36.9	1.85	25.2	20.5	14.6	11.6	9.65	6.73	5.63	4.92	3.28	2.71	0.73
	1.75	168	123	94.0	59.2	44.8	37.4	1.8	28.7	21.4	15.5	12.1	10.2	6.99	5.76	4.98	3.38	2.80	0.75
	1.67	175	135	98.5	60.1	47.0	38.2	1.75	29.7	21.9	15.8	12.5	10.4	7.10	5.89	5.11	3.40	2.86	0.77
DP-1240	1.8	173	129	102	67.0	49.8	42.2	1.85	28.9	23.6	16.7	13.35	11.2	7.81	6.61	5.69	3.81	3.14	0.98
	1.75	192	141	108	67.7	51.3	42.8	1.8	32.9	24.5	17.8	13.91	11.8	8.05	6.61	5.72	3.97	3.22	0.87
	1.67	200	154	113	68.8	53.9	43.8	1.75	34.1	25.2	18.2	14.30	12.0	8.23	6.74	5.91	4.05	3.27	0.99
DP-1250	1.8	207	166	133	85.2	65.2	53.2	1.85	37.6	30.3	21.8	17.3	14.4	9.84	8.15	6.95	4.56	3.82	1.05
	1.75	226	175	139	86.5	66.4	55.4	1.8	40.0	32.0	23.0	18.1	15.2	10.4	8.65	7.39	4.85	4.11	1.11
	1.67	244	194	146	89.6	68.9	56.6	1.75	41.7	32.9	23.4	18.5	15.4	10.5	8.77	7.45	4.94	4.17	1.13
DP-1255	1.8	227	183	146	93.7	71.7	58.5	1.85	41.4	33.4	24.0	19.1	15.8	10.8	8.96	7.65	5.01	4.20	1.16
	1.75	248	193	153	95.1	73.1	60.9	1.8	44.0	35.2	25.3	20.0	16.7	11.4	9.51	8.12	5.33	4.53	1.22
	1.67	269	214	161	98.6	75.8	62.3	1.75	45.8	36.2	25.8	20.4	16.9	11.6	9.65	8.20	5.44	4.59	1.24
DP-1260	1.8	248	199	159	102	78.2	63.8	1.85	45.1	36.4	26.2	20.8	17.3	11.8	9.77	8.34	5.47	4.59	1.26
	1.75	271	211	167	104	79.7	66.5	1.8	48.0	38.3	27.6	21.8	18.2	12.5	10.4	8.86	5.82	4.94	1.34
	1.67	293	233	175	108	82.7	68.0	1.75	50.0	39.5	28.1	22.2	18.4	12.6	10.5	8.94	5.93	5.01	1.36
DP-1270	1.8	289	232	186	119	91.2	74.5	1.85	52.7	42.5	30.5	24.3	20.2	13.8	11.4	9.73	6.38	5.35	1.47
	1.75	316	246	195	121	93.0	77.5	1.8	56.0	44.7	32.2	25.4	21.2	14.6	12.1	10.3	6.79	5.76	1.56
	1.67	342	272	204	125	96.5	79.3	1.75	58.3	46.0	32.8	25.9	21.5	14.7	12.3	10.4	6.92	5.84	1.58
DP-1280	1.8	325	259	212	136	102	85.3	1.85	60.3	48.4	35.0	27.6	22.9	15.8	13.1	11.2	7.32	6.21	1.68
	1.75	351	281	224	142	105	87.7	1.8	63.5	51.4	36.7	29.3	24.3	16.6	13.8	11.8	7.76	6.60	1.77
	1.67	382	303	232	148	112	90.4	1.75	65.1	52.3	37.5	29.6	24.8	16.8	14.2	12.1	7.91	6.71	1.82





±5%



**@ 20°C**


	/	, / . @ 20°C						/	, / . @ 20°C										
		5	10	15	30	45	60		1.5	2	3	4	5	8	10	12	20	24	100
DP-1290	1.8	403	300	238	157	124	96.1	1.85	67.8	54.5	39.6	31.1	26.3	17.7	14.6	12.8	8.42	6.94	1.85
	1.75	450	327	251	162	127	100	1.8	71.2	57.7	41.2	32.8	27.5	18.5	15.5	13.3	8.70	7.33	1.97
	1.67	479	354	264	166	129	105	1.75	73.7	59.1	42.2	33.3	28.2	19.0	15.9	13.5	8.93	7.49	2.04
DP-12100	1.8	443	316	266	175	147	118	1.85	79.2	61.1	43.9	34.5	28.9	20.0	16.7	14.2	9.30	7.82	2.12
	1.75	478	333	281	187	150	121	1.8	83.3	64.0	46.2	36.4	30.2	20.9	17.4	14.8	9.75	8.24	2.22
	1.67	509	369	296	198	162	125	1.75	86.1	65.7	47.1	37.1	30.9	21.2	17.6	15.2	9.91	8.36	2.28
DP-12110	1.8	476	361	293	196	162	129	1.85	86.1	67.1	48.2	38.2	31.6	21.9	18.0	15.6	10.6	8.46	2.33
	1.75	522	397	310	208	168	135	1.8	93.5	70.5	50.5	40.0	33.2	22.7	19.0	16.2	10.7	8.95	2.41
	1.67	610	488	397	245	188	155	1.75	113	89.8	63.2	50.2	41.6	28.7	23.9	20.3	13.4	11.3	3.08
DP-12120	1.8	479	385	317	210	168	138	1.85	92.7	73.5	52.6	42.0	35.5	24.0	20.3	18.1	11.6	9.32	2.57
	1.75	543	410	336	217	173	143	1.8	96.5	77.2	55.6	44.1	36.6	25.3	20.8	19.7	11.7	9.87	2.67
	1.67	581	434	354	227	177	145	1.75	99.0	78.9	56.3	44.3	37.2	25.4	21.3	19.9	11.9	10.1	2.75
DP-12135	1.8	599	449	354	229	178	146	1.85	101	82.1	59.0	47.1	39.4	27.2	22.6	20.5	12.7	10.3	2.85
	1.75	588	432	375	238	182	152	1.8	107	86.0	61.9	48.8	40.9	28.3	23.3	21.7	13.2	11.1	3.00
	1.67	618	488	395	243	191	159	1.75	112	88.3	63.3	50.2	41.4	28.6	23.8	22.2	13.5	11.3	3.07
DP-12150	1.8	570	474	395	254	196	162	1.85	113	90.9	66.1	52.7	43.9	29.7	24.8	21.2	14.1	11.8	3.10
	1.75	637	495	417	263	200	167	1.8	121	95.8	68.6	54.3	45.3	30.9	25.8	22.0	14.3	12.1	3.28
	1.67	708	521	439	272	207	173	1.75	123	97.2	70.6	56.2	46.0	31.7	26.3	22.4	14.7	12.5	3.40
DP-12165	1.8	627	522	435	279	216	178	1.85	124	100	72.7	57.9	48.2	32.7	27.2	23.3	15.5	13.0	3.42
	1.75	700	545	459	290	220	184	1.8	133	105	75.4	59.8	49.9	34.0	28.4	24.2	15.8	13.4	3.61
	1.67	779	573	483	299	227	190	1.75	135	107	77.6	61.9	50.7	34.9	29.0	24.7	16.2	13.8	3.74
DP-12180	1.8	746	601	475	305	237	194	1.85	135	112	78.9	62.2	52.2	35.8	30.0	26.1	16.9	14.0	3.71
	1.75	822	655	501	318	243	201	1.8	145	116	82.6	65.4	54.4	37.4	31.2	26.5	17.7	14.8	3.97
	1.67	877	707	528	326	251	205	1.75	150	119	84.7	66.6	55.8	38.4	31.8	27.2	17.9	15.0	4.09
DP-12200	1.8	781	645	528	339	263	216	1.85	152	123	87.5	69.5	57.5	39.8	33.3	28.9	18.8	15.6	4.12
	1.75	855	693	559	354	271	223	1.8	161	128	91.8	72.6	60.6	41.4	34.5	29.6	19.5	16.4	4.42
	1.67	904	724	588	362	279	229	1.75	167	133	93.6	74.4	61.7	42.5	35.4	30.1	19.8	16.7	4.56
DP-12230	1.8	928	734	605	389	301	246	1.85	173	143	101	79.5	66.1	45.6	38.2	33.3	21.7	17.9	4.74
	1.75	1112	798	640	404	310	255	1.8	185	147	105	83.3	69.4	47.5	39.6	33.9	22.0	18.8	5.05
	1.67	1141	854	673	415	320	262	1.75	191	152	107	85.3	71.1	48.8	40.4	34.6	22.7	19.2	5.21
DP-12250	1.8	1024	828	657	423	328	267	1.85	189	155	110	86.4	72.0	49.7	41.5	36.3	23.5	19.4	5.15
	1.75	1176	869	696	439	337	277	1.8	200	159	114	90.3	75.4	51.7	43.1	36.8	23.9	20.6	5.51
	1.67	1280	956	732	450	348	285	1.75	208	166	117	92.7	77.3	53.0	43.9	37.5	24.8	20.8	5.66


±5%






. @ 20°C

	/	, / . @ 20°C						/	, / . @ 20°C										
		5	10	15	30	45	60		1.5	2	3	4	5	8	10	12	20	24	100
DP-12280	1.8	1147	927	736	474	367	300	1.85	211	173	123	96.8	80.7	55.7	46.4	40.6	26.3	21.8	5.77
	1.75	1317	974	780	492	378	310	1.8	224	179	128	101	84.4	57.9	48.3	41.2	26.7	23.0	6.17
	1.67	1433	1070	820	504	389	319	1.75	233	186	131	104	86.5	59.3	49.2	42.0	27.8	23.3	6.34
DP-12300	1.8	1229	993	788	508	393	321	1.85	226	186	132	104	86.4	59.7	49.8	43.5	28.2	23.3	6.18
	1.75	1411	1043	835	527	405	332	1.8	241	191	137	108	90.4	62.0	51.7	44.1	28.6	24.7	6.61
	1.67	1536	1147	878	540	417	342	1.75	249	199	140	111	92.7	63.5	52.7	44.9	29.8	24.9	6.79
DP-675	1.8	293	242	198	127	99	81	1.85	57.0	46.1	32.8	26	21.6	14.9	12.5	10.8	7.0	5.85	1.55
	1.75	321	260	210	133	102	84	1.8	60.4	48.0	34.4	27.2	22.7	15.5	12.9	11.1	7.3	6.15	1.66
	1.67	339	271	220	136	105	86	1.75	62.5	49.9	35.1	27.9	23.1	15.9	13.3	11.3	7.4	6.26	1.71
DP-6135	1.8	527	435	356	229	178	146	1.85	103	82.9	59.1	46.9	38.8	26.9	22.5	19.5	12.7	10.5	2.79
	1.75	577	468	377	239	183	150	1.8	109	86.4	62.0	49.0	40.9	28.0	23.3	20.0	13.1	11.1	2.99
	1.67	610	488	397	245	188	155	1.75	113	89.8	63.2	50.2	41.6	28.7	23.9	20.3	13.4	11.3	3.08
DP-6165	1.8	644	532	436	280	217	178	1.85	125	101	72.2	57.3	47.5	32.8	27.5	23.8	15.5	12.9	3.40
	1.75	706	572	461	292	224	184	1.8	133	106	75.8	59.9	50.0	34.2	28.4	24.5	16.1	13.5	3.65
	1.67	745	597	485	299	230	189	1.75	138	110	77.2	61.4	50.9	35.0	29.2	24.8	16.4	13.8	3.76
DP-6200	1.8	781	645	528	339	263	216	1.85	152	123	87.5	69.5	57.5	39.8	33.3	28.9	18.8	15.6	4.13
	1.75	855	693	559	354	271	223	1.8	161	128	91.8	72.6	60.6	41.4	34.5	29.6	19.5	16.4	4.43
	1.67	904	724	588	362	279	229	1.75	167	133	93.6	74.4	61.7	42.5	35.4	30.1	19.8	16.7	4.56
DP-6230	1.8	928	734	605	389	301	246	1.85	173	143	101	79.5	66.1	45.6	38.2	33.3	21.7	17.9	4.75
	1.75	1112	798	640	404	310	255	1.8	185	147	105	83.3	69.4	47.5	39.6	33.9	22.0	18.8	5.05
	1.67	1141	854	673	415	320	262	1.75	191	152	107	85.3	71.1	48.8	40.4	34.6	22.7	19.2	5.23
DP-6240	1.8	968	766	631	406	314	257	1.85	181	149	105	83.0	69.0	47.6	39.9	34.7	22.6	18.7	4.96
	1.75	1160	833	668	422	323	266	1.8	193	153	110	86.9	72.4	49.6	41.3	35.4	23.0	19.6	5.27
	1.67	1191	891	702	433	334	273	1.75	199	159	112	89.0	74.2	50.9	42.2	36.1	23.7	20.0	5.46
DP-6250	1.8	1009	798	657	423	328	267	1.85	201	166	118	92.4	76.9	53.1	44.4	38.7	23.6	19.5	5.16
	1.75	1208	867	696	439	337	277	1.8	215	170	122	96.8	80.7	55.3	46.1	39.4	23.9	20.4	5.49
	1.67	1241	928	732	451	348	285	1.75	223	178	124	99.2	82.7	56.7	47.0	40.2	24.7	20.9	5.68
DP-6300	1.8	1211	958	788	508	394	321	1.85	226	186	132	104	86.4	59.7	49.9	43.6	28.4	23.4	6.32
	1.75	1450	1040	835	527	404	332	1.8	241	191	137	109	90.6	62.1	51.8	44.2	28.7	24.6	6.67
	1.67	1489	1114	879	541	418	342	1.75	250	199	139	111	92.8	63.7	52.8	45.3	29.7	25.2	6.87
DP-6330	1.8	1332	1054	867	559	433	353	1.85	249	205	145	114	95.0	65.7	54.9	48.0	31.2	25.7	6.95
	1.75	1595	1144	919	580	444	365	1.8	265	210	151	120	99.7	68.3	57.0	48.6	31.6	27.1	7.34
	1.67	1638	1225	967	595	460	376	1.75	275	219	153	122	102	70.1	58.1	49.8	32.7	27.7	7.56
DP-6400	1.8	1615	1277	1051	677	525	428	1.85	301	248	176	139	115	79.6	66.5	58.1	37.9	31.2	8.43
	1.75	1933	1387	1113	703	539	443	1.8	321	255	183	145	121	82.8	69.1	58.9	38.3	32.8	8.89
	1.67	1985	1485	1172	721	557	456	1.75	333	265	185	148	124	84.9	70.4	60.4	39.6	33.6	9.16







100%	700
80%	800
50%	1200
25%	2100
10%	4200




# Deep Cycle AGM Range VRLA




U 2.27 / . = 20...25 .  
( )



0°C ...40°C.  
:- 3 /°C / . >25°C,  
+ 3 /°C / . < 25°C



( )  
: 2.27 / . @ 20°C  
: 2.35-2,4 / ., 12 .



50, 70 90 %  
( 2.27 / ., =25 )



***EverExceed***<sup>®</sup>  
***power your applications***



***Supplied Worldwide by  
EverExceed Corporation***

