



SON-T

SON-T 400W E E40 1SL

High Pressure Sodium lamp with clear tubular outer bulb

Product data

• General Information

Cap-Base	E40 [E40]
Operating Position	UNIVERSAL [Any or Universal (U)]
Life To 5% Failures (Nom)	12000 h
Life To 20% Failures (Nom)	20000 h
Life To 50% Failures (Nom)	28000 h
System Description	External Ignitor

• Light Technical

Color Code	220 [CCT of 2000K]
Luminous Flux (Rated) (Min)	43200 lm
Luminous Flux (Rated) (Nom)	48000 lm
Lumen Maintenance 2000 h (Min)	94 %
Lumen Maintenance 2000 h (Nom)	97 %
Lumen Maintenance 5000 h (Min)	88 %
Lumen Maintenance 5000 h (Nom)	94 %
Correlated Color Temperature (Nom)	2000 K
Luminous Efficacy (rated) (Nom)	123 lm/W
Color Rendering Index (Max)	25
Color Rendering Index (Nom)	-

• Operating and Electrical

Power (Rated) (Nom)	392.0 W
Lamp Current (EM) (Nom)	4.6 A
Ignition Supply Voltage (Max)	198 V
Ignition Peak Voltage (Max)	2800 V
Re-Ignition Time (Min) (Max)	120 s
Ignition Time (Max)	5 s
Voltage (Max)	115 V
Voltage (Min)	85 V
Voltage (Nom)	100 V

• Controls and Dimming

Dimmable	Yes
Run-Up Time 90% (Max)	5 min

• Mechanical and Housing

Bulb Finish	Clear
Cap-Base Information	-

• Approval and Application

Energy Efficiency Label (EEL)	A+
Mercury (Hg) Content (Nom)	24.5 mg
Energy Consumption kWh/1000 h	431 kWh

PHILIPS

SON-T

Luminaire Design Requirements

Bulb Temperature (Max)	450 °C
Cap-Base Temperature (Max)	250 °C

Product Data

Full product code	872790090675200
-------------------	-----------------


Order product name	SON-T 400W E E40 1SL
EAN/UPC - Product	8727900906752
Order code	928487300097
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	12
Material Nr. (12NC)	928487300097
Net Weight (Piece)	0.188 kg

Warnings and Safety

- Control gear must include end-of-life protection (IEC60662, IEC 62035)
- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and

remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.


Dimensional drawing




SON-T, E27/E40

SON-T 400W E E40

Product	D	O	L	C
SON-T 400W E E40 1SL	47 mm	82 mm	175 mm	286 mm



Photometric data





© 2016 Philips Lighting Holding B.V.
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. (Royal Philips) or their respective owners.

www.philips.com/lighting

2016, March 7
data subject to change