



SECRET JARDIN




ASSEMBLY INSTRUCTIONS

HOBBY

■ DARK STREET	p 2
■ VINTAGE	p 8
■ TWIN	p 9
■ LODGE	p 11
■ CRISTAL ROOM	p 15
■ DARK PROPAGATION	p 16
■ DARK DRYER	p 19
■ SPECIFICATIONS	p 20



WebIT




8 x T16-B

14 x T16-A



Space Booster



8 x C16-Y



4 x C16-SB



4 x C16-H



4 x C16-L



WebIT60



HookIT




StrapIT



CableIT






WebIT



22 x T16-C

Space Booster



8 x C16-Y



4 x C16-SB



4 x C16-H



4 x C16-L



WebIT90



StrapIT




HookIT




CableIT





WebIT



Space Booster



14 x T16-E

4 x T16-D

4 x T16-C



8 x C16-Y




4 x C16-SB



4 x C16-H



4 x C16-L



WebIT120



HookIT




StrapIT




CableIT






WebIT



8 x T16-D

28 x T16-B

Space Booster



8 x C16-Y

4 x C16-SB

4 x C16-H

18 x C16-L



WebIT150



HookIT




StrapIT





WebIT




7 x T16-E

8x T16-C

Space Booster



7 x T16-A



8 x C16-Y



4 x C16-SB



4 x C16-H



4 x C16-L



WebIT120w



HookIT



StrapIT




CableIT






WebIT

24 x T16-E



12 x T16-D

Space Booster



8 x C16-Y



8 x C16-SB




4 x C16-K




6 x C16-H



6 x C16-L




2 X WebIT120



HookIT



StrapIT




CableIT






WebIT



23 x T16-D

Space Booster



8 x C16-Y




4 x C16-SB



6 x C16-H



4 x C16-L



WebIT100



StrapIT





HookIT



CableIT






2 x GS 60.30

8 x T16-B

15 x T16-A

4 x T16-F



8 x C16-Y



4 x C16-K



6 x C16-H



4 x C16-L





HookIT



CableIT







3 x GS 90.30

22 x T16-C

4 x T16-B

4 x T16-A



8 x C16-Y



4 x C16-K



12 x C16-H



4 x C16-L




HookIT



StrapIT




CableIT







- 6 x T16-B
- 20 x T16-A
- 8 x T16-G




- 8 x C16-Y
- 8 x C16-K
- 8 x C16-H
- 2 x C16-LL
- 1 x GS 60.30



- HookIT
- StrapIT
- CableIT







20 x T16-C

6 x T16-A

8 x T16-G



8 x C16-Y



8 x C16-K




8 x C16-H



2 x C16-LL



1 x GS 90.30




StrapIT




HookIT



CableIT




L120 R2.60



6 x T16-C

20 x T16-E

10 x T16-F




8 x C16-Y

8 x C16-K

12 x C16-H

2 x C16-LL

2 x GS 60.40




StrapIT


HookIT

CableIT






- 23 x T16-E
- 16 x T16-B
- 8 x T16-A
- 14 x T16-F




- 8 x C16-Y
- 16 x C16-K
- 20 x C16-H
- 8 x C16-LL
- 4 x GS 60.40



- HookIT
- StrapIT
- CableIT



L280 R2.60



CR60



CR110




CR145



9 x T16-A

5 x T16-F



8 x C16-Y

4 x C16-H



StrapIT

HookIT

CableIT






5 x T16-A



9 x T16-C



8 x C16-Y



4 x C16-H




StrapIT




HookIT



CableIT






8 x T16-E

18 x T16-A

12 x T16-F




8 x C16-Y

8 x C16-K

20 x C16-H


8 x GS 60.30



StrapIT

HookIT

CableIT





14 x T16-C



4 x T16-D



8 x C16-Y



4 x C16-H



4 x C16-L



StrapIT



HookIT



CableIT



METRIC SYSTEM

HOBBY GROW TENTS		WGHT		ASSEMBLED		SOCK CONFIG (FLOW / GROW)				HANDLING		ACCESSORIES		LIGHTING ADVISED		EXTRACTION ADVISED			
REF	DESIGNATION	REV	Net kg	W cm	D cm	H cm	Web/T Elastic Web Thread	Extraction Ø (mm)	Intracation Ø (mm)	Cables Ø (mm)	CoolTubes Ø (mm)	Poles #	Weight Max/Pole	StrapIT Pair #	HookIT Pair #	CabliET Pair #	HPS (every 30-60s) Extraction	LED (every 1-2 min) Extraction	
DS60	Dark Street 60x60x150 cm	R3.00	5.4	60	60	150	1 Web120w	150	150	75	1	2	10 kg	1	1	15	65 m3/h	30 m3/h	
DS90	Dark Street 90x90x170 cm	R3.00	7.5	90	90	170	1 Web120w	150	150	75	1	2	10 kg	1	1	15	165 m3/h	85 m3/h	
DS120	Dark Street 120x120x185 cm	R3.00	11.5	120	120	185	1 Web120w	200	200	75	1	2	10 kg	1	1	15	320 m3/h	160 m3/h	
DS150	Dark Street 150x150x200 cm	R3.00	13.8	150	150	200	1 Web120w	200	200	75	1	2	10 kg	1	1	15	540 m3/h	270 m3/h	
DS120w	Dark Street 120x60x170 cm	R3.00	8.1	120	60	170	2 Web120w	150	150	75	2	3	10 kg	1	1	15	145 m3/h	75 m3/h	
DS240w	Dark Street 240x120x200 cm	R3.00	17.0	240	120	200	2 Web120w	250	250	75	2	3	10 kg	1	2	30	690 m3/h	345 m3/h	
V100	Vintage 103x103x200 cm	R3.00	10.0	103	103	200	1 Web120w	200	200	75	2	3	10 kg	1	1	15	255 m3/h	125 m3/h	
HOBBY '1/2 ROOMS' GROW TENTS																			
REF	DESIGNATION	REV	Net kg	W cm	D cm	H (cm) Top-Bot.	Web/T Elastic Web Thread	Extraction Ø (mm)	Intracation Ø (mm)	Cables Ø (mm)	CoolTubes Ø (mm)	Poles #	Weight Max/Pole	StrapIT Pair #	HookIT Pair #	CabliET Pair #	HPS (every 30-60s) Extraction	LED (every 1-2 min) Extraction	
T60	Twin 60x60x190 cm	R2.60	8.4	60	60	150-40	-	150	1/1	75	1/1	4	10 kg	1	2	15	60 m3/h	30 m3/h	
T90	Twin 90x90x220 cm	R2.60	13.2	90	90	160-60	-	200	1/1	75	1/1	4	10 kg	1	2	15	140 m3/h	70 m3/h	
HOBBY '1/3 ROOMS' GROW TENTS																			
REF	DESIGNATION	REV	Net kg	W cm	D cm	H (cm) Top-Bot.	Web/T Elastic Web Thread	Extraction Ø (mm)	Intracation Ø (mm)	Cables Ø (mm)	CoolTubes Ø (mm)	Poles #	Weight Max/Pole	StrapIT Pair #	HookIT Pair #	CabliET Pair #	HPS (every 30-60s) Extraction	LED (every 1-2 min) Extraction	
L90	Lodge 90x60x135 cm	R2.60	9.4	60-30	60	75-60	-	150	1/1	75	1/1	4	10 kg	2	3	15	60 m3/h	30 m3/h	
L120	Lodge 120x90x145 cm	R2.60	13.0	90-30	90	85-60	-	200	1/1	75	1/1	4	10 kg	2	3	15	140 m3/h	70 m3/h	
L160	Lodge 160x120x205 cm	R2.60	16.8	120-40	120	120-85	-	200	1/1	75	1/1	200	2/0	4	10 kg	2	3	355 m3/h	178 m3/h
L280	Lodge 280x120x210 cm	R2.60	27.0	240-40	120	75-75-60	-	250	1/1	75	2/1	200	2/0	6	10 kg	2	4	725 m3/h	363 m3/h
HOBBY 'FLUO COMPACT' GROW TENTS																			
REF	DESIGNATION	REV	Net kg	W cm	D cm	H cm	Web/T Elastic Web Thread	Extraction Ø (mm)	Intracation Ø (mm)	Cables Ø (mm)	CoolTubes Ø (mm)	Poles #	Weight Max/Tent	StrapIT Pair #	HookIT Pair #	CabliET Pair #	Flow (every 1-2 min) Extraction	Grow (every 2-4 min) Extraction	
CR60	Cristal Room 60x60x55 cm	R2.60	1.2	60	60	55	-	Permissive	Permissive	75	1	-	3 kg	-	-	-	Permissive	Permissive	
CR110	Cristal Room 110x110x105 cm	R2.60	3.4	110	110	105	-	150	1	75	1	-	10 kg	-	-	-	45 m3/h	20 m3/h	
CR145	Cristal Room 145x145x140 cm	R2.60	5.7	145	145	140	-	150	1	75	1	-	10 kg	-	-	-	105 m3/h	50 m3/h	
PROPAGATION																			
REF	DESIGNATION	REV	Net kg	W cm	D cm	H cm	Web/T Elastic Web Thread	Extraction Ø (mm)	Intracation Ø (mm)	Cables Ø (mm)	CoolTubes Ø (mm)	Poles #	Weight Max/Pole	StrapIT Pair #	HookIT Pair #	CabliET Pair #	Flow (every 1-2 min) Extraction	Grow (every 2-4 min) Extraction	
DP60	Dark Propagator 60x40x60 cm	R2.60	2.8	60	40	60	-	150	1	75	1	-	2	10 kg	1	1	10 m3/h	5 m3/h	
DP90	Dark Propagator 90x60x90 cm	R2.60	4.5	90	60	90	-	150	1	75	1	-	2	10 kg	1	1	30 m3/h	15 m3/h	
DP120	Dark Propagator 120x60x120 cm	R2.60	12.8	120	60	3x40	-	200	1	75	1	-	10	5 kg	1	6	50 m3/h	25 m3/h	
DRYER																			
REF	DESIGNATION	REV	Net kg	W cm	D cm	H cm	Web/T Elastic Web Thread	Extraction Ø (mm)	Intracation Ø (mm)	Cables Ø (mm)	CoolTubes Ø (mm)	Poles #	Weight Max/Pole	StrapIT Pair #	HookIT Pair #	CabliET Pair #	Flow (every 1-2 min) Extraction	Grow (every 2-4 min) Extraction	
DD90	Dark Dryer 90x90x185 cm	R2.60	6.0	90	90	185	-	Permissive	Permissive	200	1	2	10 kg	1	1	15	90 m3/h	45 m3/h	

MAIN TECHNO R3.00
 Main Fabric: Mylar 190T
 Poles Ø0.63"
 Plastic Corners 0.12" thick
 Water Tray: Mylar 190T
 Space Booster Inc.
 Web Plant Support Inc.
 Bag Fabric: 210D

MAIN TECHNO R2.60
 Main Fabric: Mylar 190T
 Poles Ø0.63"
 Plastic Corners 0.12" thick
 Water Trays: Mylar 190T
 Metal Grid
 Water Tray: Mylar 190T

MAIN TECHNO DP R2.60
 Main Fabric: Mylar 190T
 Poles Ø0.63"
 Plastic Corners 0.12" thick
 Water Tray: Mylar 190T
 Bag Fabric: 210D

MAIN TECHNO DD R2.60
 Main Fabric: Sylver 210PU
 Poles Ø0.63"
 Plastic Corners 0.12" thick
 Bag Fabric: 210D

IMPERIAL SYSTEM

HOBBY GROW TENTS	REV	WGHT	ASSEMBLED	WEBBING	SOCK CONFIG	HANDLING	ACCESSORIES	LIGHTING ADVISED	VOL	EXTRACTION ADVISED	
DESIGNATION	Net lb	W in	D in	H in	Extraction Ø (in) # / # / #	Cool/Tubes Ø (in) #	StrapIT HookIT CabieIT Pair #	Cool/Tubes HPS-2000°K	cf	HPS (every 30-60s) Extraction Intake	LED (every 1-2 min) Extraction Intake
HOBBY "2 ROOMS" GROW TENTS											
REF	REV	Net lb	W in	D in	H in	Extraction Ø (in) # / # / #	StrapIT HookIT CabieIT Pair #	Flow Space HPS-2000°K	cf	HPS (every 30-60s) Extraction Intake	LED (every 1-2 min) Extraction Intake
D560	R3.00	11.9	23.5	23.5	59.0	6 1 6 1 3 1	1 1 15	1x HPS2500W	19	38 cfm	19 cfm
D590	R3.00	16.5	35.5	35.5	67.0	6 1 6 1 3 1	1 1 15	1x HPS4000W	49	98 cfm	49 cfm
DS120	R3.00	25.4	47.0	73.0	78.5	8 1 8 1 3 1	1 1 15	1x HPS6000W	93	186 cfm	93 cfm
DS150	R3.00	30.4	59.0	78.5	78.5	8 1 8 1 3 1	1 1 15	1x HPS1000W	158	316 cfm	158 cfm
DS120W	R3.00	17.9	47.0	23.5	67.0	6 1 6 1 3 1	1 1 15	1x HPS4000W	43	86 cfm	43 cfm
DS240W	R3.00	37.5	94.5	47.0	78.5	10 1 10 1 3 1	2 30	2x HPS6000W	201	403 cfm	201 cfm
V100	R3.00	22.0	40.5	40.5	78.5	8 1 8 2 3 2	1 15	1x HPS4000W	74	149 cfm	74 cfm
HOBBY "9 ROOMS" GROW TENTS											
REF	REV	Net lb	W in	D in	H in	Extraction Ø (in) # / # / #	StrapIT HookIT CabieIT Pair #	Flow Space HPS-2000°K	cf	HPS (every 30-60s) Extraction Intake	LED (every 1-2 min) Extraction Intake
T60	R2.60	18.5	24	24	59-16	6 1/1 6 1/1 3 1/1	1 2 15	1x HPS2500W	20	39 cfm	20 cfm
T90	R2.60	29.1	36	36	63-24	8 1/1 8 1/1 3 1/1	1 2 15	1x HPS4000W	47	94 cfm	47 cfm
HOBBY "FLUO COMPACT" GROW TENTS											
REF	REV	Net lb	W in	D in	H in	Extraction Ø (in) # / # / #	StrapIT HookIT CabieIT Pair #	Flow Space HPS-2000°K	cf	HPS (every 30-60s) Extraction Intake	LED (every 1-2 min) Extraction Intake
L90	R2.60	20.7	24-12	24	29-24	6 1/1 6 1/1 3 1/1	2 3 15	1x HPS2500W	18	35 cfm	18 cfm
L120	R2.60	28.7	36-12	36	33-33	8 1/1 8 1/1 3 1/1	2 3 15	1x HPS4000W	43	86 cfm	43 cfm
L160	R2.60	37.0	48-16	48	47-34	8 1/1 8 1/1 3 1/1	2 3 15	1x HPS6000W	108	216 cfm	108 cfm
L280	R2.60	59.5	95-16	48	30-30-23	10 1/1 10 1/1 3 1/1	2 4 30	2x HPS6000W	219	437 cfm	219 cfm
HOBBY "FLUO COMPACT" GROW TENTS											
REF	REV	Net lb	W in	D in	H in	Extraction Ø (in) # / # / #	StrapIT HookIT CabieIT Pair #	Flow Space HPS-2000°K	cf	HPS (every 30-60s) Extraction Intake	LED (every 1-2 min) Extraction Intake
CRF60	R2.60	2.6	23.5	23.5	21.5	Permissive	-	1x CFL125W	4	Permissive	Permissive
CRH10	R2.60	7.5	43.5	43.5	41.5	Permissive	-	1x CFL300W	26	26 cfm	13 cfm
CRH45	R2.60	12.8	57.0	57.0	55.0	6 1 6 1 3 1	-	1x CFL450W	61	16 cfm	8 cfm
PROPAGATOR											
REF	REV	Net lb	W in	D in	H in	Extraction Ø (in) # / # / #	StrapIT HookIT CabieIT Pair #	Flow Space HPS-2000°K	cf	HPS (every 30-60s) Extraction Intake	LED (every 1-2 min) Extraction Intake
DP90	R2.60	6.2	23.5	15.5	23.5	6 1 6 1 3 1	1 1 15	2x TLED26W	5	5 cfm	2 cfm
DP90	R2.60	9.9	35.5	23.5	35.5	Windows	1 1 15	3x TLED26W	17	17 cfm	9 cfm
DP120	R2.60	28.2	47.0	23.5	3x16	Permissive	6 30	6x TLED52W	30	45 cfm	22 cfm
DRYER											
REF	REV	Net lb	W in	D in	H in	Extraction Ø (in) # / # / #	StrapIT HookIT CabieIT Pair #	Flow Space HPS-2000°K	cf	HPS (every 30-60s) Extraction Intake	LED (every 1-2 min) Extraction Intake
DD90	R2.60	13.2	35.5	35.5	73.0	Permissive	1 1 15	-	53	53 cfm	27 cfm

MAIN TECHNO R3.00
Main Fabric: Mylar 190T
Poles Ø16 mm
Plastic Corners 3 mm thick
Water Tray: Mylar 190T
Space Booster Inc.
Web Plant Support Inc.
Bag Fabric: 210D

MAIN TECHNO R2.60
Main Fabric: Mylar 190T
Poles Ø16 mm
Plastic Corners 3 mm thick
Water Trays: Mylar 190T
Metal Grid
Water Tray: Mylar 190T

MAIN TECHNO DP R2.60
Main Fabric: Mylar 190T
Poles Ø16 mm
Plastic Corners 3 mm thick
Water Tray: Mylar 190T
Bag Fabric: 210D

MAIN TECHNO DD R2.60
Main Fabric: Sylver 210FU
Poles Ø16 mm
Plastic Corners 3 mm thick
Bag Fabric: 210D

REF	DESIGNATION	DESIGNATION	DS60	DS90	DS120	DS150	DS240W	V100	T60	T90	L90	L120	L160	L280	DP60	DP90	DP120	DP120
T16-A	Pole Ø16 mm 563 mm long	Pole Ø0.63" 22" long	14			7			15	4	20	6		8	9	5	18	
T16-B	Pole Ø16 mm 730 mm long	Pole Ø0.63" 29" long	8			8			8	4	6							
T16-C	Pole Ø16 mm 835 mm long	Pole Ø0.63" 33" long		22	4	8				22		20	6		9		14	
T16-D	Pole Ø16 mm 980 mm long	Pole Ø0.63" 39" long			4	8		23									4	
T16-E	Pole Ø16 mm 1162 mm long	Pole Ø0.63" 46" long			14	7	24										8	
T16-F	Pole Ø16 mm 373 mm long	Pole Ø0.63" 15" long							4		8	8	10		5		12	
T16-G	Pole Ø16 mm 275 mm long	Pole Ø0.63" 11" long									8	8	8		8		8	
T16-Y	Corner Ø16 mm 3 axes Y shape	Corner Ø0.63" 3 axes Y shape	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8
T16-K	Corner Ø16 mm 4 axes K shape	Corner Ø0.63" 4 axes K shape	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4
T16-L	Link Ø16 mm Straight Joint	Link Ø0.63" Straight Joint	4	4	4	4	6	4	4	4	2	2	2	2	2	2	2	2
T16-LL	Link Ø16 mm Straight Joint L	Link Ø0.63" Straight Joint L	4	4	4	4	6	4	4	4	8	8	12	20	4	4	20	4
T16-H	Handling Ø16 mm 1 axe I shape	Handling Ø0.63" 1 axe I shape	4	4	4	4	4	4	2	2	8	8	8	8	8	8	8	8
T16-SB	Space Booster Ø16 mm 2 axes Y Shape	Space Booster Ø0.63" 2 axes Y Shape	4	4	4	4	6	4	6	6	12	12	12	20	4	4	20	4
GS60.30	Grid Shelve 60x30 cm	Grid Shelve 24" x 12"	4	4	4	4	4	4	2	2	1	1	2	4			8	
GS90.30	Grid Shelve 90x30 cm	Grid Shelve 36" x 12"							3	3								





LODGE

HOBBY



www.secretjardin.com



www.secretjardin.com - info@secretjardin.com

Q3 - 2016