




Serve-over ROSSINI RD



Product categories



Technical features







ROSSINI RD											
Length mm		937	1250	1875	2500	3125	3750	MAA 90°	MAA 45°	MAC 90°	MAC 45°
ROSSINI RD	RDB	•	•	•	•	•	•	•	•	•	•
	RDA	•	•	•	•		•	•	•		•
	LS	•	•	•	•	•	•	•	•	•	•




RDA




RDB



LS




MAA 45°






MAC 45°



EPTABLU OPTION





Legend

	Meat		Chicken		Fish		Pre-packed fish
	Delicatessen		Cheese		Dairy products		Gastronomy
	Pastries		Pre-packed fruit and vegetables		Fruits and Vegetables		Sandwiches
	Drinks		Pizza		Bread		Frozen food and ice cream
	Off-cycle defrost		Electric defrost		Hot-gas defrosting system		Manual defrost
	Ventilated		Static		Incorporated condensing unit		Remote condensing unit
	Bagnomaria		Ceramic glass		Ice		VSD Inverter technology
	LED lighting		Zero C doors		High efficiency fans		R290 Propane refrigerant gas (R290)
	R-134a - 400V/3PH/50Hz		R404A - 400V/3PH/50Hz		R744 - 400V/PH/50Hz		Compressor hermetic reciprocating
	Hermetic scroll compressor		Semi-hermetic reciprocating compressor		VSD Inverter technology		External installation
	Machinery room		Soundproof housing		On board condenser		Remote condenser
	DUAL Medium & Low temperature		Technokleen		Thin Tech		EB