



Chilled vertical cabinets GAZELLE 4 DG



Product categories



Technical features






GAZELLE 4 DG


Length mm		1250		1875		2500		3750		MT 2000		MT 2310	
Height mm		20	22	20	22	20	22	20	22	20	22	20	22
GAZELLE 4 DG	Compact	•	•	•		•	•	•	•				
	Narrow	•	•	•	•	•	•	•	•	•	•	•	•
	Large	•	•	•	•	•	•	•	•	•	•	•	•




20\_C




20\_N



20\_L




22\_C







22\_N



22\_L



EPTABLUE OPTION



	L	H (mm)	
		20	22
GAZELLE C-N	2500	2340	2540
	3750	2250	2450
GAZELLE L	1875	2250	2450
	2500	2250	2450
	3750	2250	2450
	MT200	2250	2450
	MT2310	2250	2450



## Legend

 Meat	 Chicken	 Fish	 Pre-packed fish
 Delicatessen	 Cheese	 Dairy products	 Gastronomy
 Pastries	 Pre-packed fruit and vegetables	 Fruits and Vegetables	 Sandwiches
 Drinks	 Pizza	 Bread	 Frozen food and ice cream
 Off-cycle defrost	 Electric defrost	 Hot-gas defrosting system	 Manual defrost
 Ventilated	 Static	 Incorporated condensing unit	 Remote condensing unit
 Bagnomaria	 Ceramic glass	 Ice	 VSD Inverter technology
 LED lighting	 Zero C doors	 High efficiency fans	 R290 Propane refrigerant gas (R290)
 R134a R-134a - 400V/3PH/50Hz	 R404A R404A - 400V/3PH/50Hz	 R744 R744 - 400V/PH/50Hz	 Compressor hermetic reciprocating
 Hermetic scroll compressor	 Semi-hermetic reciprocating compressor	 VSD Inverter technology	 External installation
 Machinery room	 Soundproof housing	 On board condenser	 Remote condenser
 DUAL Medium & Low temperature	 Technokleen	 Thin Tech	 EB